HP38G Entry Reference

Complete listing sorted by functionality
Edition 2.11, 30 May 2005

Carsten Dominik, Thomas Rast & Eduardo M. Kalinowski

Table of Contents

1 Introduction 1

1.1 Disclaimer and Acknowledgments 1
1.2 Terminology 3
1.2.1 Abbreviations used in Stack Diagrams 3
1.2.2 Unsupported Entry Points 3
1.2.3 More Information 4

2 HP Objects 5

2.1 Binary Integers 5
2.1.1 Built-in BINTS 0-127 5
2.1.2 Built-in BINTS 127-255 10
2.1.3 Built-in BINTS 256- 11
2.1.4 Pushing Several BINTs 13
2.1.5 Conversion 14
2.1.6 Arithmetic Functions 14
2.1.7 Tests 15
2.2 Real Numbers 16
2.2.1 Built-in Real Numbers 16
2.2.2 Built-in Extended Real Numbers 17
2.2.3 Conversion 18
2.2.4 Real Functions 18
2.2.5 Extended Real Functions 19
2.2.6 Tests 20
2.3 Complex Numbers 20
2.3.1 Conversion 20
2.4 Character Strings 20
2.4.1 Built-in Characters 20
2.4.2 Built-in Strings 23
2.4.3 Built-in Strings with Stack Manipulation 25
2.4.4 Conversion 25
2.4.5 Management 25
2.4.6 Parsing Strings 27
2.4.7 Decompilation 27
2.4.8 String Tests 28
2.5 HEX Strings 28
2.5.1 Conversion 28
2.5.2 General Functions 28
2.6 Arrays 28
2.6.1 General Functions 28
2.6.2 Conversion 29
2.7 Unit Objects 29
2.7.1 Creating Units 29
2.8 Composites 29

2.8.1 General Operations 29
2.8.2 Building 31
2.8.3 Exploding 31
2.8.4 Lists 32
2.8.5 Secondaries 32
2.9 Meta Objects 32
2.9.1 Stack Functions 32
2.9.2 Combining Functions 33
2.9.3 Meta and Object Operations 33
2.10 Symbolics 33
2.10.1 General Operations 33
2.10.2 Derivatives 34
2.10.3 Meta Symbolics Functions 34
2.11 Library and Backup Objects 34
2.11.1 Rompointers 34
2.11.2 Libraries 35
2.11.3 Backup Objects 35

3 General SysRPL Entries 36

3.1 Stack Operations 36
3.2 Temporary Environments 39
3.2.1 Built-in IDs and LAMs 39
3.2.2 Conversion 39
3.2.3 Temporary Environments Words 39
3.3 Error Handling 41
3.3.1 General Words 41
3.3.2 Error Generating Words 43
3.4 Conditionals 43
3.4.1 Boolean Flags 43
3.4.2 General Tests 44
3.4.3 True/False Tests 44
3.4.4 Binary Integer Tests 46
3.4.5 Real and Complex Number Tests 48
3.4.6 General Object Tests 48
3.4.7 Miscellaneous 48
3.5 Runstream Control 49
3.5.1 Quoting Objects 50
3.5.2 Skipping Objects 51
3.6 Loops 51
3.6.1 Indefinite Loops 51
3.6.2 Definite Loops 52
3.7 Memory Operations 53
3.7.1 Recalling, Storing and Purging 53
3.7.2 Directories 54
3.7.3 Temporary Memory 54
3.8 Time and Alarms 55
3.9 System Functions 55
3.9.1 User and System Flags 55

3.9.2 General Functions 56
3.10 Kermit 56

4 Input and Output 57

4.1 Checking for Arguments 57
4.1.1 Number and Type of Arguments 57
4.1.2 Type Checking 58
4.2 Keyboard Control 59
4.2.1 Converting Keycodes 59
4.2.2 Waiting for Keys 59
4.2.3 The ATTN Flag 61
4.2.4 Bad Keys 61
4.2.5 User Keys 61
4.3 The Menu 61
4.3.1 Menu Properties 61
4.3.2 Building Menus 61
4.3.3 Menu Display 62
4.4 InputLine and Inputforms 62
4.4.1 Inputform 62
4.5 The Browser Engines 62
4.5.1 The HP48 Browser Engine 62
4.6 The Parametrized Outer Loop (POL) 62
4.7 The Display 63
4.7.1 Display Organization 63
4.7.2 Preparing the Display 63
4.7.3 Controlling Display Refresh 64
4.7.4 Clearing the Display 65
4.7.5 Annunciator and Modes Control 65
4.7.6 Window Coordinates 65
4.7.7 Scrolling the Display 66
4.7.8 Displaying Text 67
4.7.9 Messages and Boxes 67
4.8 Graphics 67
4.8.1 Built-in Grobs 67
4.8.2 Dimensions 67
4.8.3 Grob Handling 67
4.8.4 Creating Menu Label Grobs 69
4.8.5 Converting Strings to Grobs 69
4.9 Plotting 69

5 Entries specific to the HP38/39/40 71

5.1 Topic Variables and the Topic Outer Loop 71
5.2 Special Variables 88
5.2.1 Real HOME variables 89
5.2.2 Complex HOME variableS 90
5.2.3 Matrix HOME variables 90
5.2.4 Graphical HOME variables 91
5.2.5 List HOME variables 91
5.2.6 FUNCTION applet 92
5.2.7 PARAMETRIC applet 94
5.2.8 POLAR applet 96
5.2.9 SEQUENCE applet 98
5.2.10 SOLVE applet 99
5.2.11 STATISTICS applet 100
5.2.12 Unknown 100
5.3 m 101
5.4 Keys 104
5.5 Labels 111
5.6 LastBut 112
5.7 x 113
5.8 Rest 118

6 UserRPL Commands 140

6.1 A-F 140
6.2 G-M 142
6.3 N-S 143
6.4 T-Z 148
6.5 Non A-Z 148

7 ML Entry Points 149

7.1 General Purpose 149
7.2 Errors 149
7.2.1 Generating Errors 149
7.3 Hexadecimal Math 149
7.4 Memory Handling 149
7.4.1 General Memory Handling Routines 149
7.4.2 Moving and Swapping Memory Areas 149
7.4.3 Allocating Memory in TEMPOB 149
7.4.4 Working with Memory 149
7.5 Display 149
7.6 Popping and Pushing 150
7.6.1 Pointers 150
7.6.2 TRUE and FALSE 150
7.6.3 System Binary Integers (BINT) 150
7.6.4 Real and Complex Numbers 150
7.7 Keyboard Handling 150
7.8 Various ML Entries 150
7.9 Object Types 150

8 RAM entries 154
8.1 UART buffering 154

9 Miscellaneous Entries 155
9.1 Various Matrix operations 155
9.2 Undescribed Entry Points 158

10 Entries sorted by address 159

Entry Index 195

1 Introduction

This is a list of SystemRPL, User RPL and ML entries. The list groups the entries by task in many different chapters and sections. If you are looking for a particular entry go directly to the Index. There is also an address-sorted list, if you want to look up a particular address.

1.1 Disclaimer and Acknowledgments

The information provided in this document was compiled from a large variety of sources. The transformation of all the different formats to a single database was largely done with special purpose programs to reverse-engineer the different documents. This has worked very well in many cases, and less well in some other cases. If some of the information looks oddly formatted, the reason is probably the automatic extraction.

Many of the authors of the original documents will find literal bits and pieces of their text in this document. Thanks to all of them for their generosity in allowing me to use their documents and files freely.

Neither we nor the authors of the different sources assume any warranty. This document is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you find any errors, let us know so that the database can up updated and fixed. Sent bug reports and other comments to Carsten Dominik (`dominik@science.uva.nl`). Reports about the ML chapter should be sent directly to Thomas Rast (`t.rast@iname.com`), but with a CC to Carsten Dominik (`dominik@science.uva.nl`).

Here is a list of sources which have been used.

Programming in System RPL by Eduardo Kalinowski
: This book has been a major source for the database. The entire book has been reverse-engineered using pdftotext and then a variety of Emacs and Perl programs to extract and format the reference part of the book.

CAS Documentation Draft by Bernard Parisse
: Bernard Parisse has kindly sent me a file with draft documentation about most CAS entries which is the basis of the CAS chapter. This covers both code derived from Erable (written by Bernard) and from ALG48 (by Mika Heiskanen and Claude-Nicolas Fiechter). The documentation is not complete, and not entirely up-to-date. However, the information given should be accurate.

entries.srt by Mika Heiskanen
: Mika's really useful collection of entry description has been used to double-check the information derived from Eduardo's book.

ML entry descriptions by Peter Geelhoed
: Peter Geelhoed created the initial version of the ML section for this document.

HP48/49 entry cross-reference by Joe Horn
: This document has been used to make a list of entries for the HP49 in the first place, and to add and double-check addresses for both calculators.

Various posts on `comp.sys.hp48`
: A number of post on `comp.sys.hp48` have documented a set of entry points, for example the Graphical Toolbox (Cyrille de Brebisson), the Editor related entries (myself) and other stuff.

Supported entry lists from HP
: HP has published lists of supported entries for all calculators in the database. The lists generally only contain names and addresses, no further description.

Further contributions
: Denis Martinez, Alberto Zamora Oyarce, Wolfgang Rautenberg, Michael de Coninck, Christoph Giesselink, Martin Lang, Piotr Kowalewski, Lilian Pigallio and in particular Jean-Yves Avenard have also contributed information about various entry points and/or have replied to my questions about different aspects related to entries.

1.2 Terminology

1.2.1 Abbreviations used in Stack Diagrams

Here is a list of the codes use to denote different objects in the stack diagrams.

`ob`	any object
`1...n`	n objects
`#`	binary integer (BINT)
`HXS`	hex string (User binary integer)
`CHR`	character
`$`	character string
`T`	TRUE
`F`	FALSE
`flag`	TRUE or FALSE
`%`	real number
`%%`	extended real number
`%C`	complex number
`%%C`	extended complex number
`z, Z ,ZINT`	infinite precision integer
`N`	positive infinite precision integer
`s, symb`	symbolic
`u, unit`	unit object
`{}`	list
`A, []`	Array
`V, []`	Vector
`M, [[]]`	Matrix
`P`	Polynom, a list of Qs
`Q`	ZINT or P
`meta, ob1..obn #n`	meta object
`grob`	graphical object
`menu`	list or program returning a list

UserRPL stack diagrams use some additional abbreviations

`x,y`	real, list, generic UserRPL object
`c, (,)`	complex number
`#`	hex string (User binary integer)
`greek theta`	angle (a real number)
`m,n`	integer (ZINT or real)
`date`	DD.MMYYYY or MM.DDYYYY
`name`	global name
`prog,prg`	program
`f,func`	function
`F`	integral of f

1.2.2 Unsupported Entry Points

A large number of entries in this database are not officially supported (i.e. their address is not guarantied by HP to be stable). However, many of these entries can still be used, provided that the entry address is (or has been) *stable* in all ROM versions.

On the HP49G, two address intervals have been pointed out by Jean-Yves Avenard to be stable, so entries found in these intervals will be added to this database.

On the HP48G, no new ROM versions are to be expected, and all entries can be considered *stable*.

The names of unsupported but stable entries will be *enclosed in single parenthesis*, like `(CURSOR@)`.

1.2.3 More Information

This database has been used to create the entries reference in the second edtion of *Programming in System RPL* by Eduardo M. Kalinowski and C. Dominik. In this book, the entry list is embedded into a lot more information about SystemRPL and the HP49G, so if you need additional information, check the book. The main reasons to make also the entry database available is that it is a more compact listing, contains information about ML entries as well and lists the addresses of the entry on many different calculators.

2 HP Objects

2.1 Binary Integers

2.1.1 Built-in BINTS 0-127

0403F	BINT0	0d 0h aka: ZERO, any
04049	BINT1	1d 1h aka: ONE, real, MEMERR
04053	BINT2	2d 2h aka: TWO, cmp
0405D	BINT3	3d 3h aka: THREE, str
04067	BINT4	4d 4h aka: FOUR, arry
04071	BINT5	5d 5h aka: FIVE, list
0407B	BINT6	6d 6h aka: SIX, id, idnt
04085	BINT7	7d 7h aka: SEVEN, lam
0408F	BINT8	8d 8h aka: EIGHT, seco
04099	BINT9	9d 9h aka: NINE, symb
040A3	BINT10	10d Ah aka: TEN, sym
040AD	BINT11	11d Bh aka: ELEVEN, hxs
040B7	BINT12	12d Ch aka: TWELVE, grob
040C1	BINT13	13d Dh aka: TAGGED, THIRTEEN
040CB	BINT14	14d Eh aka: EXT, FOURTEEN, unitob
040D5	BINT15	15d Fh aka: FIFTEEN, rompointer

040DF	BINT16	16d 10h aka: REALOB, SIXTEEN
040E9	BINT17	17d 11h aka: SEVENTEEN, 2REAL, REALREAL
040F3	BINT18	18d 12h aka: EIGHTEEN
040FD	BINT19	19d 13h aka: NINETEEN
04107	BINT20	20d 14h aka: TWENTY
04111	BINT21	21d 15h aka: TWENTYONE
0411B	BINT22	22d 16h aka: TWENTYTWO
04125	BINT23	23d 17h aka: TWENTYTHREE
0412F	BINT24	24d 18h aka: TWENTYFOUR
04139	BINT25	25d 19h aka: TWENTYFIVE
04143	BINT26	26d 1Ah aka: REALSYM, TWENTYSIX
0414D	BINT27	27d 1Bh aka: TWENTYSEVEN
04157	BINT28	28d 1Ch aka: TWENTYEIGHT
04161	BINT29	29d 1Dh aka: TWENTYNINE
0416B	BINT30	30d 1Eh aka: REALEXT, THIRTY
04175	BINT31	31d 1Fh aka: THIRTYONE
0417F	BINT32	32d 20h aka: THIRTYTWO
04189	BINT33	33d 21h aka: THIRTYTHREE
04193	BINT34	34d 22h aka: THIRTYFOUR
0419D	BINT35	35d 23h aka: THIRTYFIVE

041B1	BINT37	37d 25h aka: THIRTYSEVEN
041BB	BINT38	38d 26h aka: THIRTYEIGHT
041C5	BINT39	39d 27h aka: THIRTYNINE
041CF	BINT40	40d 28h aka: FORTY, FOURTY
041D9	BINT41	41d 29h aka: FORTYONE
041E3	BINT42	42d 2Ah aka: FORTYTWO
041ED	BINT43	43d 2Bh aka: FORTYTHREE
80000	BINT44	44d 2Ch aka: FORTYFOUR
8000A	BINT45	45d 2Dh aka: FORTYFIVE
80014	BINT46	46d 2Eh aka: FORTYSIX
8001E	BINT47	47d 2Fh aka: FORTYSEVEN
80028	BINT48	48d 30h aka: FORTYEIGHT
80032	BINT49	49d 31h aka: FORTYNINE
8003C	BINT50	50d 32h aka: FIFTY
80046	BINT51	51d 33h aka: FIFTYONE
80050	BINT52	52d 34h aka: FIFTYTWO
8005A	BINT53	53d 35h aka: FIFTYTHREE, STRLIST, THREEFIVE
80064	BINT54	54d 36h aka: FIFTYFOUR
8006E	BINT55	55d 37h aka: FIFTYFIVE
8006E	#THREESEVEN	55d 37h

80078	BINT56	56d 38h aka: FIFTYSIX
80082	BINT57	57d 39h aka: FIFTYSEVEN
8008C	BINT58	58d 3Ah aka: FIFTYEIGHT
80096	BINT59	59d 3Bh aka: FIFTYNINE
800A0	BINT60	60d 3Ch aka: SIXTY
800AA	BINT61	61d 3Dh aka: SIXTYONE
800B4	BINT62	62d 3Eh aka: SIXTYTWO
800BE	BINT63	63d 3Fh aka: SIXTYTHREE
800BE	BINT3Fh	64d 3Fh
800C8	BINT64	64d 40h aka: BINT40h, SIXTYFOUR, YHI
800D2	BINT65	65d 41h aka: ARRYREAL
800D2	BINT_65d	65d 41h
800D2	SIXTYFIVE	65d 41h
800DC	BINT66	66d 42h aka: FOURTWO
800DC	SIXTYSIX	66d 42h
800E6	BINT67	67d 43h aka: FOURTHREE
800F0	BINT68	68d 44h aka: SIXTYEIGHT
800F0	2ARRY	68d 44h
800FA	BINT69	69d 45h aka: FOURFIVE
80104	BINT70	70d 46h aka: SEVENTY
80104	ARRYID	70d 46h
8010E	SEVENTYONE	71d 47h
80118	SEVENTYTWO	72h 48d
80122	SEVENTYTHREE	73d 49h

8012C	BINT74	74d 4Ah aka: SEVENTYFOUR
80136	SEVENTYFIVE	75d 4Bh
80140	SEVENTYSIX	76d 4Ch
8014A	SEVENTYSEVEN	77d 4Dh
80154	SEVENTYEIGHT	78d 4Eh
8015E	BINT79	79d 4Fh aka: SEVENTYNINE
80168	BINT80	80d 50h aka: EIGHTY
80168	LISTOB	80d 50h
80172	BINT81	81d 51h aka: EIGHTYONE, LISTREAL
8017C	BINT82	82d 52h aka: LISTCMP
80186	BINT83	83d 53h aka: FIVETHREE
80190	BINT84	84d 54h aka: FIVEFOUR
8019A	BINT85	85d 55h aka: 2LIST
801A4	BINT86	86d 56h aka: FIVESIX
801A4	LISTID	86d 56h
801AE	BINT87	87d 57h aka: LISTLAM
801B8	EIGHTYEIGHT	88d 58h
801C2	EIGHTYNINE	89d 59d
801CC	NINETY	90d 5Ah
801D6	BINT91	91d 5Bh aka: BINT_91d
801E0	NINETYTWO	92d 5Ch
801EA	NINETYTHREE	93d 5Dh
801F4	NINETYFOUR	94d 5Eh
801FE	NINETYFIVE	95d 5Fh
80208	BINT96	96d 60h aka: BINT_96d
80212	BINT97	97d 61h aka: IDREAL
8021C	IDCMP	98d 62h

8021C	NINETYEIGHT	98d 62h
80226	NINETYNINE	99d 63h
80230	BINT100	100d 64h aka: ONEHUNDRED
80230	IDARRY	100d 64h
8023A	IDLIST	101d 65h
8023A	SIXFIVE	101d 65h
80244	BINT111	111d 6Fh aka: char
80258	LAMREAL	113d 71h
80262	BINT_114	114d 72hd
8026C	BINT115	115d 73h aka: BINT_115d
80276	BINT116	116d 74h aka: BINT_116d
80280	LAMLIST	117d 75h
80280	BINT_117d	117d 75h
8028A	BINT122	122d 7Ah aka: BINT_122d

2.1.2 Built-in BINTS 127-255

80294	BINT128	128d 80h aka: BINT80h
80294	BINT_128d	128d 80h
8029E	BINT130	130d 82h aka: BINT130d, BINT_130d, XHI-1
802A8	BINT131	131d 83h aka: BINT_131d, BINT131d, XHI
802BC	SYMBREAL	145d 91h
802C6	SYMBCMP	146d 92h
802D0	SYMBSYM	154d 9Ah
802DA	SYMBUNIT	158d 9Eh
802E4	backup	159d 9Fh
802EE	SYMOB	160d A0h
802F8	SYMREAL	161d A1h
80302	SYMCMP	162d A2h
80316	SYMARRY	164d A4h
80320	SYMLIST	165d A5h
8032A	SYMID	166d A6h

80334	SYMLAM	167d	A7h
8033E	SYMSYMB	169d	A9h
80348	SYMSYM	170d	AAh
80352	SYMEXT	174d	AEh
8035C	HXSREAL	177d	B1h
80366	2HXS	187d	BBh
80370	BINTC0h	192d	C0h
8037A	2GROB	204d	CCh
80384	TAGGEDANY	208d	D0h
8038E	EXTREAL	225d	E1h
80398	EXTSYM	234d	EAh
80398	UNITSYM	234d	EAh
803A2	2EXT	238d	EEh
803AC	ROMPANY	240d	F0h
803B6	BINT253	253d	FDh
803C0	BINT255d	255d	FFh

2.1.3 Built-in BINTS 256-

803CA	REALOBOB	256d	100h
803D4	#_102	258d	102h
803D4	#_258_d	258d	102h
803DE	#SyntaxErr	262d	106h
803E8	BINT_263d	263d	107h
803F2	REALREALOB	272d	110h
803FC	3REAL	273d	111h
80406	Err#Kill	291d	123h
80406	#_291_d	291d	123h
80406	#_123	291d	123h
80410	#_124	292d	124h
80410	Err#NoLstStk	292d	124h
80410	#_292_d	292d	124h
8041A	#NoRoomForSt	305d	131h
8041A	BINT_305d	305d	131h
80424	BINT_306d	306d	132h
8042E	REALSTRSTR	307d	133h
8042E	BINT_307d	307d	133h
80492	Err#Cont	318d	13Eh

8049C	INTEGER337	337d 151h
804A6	CMPOBOB	512d 200h
804B0	Err#NoLstArg	517d 205h
804B0	#_205	517d 205h
804B0	#_517_d	517d 205h
804BA	STRREALREAL	785d 311h
804C4	ARRYREALREAL	1041d 411h
804CE	ARRYREALCMP	1042d 412h
804D8	3ARRY	1092d 444h
804E2	ARRYLISTREAL	1105d 451h
804EC	ARRYLISTCMP	1106d 452h
804F6	LISTREALOB	1296d 510h
80500	LISTREALREAL	1297d 511h
8050A	LISTLISTOB	1360d 550h
80514	IDREALOB	1552d 610h
8051E	IDLISTOB	1616d 650h
80528	FSTMACROROM#	1792d 700h
80528	LAMANYANY	1792d 700h
80532	PROGIDREAL	2145d 861h
8053C	PROGIDCMP	2146d 862h
80546	PROGIDLIST	2149d 865h
80550	PROGIDEXT	2158d 86Eh
8055A	ATTNERR	2563d A03h
80564	SYMREALREAL	2577d A11h
8056E	SYMREALCMP	2578d A12h
80578	SYMREALSYM	2586d A1Ah
80582	SYMCMPREAL	2593d A21h
8058C	SYMCMPCMP	2594d A22h
80596	SYMCMPSYM	2602d A2Ah
805A0	SYMIDREAL	2657d A61h
805AA	SYMIDCMP	2658d A62h
805B4	SYMIDLIST	2661d A65h
805BE	SYMIDEXT	2670d A6Eh
805C8	SYMSYMREAL	2721d AA1h
805D2	SYMSYMCMP	2722d AA2h
805DC	3SYM	2730d AAAh
805E6	XFERFAIL	3078d C06h
805F0	PROTERR	3079d C07h

805FA	InvalServCmd	3080d C08h
80604	Connecting	3082d C0Ah
8060E	Retry	3083d C0Bh
80618	#CAlarmErr	3583d DFFh
80622	EXTOBOB	3584d E00h
03FDB	TYPEREAL	10547d 2933h
0402B	TYPEEREL	10581d 2955h
03FF9	TYPEIDNT	10568d 2948h
03FE5	TYPECMP	10615d 2977h
03FEF	TYPELIST	10868d 2A74h
04017	TYPERRP	10902d 2A96h
0400D	TYPESYMB	10936d 2AB8h
04035	TYPEEXT	10970d 2ADAh
04003	TYPECOL	11677d 2D9Dh
03FF9	TYPEIDNT	10568d 2948h
04021	TYPELAM	11885d 2E6Dh
8062C	#EXITERR	458752d 70000h
8065E	MINUSFIVE	1048571d FFFFBh
80654	MINUSFOUR	1048572d FFFFCh
8064A	MINUSTHREE	1048573d FFFFDh
80640	MINUSTWO	1048574d FFFFEh
80636	MINUSONE	1048575d FFFFFh

2.1.4 Pushing Several BINTs

815D1	ZEROZERO	(→ #0 #0)
844CF	ONEONE	(→ #1 #1) aka: ONEDUP
8159A	DROPZERO	(ob → #0)
8159F	2DROP00	(ob ob → #0 #0)
8156D	DROPONE	(ob → #1)
84493	DUPZERO	(ob → ob ob #0)
844A7	DUPONE	(ob → ob ob #1)
844E3	DUPTWO	(ob → ob ob #2)
844BB	SWAPONE	(ob ob' → ob' ob #1)
838A9	ZEROSWAP	(ob → #0 ob)
83AE8	ZEROOVER	(ob → ob #0 ob)
83F8E	ZEROFALSE	(→ #0 F)

838D6	ONESWAP	(ob → #1 ob)
83FA2	ONEFALSE	(→ #1 F)

2.1.5 Conversion

81CB1	COERCE	(% → #)
83750	COERCEDUP	(% → # #)
838EA	COERCESWAP	(ob % → # ob)
458CA	%ABSCOERCE	(% → #)
81C02	CHR>#	(chr → #)

2.1.6 Arithmetic Functions

817D4	#+	(# #' → #+#')
817E8	#1+	(# → #+1)
817F7	#2+	(# → #+2)
815A4	#3+	(# → #+3)
815A9	#4+	(# → #+4)
815AE	#5+	(# → #+5)
DF0F3	#8+	(# → #+8)
817D9	#-	(# #' → #-#')
817ED	#1-	(# → #-1)
817FC	#2-	(# → #-2)
DF133	#3-	(# → #-3)
817CF	#*	(# #' → #*#')
813B5	#*OVF	(# #' → #*#') $0 \leq$ result $\leq$ FFFFF
817F2	#2*	(# → #*2)
817DE	#/	(# #' → #r #q)
81801	#2/	(# → #/2) Rounded down.
81595	#-#2/	(# #' → (#-#')/2)
8154F	#+DUP	(# #' → #+#' #+#')
8386D	#+SWAP	(ob # #' → #+#' ob)
83AC0	#+OVER	(ob # #' → ob #+#' ob)
83881	#-SWAP	(ob # #' → #-#' ob)
83AD4	#-OVER	(ob # #' → ob #-#' ob)
83895	#1+SWAP	(ob # → #+1 ob)
83A48	#1-ROT	(ob ob' # → ob' #-1 ob)

838BD	#1-1SWAP	(# → 1 #-1) Returns the bint ONE and the result.
81563	DUP#1+	(# → # #+1)
8415A	2DUP#+	(# #' → # #' #+#') aka: DUP3PICK#+
84236	DROP#1-	(# ob → #-1)
81540	SWAP#-	(# #' → #'-#)
81568	SWAP#1+	(meta ob → meta&ob) aka: SWP1+
82E95	'RSWP1+	(# → nob #+1) nob is the next object in the runstream.
84222	SWAP#1-	(# ob → ob #-1)
841FA	SWAPOVER#-	(# #' → #' #-#')
84182	OVER#+	(# #' → # #'+#)
841D2	OVER#-	(# #' → # #'-#)
84A42	OVER#1-	(# #' → # #' #'')
8416E	ROT#+	(# ob #' → ob #'+#)
841BE	ROT#-	(# ob #' → ob #'-#)
8420E	ROT#1+	(# ob ob' → ob ob' #+1)
81D2E	ROT#1+UNROT	(# ob ob' → #+1 ob ob')
8383B	ROT#+SWAP	(# ob #' → #'+# ob) aka: ROT+SWAP
84196	3PICK#+	(# ob #' → # ob #'+#)
841AA	4PICK#+	(# ob1 ob2 #' → # ob1 ob2 #'+#)
83854	4PICK#+SWAP	(# ob1 ob2 #' → # ob1 #'+# ob2) aka: 4PICK+SWAP
813A1	#MIN	(# #' → #'')
8139C	#MAX	(# #' → #'')
817E3	#AND	(# #' → #'') Bitwise AND.

2.1.7 Tests

81806	#=	(# #' → flag)
8180B	#<>	(# #' → flag)
81810	#<	(# #' → flag)
81900	#<=	(# #' → flag)
81815	#>	(# #' → flag)
818FB	#>=	(# #' → flag)
8181F	#0<>	(# → flag)
8181A	#0=	(# → flag)

813BA	#1<>	(# → flag)
813BF	#1=	(# → flag)
8411E	#2<>	(# → flag)
813C4	#2=	(# → flag)
81581	#3=	(# → flag)
8410A	#5=	(# → flag)
840C9	#<3	(# → flag)
84146	#>1	(# → flag) aka: ONE#>
81572	2DUP#<	(# #' → # #' flag)
8155E	2DUP#>	(# #' → # #' flag)
83DF4	ONE_EQ	(# → flag) Uses EQ test.
8151D	OVER#=	(# #' → # flag)
81577	2DUP#=	(# #' → # #' flag)
840A1	OVER#0=	(# #' → # #' flag)
8157C	DUP#0=	(# → # flag)
840B5	OVER#<	(# #' → # flag)
81586	DUP#1=	(# → # flag)
84132	OVER#>	(# #' → # flag)
8158B	DUP#0<>	(# → # flag)
840DD	DUP#<7	(# → # flag) Returns TRUE if the argument is smaller than #7.
84083	2#0=OR	(# # → flag) Returns TRUE if either argument is zero.

2.2 Real Numbers

2.2.1 Built-in Real Numbers

8083B	%-MAXREAL	-9.99E499
807E2	%-9	-9
807CD	%-8	-8
807B8	%-7	-7
807A3	%-6	-6
8078E	%-5	-5
80779	%-4	-4
80764	%-3	-3
8074F	%-2	-2

8073A	%-1	-1
80865	%-MINREAL	-1E-499
80668	%0	0
80850	%MINREAL	1E-499
80979	%.5	.5
8098E	%-.5	-.5
8067D	%1	1
80692	%2	2
80964	%e	e
806A7	%3	3
807F7	%PI	π
806BC	%4	4
806D1	%5	5
806E6	%6	6
806FB	%7	7
80710	%8	8
80725	%9	9
809A3	%10	10
48F1C	%15	15
48FB7	%25	25
809B8	%180	180
809CD	%200	200
809F7	%400	400
809E2	%360	360
80826	%MAXREAL	9.99E499

2.2.2 Built-in Extended Real Numbers

8087A	%%0	0
80916	%%.1	0.1
80930	%%.5	0.5
80894	%%1	1
808AE	%%2	2
808C8	%%3	3
8080C	%%PI	π
808E2	%%4	4
808FC	%%5	5
8094A	%%10	10

2.2.3 Conversion

81257	%>%%	(% → %%)
838FE	%>%%SWAP	(ob % → %% ob)
81252	%%>%	(%% → %)
81CB6	UNCOERCE	(# → %)
845A1	UNCOERCE%%	(# → %%)
81BFD	C%>%	(C% → %re %im)

2.2.4 Real Functions

8128E	%+	(% %' → %+%')
81293	%-	(% %' → %-%')
81289	%*	(% %' → %*%')
81298	%/	(% %' → %/%')
8129D	%^	(% %' → %^%')
812A2	%ABS	(% → %')
812D9	%CHS	(% → -%)
8133D	%SGN	(% → -1/0/1)
8134C	%SQRT	(% → $\sqrt{a}$%)
812ED	%EXP	(% → e^%)
812F2	%EXPM1	(% → e^%-1)
8130B	%LN	(% → LN%)
81310	%LNP1	(% → LN(%+1))
81315	%LOG	(% → LOG%)
812B1	%ALOG	(% → 10^%)
81342	%SIN	(% → SIN%)
812E3	%COS	(% → COS%)
81356	%TAN	(% → TAN%)
812BB	%ASIN	(% → ASIN%)
812A7	%ACOS	(% → ACOS%)
812C5	%ATAN	(% → ATAN%)
81347	%SINH	(% → SINH%)
812E8	%COSH	(% → COSH%)
8135B	%TANH	(% → TANH%)
812C0	%ASINH	(% → ASINH%)
812AC	%ACOSH	(% → ACOSH%)

812CA	%ATANH	(% → ATANH%)
8131A	%MANTISSA	(% → %mant)
812F7	%EXPONENT	(% → %expn)
81301	%FP	(% → %frac)
81306	%IP	(% → %int)
812FC	%FLOOR	(% → %maxint <=%)
812CF	%CEIL	(% → %minint >=%)
8131F	%MOD	(% %' → %rem)
812B6	%ANGLE	(%x %y → %ang)
82FDF	RNDXY	(% %places → %')
82FF3	TRCXY	(% %places → %')
812DE	%COMB	(% %' → COMB(%,%'))
81333	%PERM	(% %' → PERM(%,%'))
81324	%NFACT	(% → %!) Calculates factorial of number.
82F5D	%FACT	(% → gamma(%+1)) Calculates gamma(x+1).
81329	%NROOT	(% %n → %') Calculates the %nth root of the real number. Equivalent to user function XROOT.
82F99	%MIN	(% %' → %lesser)
82F8F	%MAX	(% %' → %greater)
837F0	%MAXorder	(% %' → %max %min)
81338	%RAN	(→ %random) Returns next random number.
82FB7	%RANDOMIZE	(%seed →) System level RDZ: seeds the random number generator.
8132E	%OF	(% %' → %'/% * 100)
81351	%T	(% %' → %pctotal)
812D4	%CH	(% %' → %pcchange)
82F53	%D>R	(%deg → %rad)
82FAD	%R>D	(%rad → %deg)
82FC1	%REC>%POL	(%r %ang → %x %y)
82FA3	%POL>%REC	(%x %y → %r %ang)
82FCB	%SPH>%REC	(%r %ang %ph → %x %y %z)

2.2.5 Extended Real Functions

845C9	SWAP%%/	(%% %%' → %%'')

8458D	%%/>%	(%% %%' → %)

2.2.6 Tests

8127F	%=	(% %' → flag)
8127A	%<>	(% %' → flag)
8126B	%<	(% %' → flag)
81270	%<=	(% %' → flag)
81284	%>	(% %' → flag)
81275	%>=	(% %' → flag)
81266	%0=	(% → flag)
845B5	DUP%0=	(% → flag)
82F3F	%0<>	(% → flag) Can be used to change a user flag into a system flag.
81261	%0<	(% → flag)
8125C	%0>	(% → flag)
82F49	%0>=	(% → flag)

2.3 Complex Numbers

2.3.1 Conversion

81BF8	%>C%	(%re %im → C%)
83D18	SWAP%>C%	(%im %re → C%)

2.4 Character Strings

2.4.1 Built-in Characters

80C80	CHR_00	'\00', CHR 0d 00h The NULL character.
80ED3	CHR_Newline	'\0a', CHR 10d 0Ah
80C87	CHR_...	'...', CHR 31d 1Fh
80EEF	CHR_Space	' ', CHR 32d 20h The space character.
80C95	CHR_DblQuote	'"', CHR 34d 22h
80C9C	CHR_#	'#', CHR 35d 23h

```
80ECC     CHR_LeftPar          '(', CHR 40d 28h
80EE1     CHR_RightPar         ')', CHR 41d 29h
80CA3     CHR_*                '*', CHR 42d 2Ah
80CAA     CHR_+                '+', CHR 43d 2Bh
80CB1     CHR_,                ',', CHR 44d 2Ch
80CB8     CHR_-                '-', CHR 45d 2Dh
80CBF     CHR_.                '.', CHR 46d 2Eh
80CC6     CHR_/                '/', CHR 47d 2Fh
80CCD     CHR_0                '0', CHR 48d 30h
80CD4     CHR_1                '1', CHR 49d 31h
80CDB     CHR_2                '2', CHR 50d 32h
80CE2     CHR_3                '3', CHR 51d 33h
80CE9     CHR_4                '4', CHR 52d 34h
80CF0     CHR_5                '5', CHR 53d 35h
80CF7     CHR_6                '6', CHR 54d 36h
80CFE     CHR_7                '7', CHR 55d 37h
80D05     CHR_8                '8', CHR 56d 38h
80D0C     CHR_9                '9', CHR 57d 39h
80D13     CHR_:                ':', CHR 58d 3Ah
80D1A     CHR_;                ';', CHR 59d 3Bh
80D21     CHR_<                '<', CHR 60d 3Ch
80D28     CHR_=                '=', CHR 61d 3Dh
80D2F     CHR_>                '>', CHR 62d 3Eh
80D36     CHR_A                'A', CHR 65d 41h
80D3D     CHR_B                'B', CHR 66d 42h
80D44     CHR_C                'C', CHR 67d 43h
80D4B     CHR_D                'D', CHR 68d 44h
80D52     CHR_E                'E', CHR 69d 45h
80D59     CHR_F                'F', CHR 70d 46h
80D60     CHR_G                'G', CHR 71d 47h
80D67     CHR_H                'H', CHR 72d 48h
80D6E     CHR_I                'I', CHR 73d 49h
80D75     CHR_J                'J', CHR 74d 4Ah
80D7C     CHR_K                'K', CHR 75d 4Bh
80D83     CHR_L                'L', CHR 76d 4Ch
80D8A     CHR_M                'M', CHR 77d 4Dh
80D91     CHR_N                'N', CHR 78d 4Eh
80D98     CHR_O                'O', CHR 79d 4Fh
```

```
80D9F     CHR_P              'P', CHR 80d 50h
80DA6     CHR_Q              'Q', CHR 81d 51h
80DAD     CHR_R              'R', CHR 82d 52h
80DB4     CHR_S              'S', CHR 83d 53h
80DBB     CHR_T              'T', CHR 84d 54h
80DC2     CHR_U              'U', CHR 85d 55h
80DC9     CHR_V              'V', CHR 86d 56h
80DD0     CHR_W              'W', CHR 87d 57h
80DD7     CHR_X              'X', CHR 88d 58h
80DDE     CHR_Y              'Y', CHR 89d 59h
80DE5     CHR_Z              'Z', CHR 90d 5Ah
80EFD     CHR_[              '[', CHR 91d 5Bh
80F04     CHR_]              ']', CHR 93d 5Dh
80EF6     CHR_UndScore       '_', CHR 95d 5Fh
80DEC     CHR_a              'a', CHR 97d 61h
80DF3     CHR_b              'b', CHR 98d 62h
80DFA     CHR_c              'c', CHR 99d 63h
80E01     CHR_d              'd', CHR 100d 64h
80E08     CHR_e              'e', CHR 101d 65h
80E0F     CHR_f              'f', CHR 102d 66h
80E16     CHR_g              'g', CHR 103d 67h
80E1D     CHR_h              'h', CHR 104d 68h
80E24     CHR_i              'i', CHR 105d 69h
80E2B     CHR_j              'j', CHR 106d 6Ah
80E32     CHR_k              'k', CHR 107d 6Bh
80E39     CHR_l              'l', CHR 108d 6Ch
80E40     CHR_m              'm', CHR 109d 5Dh
80E47     CHR_n              'n', CHR 110d 6Eh
80E4E     CHR_o              'o', CHR 111d 6Fh
80E55     CHR_p              'p', CHR 112d 70h
80E5C     CHR_q              'q', CHR 113d 71h
80E63     CHR_r              'r', CHR 114d 72h
80E6A     CHR_s              's', CHR 115d 73h
80E71     CHR_t              't', CHR 116d 74h
80E78     CHR_u              'u', CHR 117d 75h
80E7F     CHR_v              'v', CHR 118d 76h
80E86     CHR_w              'w', CHR 119d 77h
80E8D     CHR_x              'x', CHR 120d 78h
```

80E94	CHR_y	'y', CHR 121d 79h
80E9B	CHR_z	'z', CHR 122d 7Ah
80F0B	CHR_{	'{', CHR 123d 7Bh
80F12	CHR_}	'{', CHR 125d 7Dh
80EB7	CHR_Angle	'∠', CHR 128d 80h
80EC5	CHR_Integral	'∫', CHR 132d 84h
80EBE	CHR_Deriv	'∂', CHR 136d 88h
80EA2	CHR_->	'→', CHR 141d 8Dh
80EA9	CHR_<<	'≪', CHR 171d ABh
80EB0	CHR_>>	'≫', CHR 187d BBh
80EDA	CHR_Pi	'π', CHR 135d 87h
80EE8	CHR_Sigma	'Σ', CHR 133d 85h
80F19	CHR_<=	'≤', CHR 137d 89h
80F20	CHR_>=	'≥', CHR 138d 8Ah
80F27	CHR_<>	'≠', CHR 139d 8Bh
80C8E	CHR_'	

2.4.2 Built-in Strings

055BF	NULL$	""
		Empty string.
80B10	SPACE$	" "
		aka: tok_
80ACE	14SPACES$	" "
		String of 14 spaces.
80AF4	NEWLINE$	"\0a"
		Newline.
0E909	CRLF$	"\0d\0a"
		Carriage return and line feed.
80B70	toklparen	"("
80B7C	tokrparen	")"
80A26	tok[	"["
80A0C	tok]	"]"
80A32	tok{	"{"
80A3E	tok}	"}"
80A92	tok<<	"≪"
80A86	tok>>	"≫"
80FF1	$_LRParens	"()"
80FB9	$_{}	"{}"
80FAB	$_<<>>	"≪≫"

80FD5	$_’’	"’’"
		Two single quotes.
80FE3	$_::	"::"
80FFF	$_2DQ	""""
		Two double quotes.
80B4C	tok,	","
80B40	tok’	"’"
		One single quote.
80BB8	tok-	"-"
80B58	tok.	"."
80BC4	tok=	"="
80C08	tok0	"0"
80C14	tok1	"1"
80C20	tok2	"2"
80C2C	tok3	"3"
80C38	tok4	"4"
80C44	tok5	"5"
80C50	tok6	"6"
80C5C	tok7	"7"
80B64	tok;	";"
80C68	tok8	"8"
80C74	tok9	"9"
80A7A	tokESC	"\1B"
		Escape character.
80A9E	tokexponent	"E"
80B34	tokquote	"""
		One double quote.
80A4A	toksharp	"#"
80A62	tok$	"$"
80A6E	tok&	"&"
80B94	tok*	"*"
80BAC	tok+	"+"
80BA0	tok/	"/"
80AAA	tokanglesign	"∠"
80BDC	tokDER	"∂"
80B00	$DER	"der"
80AB6	tokSIGMA	"Σ"
80BD0	tokSQRT	"$\sqrt{a}$"
80A56	tokuscore	"_"
80AC2	tokWHERE	"|"

80B88	tok^	"^"
4F7F8	tok:	":"
8104D	$_RAD	"RAD"
8105D	$_GRAD	"GRAD"
80F9B	$_XYZ	"XYZ"
80F8B	$_R<Z	"R∠Z" "R<angle>Z"
80F7B	$_R<<	"R∠∠" "R<angle><angle>"
8101F	$_EXIT	"EXIT"
8100D	$_ECHO	"ECHO"
81031	$_Undefined	"Undefined"
80BE8	tokCTGROB	"GROB"
80BFA	tokCTSTR	"C$"
80B1C	tokUNKNOWN	"UNKNOWN"

2.4.3 Built-in Strings with Stack Manipulation

837C8	NULL$SWAP	(ob → $ ob) NULL$, then SWAP.
819FA	DROPNULL$	(ob → NULL$) DROP then NULL$.
819FF	TWODROPNULL$	(ob ob' → NULL$) 2DROP then NULL$.

2.4.4 Conversion

818C9	#>$	(# → $) Creates string from the bint (decimal).
81C07	ID>$	(id/lam → $) Converts identifier into string.

2.4.5 Management

81BE9	#>CHR	(# → chr) Returns character with the specified ASCII code.
84ABA	CHR>$	(chr → $* Strings) Converts a character into a string.
819DC	LEN$	($ → #length) Returns length in bytes.
8154A	DUPLEN$	($ → $ #) DUP then LEN$.

83C00	NEWLINE$&$	($ → "$\0a") Appends newline character to string. aka: NEWLINE&$
819D7	CAR$	($ → chr) ($ → "") Returns first character of string as a string, or NULL$ for null string.
83179	CDR$	($ → $') Returns string without first character, or NULL$ for null string.
81B3A	POS$	($ $find start# → #pos) ($ $find start# → #0) Search for $find in $search, starting at position #start. Returns position of $find or 0 if not found. Same entry as POSCHR.
81B44	POSCHR	($search chr #start → #pos) ($search chr #start → #0) Same entry as <REF>POS$.
81B3F	POS$REV	($ $find #limit → #pos) ($ $find #limit → #0) Searches backwards from #limit to #1. Same entry as <REF>POSCHRREV.
81B49	POSCHRREV	($seach chr #start → #pos) ($seach chr #start → #0) Same entry as <REF>POS$REV.
819E6	SUB$	($ #start #end → $') Returns substring between specified positions.
83CB4	#1-SUB$	($ #start #end+#1 → $') Does #1- and then SUB$.
83CC8	1_#1-SUB$	($ #end → $') Returns substring with the first #end characters. aka: 1_#1-SUB
83CDC	LAST$	($ #start → $') Returns substring from the specified start position to the end (inclusive).
83CF0	#1+LAST$	($ #start-#1 → $') Returns substring from the specified start position to the end (exclusive).
837DC	SUB$SWAP	(ob $ # #' → $' ob) SUB$ then SWAP.
81A72	SUB$1#	($ #pos → #') Returns bint with ASCII code of character at the specified position.
81491	EXPAND	(hxs #nibs → hxs') Appends #nibs zero nibbles to the hxs.

819C8	&$	($ $' → $+$') Concatenates two strings.
84975	&$SWAP	(ob $ $' → $+$' ob) &$ then SWAP.
8316F	!append$	($ $' → $+$') Tries &$, if not enough memory does !!append$?.
8399E	!append$SWAP	(ob $ $' → $+$' ob) !append$ then SWAP.
81590	!!append$	($ $' → $+$') Tries appending "in place".
819CD	>H$	($ chr → $') Prepends character to string
819D2	>T$	($ chr → $') Appends character to string.
8361F	APPEND_SPACE	($ → $') Appends space to string.
831B5	SWAP&$	($ $' → $'+$) Concatenates two strings.

2.4.6 Parsing Strings

82E45	!*triand	(T T →) (F T → F T <SEMI>)
81C89	tok8cktrior	($1 $1 → :: $1 <Ob1> ;) ($1 $2 → :: $1 <Ob2> <Rest> ;)
81C8E	tok8trior	(GNT data $1 $1 → :: GNT data GetNextToken ;) (GNT data $1 $2 → :: $1 <Ob1> <Rest> ;)
81C93	nultrior	(NULL$ → :: ;) ($ → :: $ <Ob1> <Rest> ;)
82E27	GetNextToken	(hxs-mask $ #start → hxs-mask $ #next $token)

2.4.7 Decompilation

83197	EDITDECOMP$	(ob → $) Calls setStdEditWid and the decompiles for editing like <REF>editdecomp$w.
83183	DECOMP$	(ob → $) Calls <REF>setStdWid and decompiles entire object (UserRPL components only). Breaks the string into lines using DcompWidth as width.
8318D	DO>STR	($ → $) (ob → $) Internal version of →STR.

831BF	Decomp%Short	(% #width → $) Decompiles a real number into a string of the given #width. It will drop less significant digits or add zeros as needed, but will also exceed #width when necessary. E.g. "-1.e-33" cannot be written with less than 7 characters, so even if #width is less, 7 chars will be used. %0 is always decompiled as "0".

2.4.8 String Tests

819E1	NULL$?	(ob → flag)
83C78	DUPNULL$?	(ob → ob flag)

2.5 HEX Strings

2.5.1 Conversion

81BEE	#>HXS	(# → hxs) Length will be five.

2.5.2 General Functions

055B5	NULLHXS	HXS 0 Puts a null hxs in the stack.
81491	EXPAND	(hxs #nibs → hxs') Appends #nibs zero nibbles to the hxs.

2.6 Arrays

2.6.1 General Functions

81BD5	ARSIZE	([] → #) Returns number of elements as a bint.
81BDA	DIMLIMITS	([] → {#n #m}) Returns list of array dimensions.
81BDF	GETATELN	(# [] → ob T) (# [] → F) Gets one element from array.
81E64	MATCON	([%] % → [%]') ([C%] C% → [C%]') Replace all elements of [F%] by F%.

81AA4	MDIMS	([1D] → #m F) ([2D] → #m #n T) If it is a vector, returns number of elements and FALSE. If it is an array (including arrays with only one line), returns dimensions and TRUE.
83A0C	MDIMSDROP	([2D] → #m #n) MDIMS followed by DROP.
83BB0	OVERARSIZE	([] ob → [] ob #elts) Does OVER then <REF>ARSIZE.
81AA9	PUTEL	([%] % # → [%]') ([C%] C% # → [C%]') Puts element at specified position. Converts to "short" before. Warning: no copy to tempob first.
81E6E	MATREDIM	([F%] {#n #m} → [F%]')
81E78	MATTRN	([F%] → [F%]') Transposes matrix.

2.6.2 Conversion

81BE4	MAKEARRY	({#n #m} ob → []) Makes array with all elements initialized to ob.

2.7 Unit Objects

2.7.1 Creating Units

81F0E	EXTN	(ob1..obn #n → u) Builds a unit object.

2.8 Composites

2.8.1 General Operations

81F18	&COMP	(comp comp' → comp'') Concatenates two composites.
81E96	>TCOMP	(comp ob → comp+ob) Adds ob to tail (end) of composite.
81E8C	>HCOMP	(comp ob → ob+comp) Adds ob to head (beginning) of composite.
819A0	CARCOMP	(comp → ob_head) (comp_null → comp_null) Returns first object of the composite, or a null composite if the argument is a null composite.

83BEC	?CARCOMP	(comp T → ob) (comp F → comp) If the flag is TRUE, does CARCOMP.
81EA0	CDRCOMP	(comp → comp-ob_head) (comp_null → comp_null) Returns the composite minus its first object, or a null composite if the argument is a null composite.
819AA	LENCOMP	(comp → #n) Returns length of composite (number of objects).
83CA0	DUPLENCOMP	(comp → comp #n) Does DUP then <REF>LENCOMP.
819B4	NULLCOMP?	(comp → flag) If the composite is empty, returns TRUE.
83C8C	DUPNULLCOMP?	(comp → comp flag) Does DUP then <REF>NULLCOMP?.
819AF	NTHELCOMP	(comp #i → ob T) (comp #i → F) Returns specified element of composite and TRUE, or just FALSE if it could not be found.
8360B	NTHCOMPDROP	(comp #i → ob) Does <REF>NTHELCOMP then DROP.
8378C	NTHCOMDDUP	(comp #i → ob ob) Does <REF>NTHCOMPDROP then DUP.
81EDC	POSCOMP	(comp ob pred → #i) (comp ob pred → #0) (eg: pred = ' %<) Evaluates pred for all elements of composite and ob, and returns index of first object for which the pred is TRUE. If no one returned TRUE, returns #0. For example, the program below returns #4: :: { %1 %2 %3 %-4 %-5 %6 %7 } %0 ' %< POSCOMP ;
84A6F	EQUALPOSCOMP	(comp ob → #pos) (comp ob → #0) POSCOMP with EQUAL as test.
81EBE	EQUALPOSCMP	(comp ob → #pos) (comp ob → #0)
84A88	NTHOF	(ob comp → #i) (ob comp → #0) Does SWAP then <REF>EQUALPOSCOMP.
84A56	#=POSCOMP	(comp # → #i) (comp # → #0) POSCOMP with #= as test.
819B9	SUBCOMP	(comp #m #n → comp') Returns a sub-composite. Makes all index checks first.

81392	Embedded?	(ob1 ob2 → flag) Returns TRUE if ob2 is embedded in, or is the same as, ob1. Otherwise returns FALSE.
81EC8	Lookup	(ob test comp → nextob T) (ob test comp → ob F) Tests every odd element (1,3,...) in the composite. If a test returns TRUE, the object after the tested one is returned, along with TRUE. If no object tests TRUE, FALSE is returned. For example, the program below returns %6 and TRUE. :: %0 ' %< { %1 %2 %3 %-4 %-5 %6 } Lookup ;
81ED2	Lookup.1	(ob test → nextob T) (ob test → ob F) Return Stack: (comp →) Lookup with the composite already pushed (with >R) onto the runstream. Called by Lookup.
84A9C	EQLookup	(ob comp → nextob T) (ob comp → ob F) Lookup with EQ as test.
81B35	NEXTCOMPOB	(comp #ofs → comp #ofs' ob T) (comp #ofs → comp F) Returns object at specified nibble offset from start. If the object is SEMI (i.e., the end of the composite has been reached) returns FALSE. To get the first element, use FIVE as offset value (to skip the prolog). ZERO works as well.

2.8.2 Building

81EFA	{}N	(obn..ob1 #n → { obn..ob1 })
81EF0	::N	(ob1..obn #n → :: ob1..obn ;)
81F04	SYMBN	(ob1..obn #n → sym)
8490C	top&Cr	(meta1 meta2 → symb) Does top& then <REF>SYMBN: .
81F0E	EXTN	(ob1..obn #n → u) Builds a unit object.
82E77	P::N	(ob1..obn #n → seco) Build seco with possible garbage collection.

2.8.3 Exploding

819A5	INNERCOMP	(comp → obn..ob1 #n)
83C50	DUPINCOMP	(comp → comp obn..ob1 #n)
83C64	SWAPINCOMP	(comp obj → obj obn..ob1 #n)
835F7	INCOMPDROP	(comp → obn..ob1)
836B0	INNERDUP	(comp → obn..ob1 #n #n)
840F6	INNER#1=	(comp → obn..ob1 flag)

2.8.4 Lists

055C9	NULL{}	(→ {}) Pushes a null list to the stack.
8447A	DUPNULL{}?	({} → {} flag)
83C28	TWO{}N	(ob1 ob2 → { ob1 ob2 })
83C3C	THREE{}N	(ob1 ob2 ob3 → { ob1 ob2 ob3 })
83C14	#1-{}N	(ob1..obn #n+1 → {})
81EE6	PUTLIST	(ob #i {} → {}') Replaces object at specified position. Assumes valid #i.

2.8.5 Secondaries

055DD	NULL::	(→ :: ;) Returns null secondary.
849F2	Ob>Seco	(ob → :: ob ;) Does ONE then <REF>::N.
849D9	?Ob>Seco	(ob → :: ob ;) If the object is not a secondary, does Ob>Seco.
84A06	2Ob>Seco	(ob1 ob2 → :: ob1 ob2 ;) Does TWO then <REF>::N.
83D40	::NEVAL	(ob1..obn #n → ?) Does <REF>::N then <REF>EVAL.

2.9 Meta Objects

2.9.1 Stack Functions

81D5B	NDROP	(1..n #n →)
849B1	DROPNDROP	(1..n #n ob →)
839E4	#1+NDROP	(ob 1..n #n →) aka: N+1DROP

81D01	psh	(meta1 meta2 → meta2 meta1) Should be called swap.
81D06	roll2ND	(meta1 meta2 meta3 → meta2 meta3 meta1) Should be called rot.
81D10	unroll2ND	(meta1 meta2 meta3 → meta3 meta1 meta2) Should be called unrot.
8431C	SWAPUnNDROP	(meta1 meta2 → meta2) Should be called swapdrop.
84308	SWAPUnDROP	(meta1 meta2 → meta2 ob1..obn) Swaps two metas and drops the count. Should be called swapDROP.
84925	metaROTDUP	(meta1 meta2 meta3 → meta2 meta3 meta1 meta1) Should be called rotdup.

2.9.2 Combining Functions

81CF2	top&	(meta1 meta2 → meta1&meta2)
8309D	pshtop&	(meta1 meta2 → meta2&meta1)
84939	ROTUntop&	(meta1 meta2 meta3 → meta2 meta3&meta1)
8494D	roll2top&	(meta1 meta2 meta3 → meta3 meta1&meta2) aka: rolltwotop&
83061	psh&	(meta1 meta2 meta3 → meta1&meta3 meta2)

2.9.3 Meta and Object Operations

81568	SWAP#1+	(meta ob → meta&ob) aka: SWP1+
815B8	get1	(ob meta → meta ob)
83075	psh1top&	(meta ob → ob&meta)
830B1	pull	(meta&ob → meta ob) aka: #1-SWAP
830BB	pullrev	(ob&meta → meta ob)
81CF7	psh1&	(meta1 meta2 ob → ob&meta1 meta2)
81CFC	psh1&rev	(meta1 meta2 ob → ob&meta1 meta2)
830C5	pullpsh1&	(meta1 meta2&ob → ob&meta1 meta2)
830A7	pshzer	(meta → #0 meta)

2.10 Symbolics

2.10.1 General Operations

81F04	SYMBN	(ob1..obn #n → sym)
055D3	NULLSYMB	(→ sym) Puts a null algebraic in the stack.
8320F	symcomp	(ob → ob') If ob is symbolic, does nothing, otherwise ONE SYMBN.
82E8B	SWAPcompSWAP	(ob ob' → ob'' ob') Does SWAP symcomp SWAP.

2.10.2 Derivatives

2.10.3 Meta Symbolics Functions

8499D	pZpargSWAPUn	(meta → M_rest M_last) <REF>pshzerpsharg then <REF>psh .
84961	plDRPpZparg	(meta&ob → M_last M_rest) Drops ob then calls <REF>pshzerpsharg .

2.11 Library and Backup Objects

2.11.1 Rompointers

81C0C	#>ROMPTR	(#lib #cmd → ROMPTR) Creates rompointer.
81C66	ROMPTR>#	(ROMPTR → #lib #cmd) Splits rompointer.
81C6B	ROMPTR@	(ROMPTR → ob T) (ROMPTR → F) Recalls contents of rompointer.
83688	DUPROMPTR@	(ROMPTR → ROMPTR ob T) (ROMPTR → ROMPTR F) Does DUP then ROMPTR@.
82FFD	?>ROMPTR	(ob → ob') If ROM-WORD? and TYPECOL? then RPL@.
83007	?ROMPTR>	(ob → ob') If <REF>TYPEROMP? and content exists <REF>INHARDROM? then return contents.
83011	RESOROMP	(→ ob) Recalls contents of next object in the runstream (which must be a rompointer).

81C20	COMPILEID	(id → id T) (id → ROMPTR T) (id → F) Searches id in current path, if found returns TRUE. Else searches attached libraries. If nothing was found, return FALSE.
81496	ROM-WORD?	(ob → flag)

2.11.2 Libraries

81C84	TOSRRP	(# →) Attaches library to HOME directory. -- <REF>TEXT:Libraries
81C43	OFFSRRP	(# →) Detaches library from HOME directory. -- <REF>TEXT:Libraries
81C48	ONSRRP?	(# → flag) Returns TRUE if library is attached to HOME directory.
82D5F	XEQSETLIB	(% →) Internal ATTACH.

2.11.3 Backup Objects

81720	BAKNAME	(bak → id T) Returns backup's name
81716	BAK>OB	(bak → ob) Gets backup object.

3 General SysRPL Entries

3.1 Stack Operations

81D3D	DUP	(ob → ob ob)
83728	DUPDUP	(ob → ob ob ob)
8304D	NDUPN	(ob #n → ob..ob #n)
		(ob #0 → #0)
83A20	DUPROT	(1 2 → 2 2 1)
815C7	DUPUNROT	(1 2 → 2 1 2)
		aka: SWAPOVER
83B60	DUPROLL	(1..n #n → 1 3..n #n 2)
83B4C	DUPPICK	(n..1 #n → n..1 #n n-1)
81D42	2DUP	(1 2 → 1 2 1 2)
8464B	2DUP5ROLL	(1 2 3 → 2 3 2 3 1)
81D47	NDUP	(1..n #n → 1..n 1..n)
81D51	DROP	(1 →)
81545	DROPDUP	(1 2 → 1 1)
849B1	DROPNDROP	(1..n #n ob →)
8152C	DROPSWAP	(1 2 3 → 2 1)
83A34	DROPROT	(1 2 3 4 → 2 3 1)
83A98	DROPOVER	(1 2 3 → 1 2 1)
81D56	2DROP	(1 2 →)
8149B	3DROP	(1 2 3 →)
		aka: XYZ>
814AA	4DROP	(1..4 →)
		aka: XYZW>
814BE	5DROP	(1..5 →)
814D2	6DROP	(1..6 →)
81450	7DROP	(1..7 →)
81D5B	NDROP	(1..n #n →)
839E4	#1+NDROP	(ob 1..n #n →)
		aka: N+1DROP
81D38	DEPTH	(1..n → 1..n #n)
830CF	reversym	(1..n #n → n..1 #n)
81D4C	SWAP	(1 2 → 2 1)
81536	SWAPDUP	(1 2 → 2 1 1)
8425E	SWAP2DUP	(1 2 → 2 1 2 1)
81455	SWAPDROP	(1 2 → 2)
		aka: XY>Y

81554	SWAPDROPDUP	(1 2 → 2 2)
8144B	SWAPROT	(1 2 3 → 3 2 1) aka: UNROTSWAP, XYZ>ZYX
84637	SWAP4ROLL	(1 2 3 4 → 2 4 3 1) aka: XYZW>YWZX
8465F	SWAP3PICK	(1 2 3 → 1 3 2 1)
81374	2SWAP	(1 2 3 4 → 3 4 1 2)
81D60	ROT	(1 2 3 → 2 3 1)
8153B	ROTDUP	(1 2 3 → 2 3 1 1)
836EC	ROT2DUP	(1 2 3 → 2 3 1 3 1)
81446	ROTDROP	(1 2 3 → 2 3) aka: XYZ>YZ
81531	ROT2DROP	(1 2 3 → 2) aka: DROPSWAPDROP, XYZ>Y
81441	ROTDROPSWAP	(1 2 3 → 3 2) aka: XYZ>ZY
8143C	ROTSWAP	(1 2 3 → 2 1 3) aka: XYZ>YXZ
8145F	ROTROT2DROP	(1 2 3 → 3) aka: UNROT2DROP, XYZ>Z
83714	ROTOVER	(1 2 3 → 2 3 1 3)
814B4	4ROLL	(1 2 3 4 → 2 3 4 1) aka: FOURROLL, XYZW>YZWX
8393A	4ROLLSWAP	(1 2 3 4 → 2 3 1 4)
83A70	4ROLLROT	(1 2 3 4 → 2 4 1 3) aka: FOURROLLROT
83B10	4ROLLOVER	(1 2 3 4 → 2 3 4 1 4)
814C8	5ROLL	(1 2 3 4 5 → 2 3 4 5 1) aka: FIVEROLL
815BD	6ROLL	(1..6 → 2..6 1) aka: SIXROLL
81379	7ROLL	(1..7 → 2..7 1) aka: SEVENROLL
8137E	8ROLL	(1..8 → 2..8 1) aka: EIGHTROLL
8145A	9ROLL	(1..9 → 2..9 1)
81D6F	ROLL	(1..n #n → 2..n 1)
839F8	ROLLDROP	(1..n #n → 2..n)
837B4	ROLLSWAP	(1..n #n → 2..n-1 1 n)
814FA	#1+ROLL	(ob 1..n #n → 1..n ob)
814FF	#2+ROLL	(a b 1..n #n → b 1..n a)
814F5	#+ROLL	(1..n+m #n #m → 2..n+m 1)
814F0	#-ROLL	(1..n-m #n #m → 2..n-m 1)

815CC	UNROT	(1 2 3 → 3 1 2)
		aka: 3UNROLL, XYZ>ZXY
83764	UNROTDUP	(1 2 3 → 3 1 2 1)
81559	UNROTDROP	(1 2 3 → 3 1)
		aka: SWAPDROPSWAP, XYZ>ZX
83AFC	UNROTOVER	(1 2 3 → 3 1 2 1)
814A5	3UNROLL	(1 2 3 → 3 1 2)
		aka: UNROT, XYZ>ZXY
814B9	4UNROLL	(1 2 3 4 → 4 1 2 3)
		aka: FOURUNROLL, XYZW>WXYZ
83778	4UNROLLDUP	(1 2 3 4 → 4 1 2 3 3)
81464	4UNROLL3DROP	(1 2 3 4 → 4)
		aka: XYZW>W
83A84	4UNROLLROT	(1 2 3 4 → 4 3 2 1)
814CD	5UNROLL	(1 2 3 4 5 → 5 1 2 3 4)
		aka: FIVEUNROLL
815C2	6UNROLL	(1..6 → 6 1..5)
		aka: SIXUNROLL
83633	7UNROLL	(1..7 → 7 1..6)
83B88	8UNROLL	(1..8 → 8 1..7)
83B9C	10UNROLL	(1..10 → 10 1..9)
81D74	UNROLL	(1..n #n → n 1..n-1)
8150E	#1+UNROLL	(ob 1..n #n → n ob 1..n-1)
81513	#2+UNROLL	(a b 1..n #n → n a b 1..n-1)
81509	#+UNROLL	(1..n+m #n #m → n+m 1..n+m-1)
81504	#-UNROLL	(1..n-m #n #m → n-m 1..n+m-1)
81D65	OVER	(1 2 → 1 2 1)
8373C	OVERDUP	(1 2 → 1 2 1 1)
837A0	OVERSWAP	(1 2 → 1 1 2)
		aka: OVERUNROT
837A0	OVERUNROT	(1 2 → 1 1 2)
		aka: OVERSWAP
8469B	OVER5PICK	(1 2 3 4 → 1 2 3 4 3 1)
849C5	2OVER	(1 2 3 4 → 1 2 3 4 1 2)
814A0	3PICK	(1 2 3 → 1 2 3 1)
8394E	3PICKSWAP	(1 2 3 → 1 2 1 3)
83B24	3PICKOVER	(1 2 3 → 1 2 3 1 3)
84673	3PICK3PICK	(1 2 3 → 1 2 3 1 2)
DDCFE	4PICK	(1 2 3 4 → 1 2 3 4 1)
83962	4PICKSWAP	(1 2 3 4 → 1 2 3 1 4)
84687	SWAP4PICK	(1 2 3 4 → 1 2 4 3 1)
83B38	4PICKOVER	(1 2 3 4 → 1 2 3 4 1 4)

814C3	5PICK	(1 2 3 4 5 → 1 2 3 4 5 1)
814D7	6PICK	(1..6 → 1..6 1)
814DC	7PICK	(1..7 → 1..7 1)
814E1	8PICK	(1..8 → 1..8 1)
814E6	9PICK	(1..9 → 1..9 1)
814EB	10PICK	(1..10 → 1..10 1)
81D6A	PICK	(1..n #n → 1..n 1)
81478	#1+PICK	(1..n #n-1 → 1..n 1)
8147D	#2+PICK	(1..n #n-2 → 1..n 1)
81482	#3+PICK	(1..n #n-3 → 1..n 1)
81487	#4+PICK	(1..n #n-4 → 1..n 1)
81473	#+PICK	(1..n+m #n #m → 1..n+m 1)
8146E	#-PICK	(1..n-m #n #m → 1..n-m 1)

3.2 Temporary Environments

3.2.1 Built-in IDs and LAMs

82D4B	NULLID	(→ id) Null (empty) identifier.
84AD8	NULLLAM	(→ lam) Puts NULLLAM in the stack.

3.2.2 Conversion

81BF3	$>ID	($ → ID)
83D04	DUP$>ID	($ → $ ID)

3.2.3 Temporary Environments Words

831C9	BIND	(obn..ob1 {lamn..lam1} →) Binds n objects to n differently named lams.
817C0	DOBIND	(obn..ob1 lamn..lam1 #n →) Binds n objects to n differently named lams.
83F3E	1LAMBIND	(ob →) Binds one object to a null named lam.
83F39	DUP1LAMBIND	(ob → ob) Does DUP then <REF>1LAMBIND.
84434	dvarlsBIND	(ob →) Binds ob to LAM 'dvar.

817BB	ABND	(→) Abandons topmost temporary environment.
816B2	CACHE	(obn..ob1 #n lam →) Binds all objects under the same name. 1LAM has the count.
81383	DUMP	(NULLLAM → ob1..obn #n) Inverse of CACHE. Always does garbage collection.
81C16	@LAM	(lam → ob T) (lam → F) Tries recalling object from lam. If successful, returns object and TRUE, otherwise returns just FALSE.
81C75	STOLAM	(ob lam →) Tries storing object in lam. Generates "Undefined Local Name" error if lam is not found.
817C5	GETLAM	(#n → ob) Gets contents of nth topmost lam.
815D6	1GETLAM	(→ ob)
815E0	2GETLAM	(→ ob)
815EA	3GETLAM	(→ ob)
815F4	4GETLAM	(→ ob)
815FE	5GETLAM	(→ ob)
81608	6GETLAM	(→ ob)
81612	7GETLAM	(→ ob)
8161C	8GETLAM	(→ ob)
81626	9GETLAM	(→ ob)
81630	10GETLAM	(→ ob)
8163A	11GETLAM	(→ ob)
81644	12GETLAM	(→ ob)
8164E	13GETLAM	(→ ob)
81658	14GETLAM	(→ ob)
81662	15GETLAM	(→ ob)
8166C	16GETLAM	(→ ob)
81676	17GETLAM	(→ ob)
81680	18GETLAM	(→ ob)
8168A	19GETLAM	(→ ob)
81694	20GETLAM	(→ ob)
8169E	21GETLAM	(→ ob)
816A8	22GETLAM	(→ ob)
817CA	PUTLAM	(ob #n →) Stores new contents to nth topmost lam.
815DB	1PUTLAM	(ob →)

815E5	2PUTLAM	(ob →)
815EF	3PUTLAM	(ob →)
815F9	4PUTLAM	(ob →)
81603	5PUTLAM	(ob →)
8160D	6PUTLAM	(ob →)
81617	7PUTLAM	(ob →)
81621	8PUTLAM	(ob →)
8162B	9PUTLAM	(ob →)
81635	10PUTLAM	(ob →)
8163F	11PUTLAM	(ob →)
81649	12PUTLAM	(ob →)
81653	13PUTLAM	(ob →)
8165D	14PUTLAM	(ob →)
81667	15PUTLAM	(ob →)
81671	16PUTLAM	(ob →)
8167B	17PUTLAM	(ob →)
81685	18PUTLAM	(ob →)
8168F	19PUTLAM	(ob →)
81699	20PUTLAM	(ob →)
816A3	21PUTLAM	(ob →)
816AD	22PUTLAM	(ob →)
83F25	1GETABND	(→ 1lamob) Does <REF>1GETLAM then <REF>ABND .
83822	1ABNDSWAP	(ob → 1lamob ob) Does <REF>1GETABND then SWAP.
83976	1GETSWAP	(ob → 1lamob ob) Does <REF>1GETLAM then SWAP.
83D54	2GETEVAL	(→ ?) Does <REF>2GETLAM then <REF>EVAL .
81397	GETLAMPAIR	(#n → #n ob lam F) (#n → #n T) Gets lam contents and name (10 = 1lam, 20 = 2lam, etc.)
84AD3	1NULLLAM{}	(→ {}) Puts a list with one NULLLAM in the stack.

3.3 Error Handling

3.3.1 General Words

81B17 ERRBEEP
(→)
Beeps.

819EB ERROR@
(→ #)
Returns current error number.

819F0 ERRORSTO
(# →)
Stores new error number.

8424A ERROROUT
(# →)
Stores new error number and calls ERRJMP.

819F5 ERRORCLR
(→)
Stores zero as new error number.

81A18 ERRJMP
(→)
Invokes error handling sub-system.

81A04 GETEXITMSG
(→ $)
Gets EXITMSG (user defined error message).

81A09 EXITMSGSTO
($ →)
Stores $ as EXITMSG.

8212F DO#EXIT
(# →)
Stores new error number, does <REF>AtUserStack and then <REF>ERRJMP.

82139 DO$EXIT
($ →)
Stores string as EXITMSG, #70000 as error number, does <REF>AtUserStack and then <REF>ERRJMP .

81F9A ABORT
(→)
Does <REF>ERRORCLR and <REF>ERRJMP .

81A0E ERRSET
(→)
Sets new error trap.

81A13 ERRTRAP
(→)
Error trap marker. If no error happens, still removes all temporary environments created since ERRSET.

831E7 JstGetTHEMESG
(# → $)
Fetches message from message table. To get a message from a library, use the formula:
libnum*#100+msgnum.
--
<REF>TEXT:Libraries aka: JstGETTHEMSG

831DD GETTHEMESG
(# → $)
If #70000 then does <REF>GETEXITMSG, else does <REF>JstGetTHEMESG .
--
<REF>TEXT:Libraries

829EF ?GetMsg
(# → $msg)
(ob → ob)
If the argument is a bint, does JstGETTHEMSG to fetch a message. Other arguments are returned unchanged.
--
<REF>TEXT:Libraries

3.3.2 Error Generating Words

81A22	SETMEMERR	Error 001h Generates "Insufficient Memory" error.
81A27	SETROMPERR	Error 004h Generates "Undefined XLIB Name" error.
81A1D	SETLBERR	Error 006h Generates "Power Lost" error.
81CA7	SETSTACKERR	Error 201h Generates "Too Few Arguments" error.
81CA2	SETTYPEERR	Error 202h Generates "Bad Argument Type" error.
81C9D	SETSIZEERR	Error 203h Generates "Bad Argument Value" error.
81C98	SETNONEXTERR	Error 204h Generates "Undefined Name" error.

3.4 Conditionals

3.4.1 Boolean Flags

82F3F	%0<>	(% → flag) Can be used to change a user flag into a system flag.
03A81	TRUE	(→ T)
0BDC1	TrueTrue	(→ T T)
83F66	TrueFalse	(→ T F) aka: TRUEFALSE
03AC0	FALSE	(→ F)
83F7A	FalseTrue	(→ F T) aka: FALSETRUE
81FDB	FalseFalse	(→ F F)
82ED1	failed	(→ F T)
81522	DROPTRUE	(ob → T)
81527	DROPFALSE	(ob → F)
835E3	2DROPFALSE	(ob1 ob2 → F)
83926	XYZ>ZTRUE	(ob1 ob2 ob3 → ob3 T)
8182E	NOT	(flag → flag') Returns FALSE if the input is TRUE, and vice-versa.
81824	AND	(flag1 flag2 → flag) Returns TRUE if both flags are TRUE.
81833	OR	(flag1 flag2 → flag) Returns TRUE if either flag is TRUE.

8183D	XOR	(flag1 flag2 → flag) Returns TRUE if flags are different.
8401F	ORNOT	(flag1 flag2 → flag) Returns FALSE if either flag is TRUE.
836C4	NOTAND	(flag1 flag2 → flag) Returns TRUE if flag1 is TRUE and flag2 is FALSE.
83700	ROTAND	(flag1 ob flag2 → ob flag) Returns TRUE if either flag is TRUE.

3.4.2 General Tests

81842	EQ	(ob1 ob2 → flag) Returns TRUE if both objects are the same, i.e., they occupy the same physical space in memory. Only the addresses of the objects are tested.
84047	2DUPEQ	(ob1 ob2 → ob1 ob2 flag) Does 2DUP then EQ.
8405B	EQOR	(flag ob1 ob2 → flag') Does EQ then OR.
83AAC	EQOVER	(ob3 ob1 ob2 → ob3 flag ob3) Does EQ then OVER.
81847	EQUAL	(ob1 ob2 → flag) Returns TRUE if the objects are equal (but not necessarily the same), i.e., their prologs and contents are the same.
84033	EQUALNOT	(ob1 ob2 → flag) Returns TRUE if the objects are different.
8406F	EQUALOR	(flag ob1 ob2 → flag') Does EQUAL then OR.

3.4.3 True/False Tests

813D3	?SEMI	(T → :: ;) (F → :: <ob1> <rest> ;)
81414	NOT?SEMI	(T → :: <ob1> <rest> ;) (F → :: ;)
842EF	?SEMIDROP	(ob T → :: ob ;) (ob F → :: <ob1> <rest> ;)
8398A	?SWAP	(ob1 ob2 T → :: ob2 ob1 <ob1> <rest> ;) (ob1 ob2 F → :: ob1 ob2 <ob1> <rest> ;)
8380E	?SKIPSWAP	(ob1 ob2 T → :: ob1 ob2 <ob1> <rest> ;) (ob1 ob2 F → :: ob2 ob1 <ob1> <rest> ;)
839CB	?SWAPDROP	(ob1 ob2 T → :: ob1 <ob1> <rest> ;) (ob1 ob2 F → :: ob2 <ob1> <rest> ;)

839B2	NOT?SWAPDROP	(ob1 ob2 T → :: ob2 <ob1> <rest> ;) (ob1 ob2 F → :: ob1 <ob1> <rest> ;)
817A2	RPIT	(T ob → :: ob <ob1> <rest> ;) (F ob → :: <ob1> <rest> ;) ob is actually executed, and not pushed in the stack.
817A7	RPITE	(T ob1 ob2 → :: ob1 <ob1> <rest> ;) (F ob1 ob2 → ob2 <ob1> <rest> ;) ob1 or ob2 is actually executed, and not pushed in the stack.
813FB	COLARPITE	(T ob1 ob2 → :: ob1 ;) (F ob1 ob2 → :: ob2 ;) ob1 or ob2 is actually executed, and not pushed in the stack.
DE622	2'RCOLARPITE	Return to composite and ITE there.
81405	IT	(T → :: <ob1> <rest> ;) (F → :: <ob2> <rest> ;)
8173E	?SKIP	(T → :: <ob2> <rest> ;) (F → :: <ob1> <rest> ;) aka: NOT_IT
8140A	ITE	(T → :: <ob1> <ob3> <rest> ;) (F → :: <ob2> <rest> ;)
8140F	ITE_DROP	(ob T → :: <ob2> <rest> ;) (ob F → :: ob <ob1> <rest> ;)
8486C	ANDITE	(f1 f2 → :: <ob1> <ob3> <rest> ;) (f1 f2 → :: <ob2> <rest> ;)
813D8	case	(T → :: <ob1> ;) (F → :: <ob2> <rest> ;)
81419	NOTcase	(T → :: <ob2> <rest> ;) (F → :: <ob1> ;)
846F5	ANDcase	(f1 f2 → :: <ob1> ;) (f1 f2 → :: <ob2> <rest> ;)
847EA	ANDNOTcase	(f1 f2 → :: <ob1> ;) (f1 f2 → :: <ob2> <rest> ;)
81FD1	ORcase	(f1 f2 → :: <ob1> ;) (f1 f2 → :: <ob2> <rest> ;)
813EC	casedrop	(ob T → :: <ob1> ;) (ob F → :: ob <ob2> <rest> ;)
8142D	NOTcasedrop	(ob T → :: ob <ob2> <rest> ;) (ob F → :: <ob1> ;)
813E2	case2drop	(ob1 ob2 T → :: <ob1> ;) (ob1 ob2 F → :: ob1 ob2 <ob2> <rest> ;)
81423	NOTcase2drop	(ob1 ob2 T → :: ob1 ob2 <ob2> <rest> ;) (ob1 ob2 F → :: <ob1> ;)
813E7	caseDROP	(ob T → :: ;) (ob F → :: ob <ob1> <rest> ;)

81428	NOTcaseDROP	(ob T → :: ob <ob1> <rest> ;) (ob F → :: ;)
842A4	casedrptru	(ob T → T) (ob F → :: ob <ob1> <rest> ;) Note: should be called caseDRPTRU.
83FD9	casedrpfls	(ob T → F) (ob F → :: ob <ob1> <rest> ;) Note: should be called caseDRPFLS.
844F7	NOTcsdrpfls	(ob T → :: ob <ob1> <rest> ;) (ob F → F) Note: should be called NOTcaseDRPFLS.
813DD	case2DROP	(ob1 ob2 T → :: ;) (ob1 ob2 F → :: ob1 ob2 <ob1> <rest> ;)
8141E	NOTcase2DROP	(ob1 ob2 T → :: ob1 ob2 <ob1> <rest> ;) (ob1 ob2 F → :: ;)
83FF2	case2drpfls	(ob1 ob2 T → F) (ob1 ob2 F → :: ob1 ob2 <ob1> <rest> ;) Note: should be called case2DRPFLS.
83F52	caseTRUE	(T → T) (F → :: <ob1> <rest> ;)
842BD	NOTcaseTRUE	(T → :: <ob1> <rest> ;) (F → T)
8400B	caseFALSE	(T → F) (F → :: <ob1> <rest> ;)
842D6	NOTcaseFALSE	(T → :: <ob1> <rest> ;) (F → F)
81400	COLAcase	(T → :: <ob1> ;) (F → :: <ob2> <rest> ;) Drops the rest of current stream and executes case in the stream above.

3.4.4 Binary Integer Tests

83DDB	#=?SKIP	(#m #n → :: <ob2> <rest> ;) (#m #n → :: <ob1> <rest> ;)
83E08	#>?SKIP	(#m #n → :: <ob1> <rest> ;) (#m #n → :: <ob2> <rest> ;)
8369C	#=ITE	(#m #n → :: <ob1> <ob3> <rest> ;) (#m #n → :: <ob2> <rest> ;)
848A8	#<ITE	(#m #n → :: <ob1> <ob3> <rest> ;) (#m #n → :: <ob2> <rest> ;)
848BC	#>ITE	(#m #n → :: <ob2> <rest> ;) (#m #n → :: <ob1> <ob3> <rest> ;)
8136A	#=case	(#m #n → :: <ob1> ;) (#m #n → :: <ob2> <rest> ;)
81365	OVER#=case	(#m #n → :: #m <ob1> ;) (#m #n → :: #m <ob2> <rest> ;)

8136F	#=casedrop	(#m #n → :: <ob1> ;) (#m #n → :: #m <ob2> <rest> ;) Note: should be called OVER#=casedrop.
83FB6	#=casedrpfls	(#m #n → F) (#m #n → :: #m <ob1> <rest> ;) Note: should be called OVER#=caseDRPFLS.
84745	#<>case	(#m #n → :: <ob2> <rest> ;) (#m #n → :: <ob1> ;)
8471D	#<case	(#m #n → :: <ob1> ;) (#m #n → :: <ob2> <rest> ;)
84772	#>case	(#m #n → :: <ob2> <rest> ;) (#m #n → :: <ob1> ;)
815B3	#0=?SEMI	(#0 → :: ;) (# → :: <ob1> <rest> ;)
83DA9	#0=?SKIP	(#0 → :: <ob2> <rest> ;) (# → :: <ob1> <rest> ;)
84894	#0=ITE	(#0 → :: <ob1> <ob3> <rest> ;) (# → :: <ob2> <rest>)
84853	DUP#0=IT	(#0 → :: #0 <ob1> <rest> ;) (# → :: # <ob2> <rest> ;)
848D0	DUP#0=ITE	(#0 → :: #0 <ob1> <ob3> <rest> ;) (# → :: # <ob2> <rest> ;)
81360	#0=case	(#0 → :: <ob1> ;) (# → :: <ob2> <rest> ;)
81FAE	DUP#0=case	(#0 → :: #0 <ob1> ;) (# → :: # <ob2> <rest> ;)
81388	DUP#0=csedrp	(#0 → :: <ob1> ;) (# → :: # <ob2> <rest> ;)
846C8	DUP#0=csDROP	(#0 → :: ;) (# → :: # <ob1> <rest> ;)
84731	#1=case	(#1 → :: <ob1> ;) (# → :: <ob2> <rest> ;)
83DC2	#1=?SKIP	(#1 → :: <ob2> <rest> ;) (# → :: <ob1> <rest> ;)
84759	#>2case	(#0/#1/#2 → :: <ob2> <rest> ;) (# → :: <ob1> ;)
82BCF	?CaseKeyDef	(# #' → :: ' ob1 T ;) (# #' → :: <ob2> <rest> ;) Compares two bints. If equal, quotes the next object from the runsream and returns it along with TRUE.
82BED	?CaseRomptr@	(# #' → ob T) (# #' → F) (# #' → :: <ob2> <rest> ;) Compares two bints. If equal, tries to resolve the rompointer which must be the next object in the runstream. The ROMPTR@ pushes TRUE when successful, so this entry can be used directly for key handlers.

3.4.5 Real and Complex Number Tests

84786	j%0=case	(%0 → :: <ob1> ;) (ob → :: <ob2> <rest> ;)

3.4.6 General Object Tests

8483A	EQIT	(ob1 ob1 → :: <ob1> <rest> ;) (ob1 ob2 → :: <ob2> <rest> ;)
84880	EQITE	(ob1 ob1 → :: <ob1> <ob3> <rest> ;) (ob1 ob2 → :: <ob2> <rest> ;)
846E1	jEQcase	(ob1 ob1 → :: <ob1> ;) (ob1 ob2 → :: <ob2> <rest> ;)
DE46C	EQcase	(ob1 ob1 → :: ob1 <ob1> ;) (ob1 ob2 → :: ob1 <ob2> <rest> ;) Note: Should be called OVEREQcase.
8138D	EQcasedrop	(ob1 ob1 → :: <ob1> ;) (ob1 ob2 → :: ob1 <ob2> <rest> ;) Note: should be called OVEREQcasedrop.
84709	EQUALcase	(ob1 ob1 → :: <ob1> ;) (ob1 ob2 → :: <ob2> <rest> ;)
847FE	EQUALNOTcase	(ob1 ob1 → :: <ob2> <rest> ;) (ob1 ob2 → :: <ob1> ;)
846AF	EQUALcasedrp	(ob ob1 ob2 → :: <ob1> ;) (ob ob1 ob2 → :: ob <ob2> <rest> ;)
84812	dIDNTNcase	(id → :: id <ob2> <rest> ;) (ob → :: ob <ob1> ;)
8479A	REALcase	(% → :: <ob1> ;) (ob → :: <ob2> <rest> ;)
84826	dREALNcase	(% → :: % <ob2> <rest> ;) (ob → :: ob <ob1> ;)
847AE	dARRYcase	([] → :: [] <ob1> ;) (ob → :: ob <ob2> <rest> ;)
847C2	dLISTcase	({} → :: {} ob1 ;) (ob → :: ob <ob2> <rest> ;)

3.4.7 Miscellaneous

848E4	UserITE	(#set → :: <ob1> <ob3> <rest> ;) (#clr → :: <ob2> <rest> ;)
848F8	SysITE	(#set → :: <ob1> <ob3> <rest> ;) (#clr → :: <ob2> <rest> ;)

845F6	caseDoBadKey	(T → :: DoBadKey ;) (F → :: <ob1> <rest> ;) aka: caseDEADKEY
845DD	caseDrpBadKy	(ob T → :: DoBadKey ;) (ob F → :: ob <ob1> <rest> ;)
83BD8	caseERRJMP	(T → :: ERRJMP ;) (F → :: <ob> <rest> ;)
84510	caseSIZEERR	(T → :: SIZEERR ;) (F → :: <ob> <rest> ;)
84524	NcaseSIZEERR	(T → :: <ob> <rest> ;) (F → :: SIZEERR ;)
84551	NcaseTYPEERR	(T → :: <ob1> <rest> ;) (F → :: TYPEERR ;)
847D6	EditExstCase	(→ :: <ob1> <rest> ;) (→ :: <rest> ;) Tests if there is an edit line active.

3.5 Runstream Control

81789	NOP	(→) Does nothing.
8172A	'R	(→ ob) Pushes next object in return stack (i.e., the first object in the composite above this one) to the stack (skipping it). If top return stack is empty (contains SEMI), a null secondary is pushed and the pointer is not advanced.
8172F	'REVAL	(→ ?) Does <REF>'R then <REF>EVAL.
843E9	'R'R	(→ ob1 ob2) Does <REF>'R twice.
8148C	ticR	(→ ob T) (→ F) Pushes next object in return stack to stack and TRUE, of just FALSE if the top return stack body is empty. In this case, it is dropped.
84407	'RRDROP	(→ ob) Does <REF>'R , then <REF>RDROP.
81734	>R	(:: →) Pushes :: to top of return stack (skips prolog, i.e., the composite will be executed automatically).
8178E	R>	(→ ::) Creates and pops a secondary from top return stack body to stack.

81793	R@	(→ ::) Like <REF>R>, but the return stack is not popped.
81757	EVAL	(ob →) Evaluates object.
81CBB	COMPEVAL	(comp →) EVAL just pushes a list back, this one executes it.
81B21	RDUP	(→) Duplicates top return stack level.
81798	RDROP	(→) Pops the return stack.
813CE	2RDROP	(→) Pops two return stack levels.
81469	3RDROP	(→) Pops three return stack levels.
83D68	DROPRDROP	(ob →) Does DROP then <REF>RDROP .
81432	RDROPCOLA	(→) Does <REF>RDROP then <REF>COLA .
81437	RSWAP	(→) Swap in the return stack.
81B26	RROLL	(#n →) Rolls nth return stack level to top of return stack.
84272	RSKIP	(→) Skips first object in the return stack (i.e., the first object in the composite above this one).
0312B	SEMI	(→) DROP the rest of the current stream.

3.5.1 Quoting Objects

81725	’	(→ nob (nextob)) Pushes next object in the stream to the stack (skipping it).
84330	DUP’	(ob → ob nob) Does DUP then ’.
84358	DROP’	(ob → nob) Does DROP then ’.
84344	SWAP’	(ob1 ob2 → ob2 ob1 nob) Does SWAP then ’.
8436C	OVER’	(ob1 ob2 → ob1 ob2 ob1 nob) Does OVER then ’.
84380	STO’	(ob id/lam → nob) Does STO then ’.
84394	TRUE’	(→ T nob) Pushes TRUE and the next object to the stack.

843C1	FALSE’	(→ F nob) Pushes FALSE and the next object to the stack.
843A8	ONEFALSE’	(→ #1 F nob) Pushes ONE, FALSE and the next object to the stack.
843D5	#1+’	(# → #+1 nob) Does #1+ then ’.
83D2C	’NOP	(→ NOP) Pushes NOP to the stack.
83BC4	’ERRJMP	(→ ERRJMP) Pushes ERRJMP to the stack.
81851	’DROPFALSE	(→ DROPFALSE) Pushes DROPFALSE to the stack.
82BBB	’DoBadKey	(→ DoBadKey) Pushes DoBadKey to the stack.
3C77E	’DoBadKeyT	(→ DoBadKey T) Pushes <REF>DoBadKey and TRUE to the stack.
84579	’xDER	(→ xDER) Pushes xDER (User word ∂) to the stack.
82E4F	’Rapndit	(meta ob1...ob4 → meta&ob ob1...ob4) Takes ob from runstream and appends it to the meta starting in level 5.
84461	’xDEREQ	(ob → flag) Is ob eq to user command xDER?

3.5.2 Skipping Objects

8174D	COLA	Evals next obj and drops rest of this stream.
84420	ONECOLA	Does ONE, then COLA.
83D81	SWAPCOLA	Does SWAP, then COLA.
83D95	XYZ>ZCOLA	Does UNROT2DROP, then COLA.
813F6	COLA_EVAL	Returns and evals first obj in previous stream.
813F1	COLACOLA	Drops rest of current stream does COLA in the above one.
817AC	SKIP	Skips 1 obj in the runstream.
83E21	COLASKIP	Drops rest of current stream and skips one obj in above stream.

3.6 Loops

3.6.1 Indefinite Loops

81748	BEGIN	(→) Pushes interpreter pointer into the return stack.
81743	AGAIN	(→) Sets the interpreter pointer to the topmost value in the return stack, without popping it.
8179D	REPEAT	(→) Sets the interpreter pointer to the topmost value in the return stack, without popping it.
817B1	UNTIL	(flag →) If FALSE then <REF>AGAIN, otherwise <REF>RDROP .
83E35	NOT_UNTIL	(flag →) NOT then <REF>UNTIL .
83647	#0=UNTIL	(# → #) Actually, should be called DUP#0=UNTIL.
817B6	WHILE	(flag →) If TRUE does nothing, otherwise <REF>RDROP then <REF>2SKIP .
83E4E	NOT_WHILE	(flag →) NOT then <REF>WHILE .
83E67	DUP#0<>WHILE	(# →) Try to guess what it does.

3.6.2 Definite Loops

81752	DO	(#stop #start →)
0744F	ZERO_DO	(#stop →)
83EEE	DUP#0_DO	(#stop → #stop)
0745A	ONE_DO	(#stop →)
07467	#1+_ONE_DO	(#stop →)
83F07	toLEN_DO	({} → {}) From ONE to #elements.
81784	LOOP	(→)
81739	+LOOP	(# →) Increments index by specified number.
83ED5	DROPLOOP	(ob →)
83EBC	SWAPLOOP	(ob1 ob2 → ob2 ob1)
8175C	INDEX@	(→ #) Recalls topmost loop counter value.
83E80	DUPINDEX@	(ob → ob #)
83E94	SWAPINDEX@	(ob1 ob2 → ob2 ob1 #)
83EA8	OVERINDEX@	(ob1 ob2 → ob1 ob2 ob1 #)
841E6	INDEX@#-	(# → #’)

81761	INDEXSTO	(# →) Stores new topmost loop counter value.
81766	ISTOP@	(→ #) Recalls topmost loop stop value.
8176B	ISTOPSTO	(# →) Stores new topmost loop stop value.
81770	JINDEX@	(→ #) Recalls second topmost loop counter value.
81775	JINDEXSTO	(# →) Stores new second topmost loop counter value.
8177A	JSTOP@	(→ #) Recalls second topmost loop stop value.
8177F	JSTOPSTO	(# →) Stores new second topmost loop stop value.
84A1A	ExitAtLOOP	(→) Does not exit loop immediately. Just stores zero as the stop value, so all objects until the next LOOP will be evaluated. aka: ZEROISTOPSTO

3.7 Memory Operations

3.7.1 Recalling, Storing and Purging

81C11	@	(id/lam → ob T) (id/lam → F) Basic recalling function.
83674	DUP@	(id/lam → id/lam ob T) (id/lam → id/lam F) Does DUP then <REF>@.
81C70	STO	(ob id/lam →) For ids this assumes ob is not pco. If replacing some object, that object is copied to TEMPOB and pointers are updated. For lams: Errors if lam is unbound.
81C61	REPLACE	(newob oldob → newob) Replaces oldob (in memory) with newob.
81C4D	PURGE	(id →) Purges variable. Does no type check first.
81C2F	CREATE	(ob id →) Creates a variable in the current directory. Errors if id is or contains current directory. Assumes id is not a pco.
84448	'LAMLNAMESTO	(ob →) STO to LAM LAMLNAME.

3.7.2 Directories

81C3E	MAKERRP	(#libnum → rrp) Creates an empty directory.
82D2D	CREATEDIR	(id →) Creates an empty directory. Calls <REF>?PURGE_HERE first to delete the original.
81C57	LASTRAM-WORD	(rrp → ob T) (rrp → F) Recalls first object in directory.
81C5C	PREVRAM-WORD	(ob → ob' T) (ob → F) Recalls next object in directory.
08452	RAM-WORDNAME	(ob → id) Recalls name of object in current directory.
81C7F	SYSRRP?	(rrp → flag) Is rrp HOME?
81C2A	CONTEXT@	(→ rrp) Recalls current directory.
81C25	CONTEXT!	(rrp →) Sets new current directory.
81C7F	SYSRRP?	(rrp → flag) Is rrp HOME?
81C34	HOMEDIR	(→) Sets HOME as current directory. aka: SYSCONTEXT

3.7.3 Temporary Memory

81A4A	TOTEMPOB	(ob → ob') Copies object to TEMPOB and returns pointer to the new copy.
836D8	TOTEMPSWAP	(ob1 ob2 → ob2' ob1) Does TOTEMPOB then SWAP.
82D23	CKREF	(ob → ob') If object is in TEMPOB, is not embedded in a composite and not referenced, does nothing. Else copies it to TEMPOB and returns the copy.
84989	SWAPCKREF	(ob1 ob2 → ob2 ob1') Does SWAP then <REF>CKREF.
81A4F	INTEMNOTREF?	(ob → ob flag) If the object is in TEMPOB area, is not embedded in a composite and is not referenced, returns the object and TRUE, otherwise returns the object and FALSE.

0220E8	~INTEMPOB?	(ob → ob flag)

3.8 Time and Alarms

81A95	SLOW	(→) 15 millisecond delay.
81A9A	VERYSLOW	(→) 300 millisecond delay.
81A9F	VERYVERYSLOW	(→) 3 second delay.
82C0B	dowait	(%secs →) Waits specified number of seconds.
82F85	%>HMS	(% → %hms) Converts from decimal to H.MMSS format.
82F7B	%HMS>	(%hms → %) Converts from H.MMSS format to decimal.
82F67	%HMS+	(%hms1 %hms2 → %hms) Adds time in hms format.
82F71	%HMS-	(%hms1 %hms2 → %hms) Subtracts time in hms format.
831D3	CLKTICKS	(→ hxs) Returns tick count. aka: SysTime

3.9 System Functions

3.9.1 User and System Flags

81A5E	SetSysFlag	(# →) Sets the system flag with number #. <REF>TEXT:Flags
81A54	ClrSysFlag	(# →) Clears the system flag with number #. <REF>TEXT:Flags
81A68	TestSysFlag	(# → flag) Returns TRUE if system flag is set. <REF>TEXT:Flags
81A63	SetUserFlag	(# →) Set the user flag with number #. <REF>TEXT:Flags
81A59	ClrUserFlag	(# →) Clear the user flag with number #. <REF>TEXT:Flags
81A6D	TestUserFlag	(# → flag) Returns TRUE if user flag is set. <REF>TEXT:Flags

3.9.2 General Functions

81B1C	setbeep	(#ms #Hz →) Also beeps.
82D05	TurnOff	(→) Internal OFF.
81A40	GARBAGE	(→) Forces garbage collection.
81A45	MEM	(→ #) Returns amount of free memory in nibbles. Does not do garbage collection. (The user word does.)
819C3	OSIZE	(ob → #) Returns object size in nibbles. Forces garbage collection.
819BE	OCRC	(ob → #nib hxs) Returns size in nibbles and checksum as hxs.
81BA8	INHARDROM?	(ob → ob flag) Is object address < #80000h?
82D19	CHANGETYPE	(ob #prolog → ob') Changes prolog of object, does TOTEMPOB.

3.10 Kermit

82B57	DOFINISH	(→) Internal FINISH.
10C72	CLOSEUART	(→) Internal CLOSEIO.
82B9D	OpenIO	
82ADF	docr	
81D88	OpenUart?Clr	
82BB1	PRINT	
81A81	SetEcma94	
117CD	AllowPrlcdCl	
81D83	UARTBUFLEN	
82BA7	PUTSERIAL	
81D7E	GETSERIAL	

4 Input and Output

4.1 Checking for Arguments

4.1.1 Number and Type of Arguments

45611 CK0 (→)
Saves current command to LASTCKCMD. Marks stack below level 1 to STACKMARK.

81CD9 CK&DISPATCH0 (→)
Dispatches on stack argument. Does not convert ZINTs to REAL.
--
<REF>CK&DISPATCH1 <REF>CK&DISPATCH2 <REF>TEXT:Dispatch_Types

81CDE CK&DISPATCH1 (→)
Dispatches on stack arguments, stripping tags and converting ZINTS to REALS (HP49 only) if necessary.
--
<REF>CK&DISPATCH0 <REF>CK&DISPATCH2 <REF>TEXT:Dispatch_Types

81CE3 CK&DISPATCH2 (→)
Equivalent to <REF>CK&DISPATCH1.
--
<REF>CK&DISPATCH0
<REF>TEXT:Dispatch_Types

45AC1 CK1&Dispatch (→)
Combines <REF>CK1 with <REF>CK&DISPATCH1.
--
<REF>TEXT:Dispatch_Types

45AD2 CK2&Dispatch (→)
Combines <REF>CK2 with <REF>CK&DISPATCH1.
--
<REF>TEXT:Dispatch_Types

45AE3 CK3&Dispatch (→)
Combines <REF>CK3 with <REF>CK&DISPATCH1.
--
<REF>TEXT:Dispatch_Types

45AF4	CK4&Dispatch	(→) Combines <REF>CK4 with <REF>CK&DISPATCH1. -- <REF>TEXT:Dispatch_Types
45B05	CK5&Dispatch	(→) Combines <REF>CK5 with <REF>CK&DISPATCH1. -- <REF>TEXT:Dispatch_Types
81B12	0LASTOWDOB!	(→) Clears command save by last CK<n> command. <REF>CK0 aka: 0LASTOWDOB!, 0LastRomWrd!

4.1.2 Type Checking

84538	CKREAL	(% → %) (Z → %) Checks for real. If a ZINT, convert to real. Else SETTYPEERR.
8184C	TYPE	(ob → #prolog) Returns address of prolog of object.
816FD	TYPEREAL?	(ob → flag)
83593	DUPTYPEREAL?	(ob → ob flag) aka: DTYPEREAL?
816CB	TYPECMP?	(ob → flag)
83539	DUPTYPECMP?	(ob → ob flag)
816D5	TYPECSTR?	(ob → flag)
8354D	DUPTYPECSTR?	(ob → ob flag) aka: DTYPECSTR?
8351B	DUPTYPEARRY?	(ob → ob flag) aka: DTYPEARRY?
816B7	TYPEARRY?	(ob → flag ???)
816F8	TYPERARRY?	(ob → flag)
816C1	TYPECARRY?	(ob → flag)
816F3	TYPELIST?	(ob → flag)
83589	DUPTYPELIST?	(ob → ob flag) aka: DTYPELIST?
816E9	TYPEIDNT?	(ob → flag)
83575	DUPTYPEIDNT?	(ob → ob flag)
816EE	TYPELAM?	(ob → flag)
8357F	DUPTYPELAM?	(ob → ob flag)
8170C	TYPESYMB?	(ob → flag)

835B1	DUPTYPESYMB?	(ob → ob flag) Is ob a unit object?
816E4	TYPEHSTR?	(ob → flag)
8356B	DUPTYPEHSTR?	(ob → ob flag)
816DF	TYPEGROB?	(ob → flag)
83561	DUPTYPEGROB?	(ob → ob flag)
835BB	DUPTYPETAG?	(ob → ob flag)
816DA	TYPEEXT?	(ob → flag)
83557	DUPTYPEEXT?	(ob → ob flag)
81702	TYPEROMP?	(ob → flag)
8359D	DUPTYPEROMP?	(ob → ob flag)
816BC	TYPEBINT?	(ob → flag)
83525	DUPTYPEBINT?	(ob → ob flag)
81707	TYPERRP?	(ob → flag)
835A7	DUPTYPERRP?	(ob → ob flag)
816C6	TYPECHAR?	(ob → flag)
8352F	DUPTYPECHAR?	(ob → ob flag)
816D0	TYPECOL?	(ob → flag) Is on a secondary?
83543	DUPTYPECOL?	(ob → ob flag) Is ob a secondary? aka: DTYPECOL?

4.2 Keyboard Control

4.2.1 Converting Keycodes

82BD9	Ck&DecKeyLoc	(%rc.p → #kc #p) Converts from user key representation format to system. Does handle shift-hold keys.
82BE3	CodePl>%rc.p	(#kc #p → %rc.p) Converts from system key representation format to user. Does handle shift-hold keys.
82C6F	ModifierKey?	(#kc #pl → flag) Is the key any of the three modifiers right-shift, left-shift, or alpha?

4.2.2 Waiting for Keys

81A86	FLUSHKEYS	(→) Flushes the key buffer. aka: FLUSH

81A31	CHECKKEY	(→ #kc T) (→ F) Returns next key in the key buffer (if there is one), but does not pop it. Does handle shift-hold keys. -- <REF>TEXT:Keycodes
81A36	GETTOUCH	(→ #kc T) (→ F) Pops next key from key buffer (if there is one). Does handle shift-hold keys. -- <REF>TEXT:Keycodes
82C3D	GETKEY	(→ #kc flag) Get a single keypress from the keybuffer, waits if necessary. The key is returned along with TRUE. If an exception happens, returns FALSE. The exception is not handled. Does handle shift-hold keys. -- <REF>TEXT:Keycodes
81A3B	REPKEY?	(#kc → flag) Returns TRUE if the key is being pressed. -- <REF>TEXT:Keycodes
82CDD	REPEATER	(→) Takes two objects from the runstream, a BINT and a program. The BINT must represent a keycode. The program is evaluated at least once, and then again and again as long as the specified key is being pressed. -- <REF>TEXT:Keycodes
82CE7	REPEATERCH	(→) Same as REPEATER, but slower, so more appropriate for scrolling and cursor motions. -- <REF>TEXT:Keycodes
82C5B	KEYINBUFFER?	(→ flag) Returns TRUE if there is at least a key in the key buffer.
82D0F	WaitForKey	(→ #kc #flag) Returns next full key press. Does *not* handle shift-hold keys. -- <REF>TEXT:Keycodes

4.2.3 The ATTN Flag

`81A90` `ATTN?` `( → flag )`
Returns `TRUE` if ⟨CANCEL⟩ has been pressed.

`82BC5` `?ATTNQUIT` `( → )`
If ⟨CANCEL⟩ has been pressed, ABORTs program. aka: `?ATTN_QUIT`

`81A2C` `ATTNFLGCLR` `( → )`
Clears ⟨CANCEL⟩ key counter. Does not affect the key buffer.

4.2.4 Bad Keys

`3C635` `DoBadKey` `( → )`
Beeps.

4.2.5 User Keys

`82C65` `Key>StdKeyOb` `( #kc #pl → ob )`
Recalls the standard assignment of the key. This is the assignment which is active when USER mode is of.

4.3 The Menu

4.3.1 Menu Properties

`82C79` `NoExitAction` `( → )`
Sets `NOP` as ExitAction. Mostly used to avoid that the menu is saved as the previous menu when a new Menu gets installed.

4.3.2 Building Menus

`3CC36` `TakeOver` `( → )`
Override the default menu key executer. If this is the first entry in a program, the program can be used in edit mode. When the first in a program in the label slot of a menu key, the program is evaluated to get the label object (most likely a grob).

82C47 InitMenu (menu →)
menu is {} or :: settings {} ; Settings override the default settings installed by InitMenu.

4.3.3 Menu Display

88527 ?DispMenu (→)
Redisplay the menu now if no key is waiting in the buffer. Even better is this:
:: DA3OK?NOTIT ?DispMenu ;

82C29 DispMenu.1 (→)
Displays the menu immediately.

82C1F DispMenu (→)
:: DispMenu.1 SetDAsValid ;

4.4 InputLine and Inputforms

4.4.1 Inputform

8273D DoInputForm (l1..ln f1..fm #n #m msg $ → ob1..obn T)
(l1..ln f1..fm #n #m msg $ → F)

l = $ #x #y
f = msg #x #y #w #h #type legal
dec $hlp ChDat ChDec res init
Starts an input form using the old engine.

4.5 The Browser Engines

4.5.1 The HP48 Browser Engine

4.6 The Parametrized Outer Loop (POL)

82CD3 ParOuterLoop (Disp Keys NonAppKeys? DoStdKeys? menu #row suspendOK? ExitCond AppErr →)

82C8D POLSaveUI (Disp Keys NonAppKeys? DoStdKeys? menu #row suspendOK? ExitCond AppErr →)
Saves current UI to LAMSavedUI.

82CB5 POLSetUI <see>ParOuterLoop
Sets new UI, same arguments as to ParOuterLoop.

82C97 POLKeyUI (→)
Displays, reads and evaluates keys according to set UI.

82CAB POLRestoreUI (→)
Restores saved UI from LAMSavedUI.

82CA1 POLResUI&Err (→)
Restores saved UI and executes ERRJMP.

4.7 The Display

4.7.1 Display Organization

81ACC TOADISP (→)
Sets the text display as the active.

81AD1 TOGDISP (→)
Sets the graphic display as the active.

81860 ABUFF (→ textgrob)
Returns the text grob to the stack.

81892 GBUFF (→ graphgrob)
Returns the graphic grob to the stack. The HP49 extable address for ExitAction! is the same, but this must be a bug.

818A1 HARDBUFF (→ dispgrob)
Returns the current grob to the stack.

818A6 HARDBUFF2 (→ menugrob)
Returns the menu grob to the stack.

33905 HARDHEIGHT (→ #height)
Returns the height of HARDBUFF.

4.7.2 Preparing the Display

8230F RECLAIMDISP (→)
Activates the text grob, clears it and sets the default size.

824B3 MENUOFF? (→ flag)
Returns TRUE if the menu grob is off.

8249F TURNMENUOFF (→)
Turns off menu display, enlarges ABUFF to fill screen.

824A9 TURNMENUON (→)
Turns menu grob on.

81AC2 HEIGHTENGROB (grob #rows →)
Heightens graph or text grob.

81AC7	KILLGDISP	(→) Clears graph display by setting it to NULLGROB. See DOERASE.
821BB	DOERASE	(→) Erases the graphics display grob without changing its size.

4.7.3 Controlling Display Refresh

8208F	ClrDA1OK	(→)
82099	ClrDA2aOK	(→)
820A3	ClrDA2bOK	(→)
820AD	ClrDA2OK	(→)
820B7	ClrDA3OK	(→)
81FEF	DA1OK?	(→ flag)
81FF9	DA2aOK?	(→ flag)
82003	DA2bOK?	(→ flag)
8200D	DA2OK?	(→ flag)
82017	DA3OK?	(→ flag)
82021	DAsOK?	(→ flag)
8202B	DA2aLess1OK?	(→ flag)
26B24	DA3OK?NOTIT	(→) Does DA3OK?, NOT then IT.
82067	SetDA1Temp	(→)
82071	SetDA2aTemp	(→)
8207B	SetDA3Temp	(→)
82107	SetDA12Temp	(→)
82111	SetDAsTemp	(→)
82035	SetDA1Valid	(→)
8203F	SetDA2aValid	(→)
82049	SetDA2bValid	(→)
82053	SetDA2Valid	(→)
8205D	SetDA3Valid	(→)
81B9E	SetDA3ValidF	(→)
81B71	SetDA1Bad	(→)
81B4E	ClrDA1Bad	(→)
81B62	DA1Bad?	(→ flag)
81B80	SetDA2aBad	(→)
81B53	ClrDA2aBad	(→)
81B67	DA2aBad?	(→ flag)

81B8A	SetDA2bBad	(→)
81B58	ClrDA2bBad	(→)
81B94	SetDA3Bad	(→)
81B7B	SetDA1NoCh	(→)
81B85	SetDA2aNoCh	(→)
81B8F	SetDA2bNoCh	(→)
81B5D	ClrDA2bNoCh	(→)
81B6C	DA2bNoCh?	(→ flag)
820C1	SetDA2NoCh	(→)
820CB	SetDA12NoCh	(→)
81B99	SetDA3NoCh	(→)
820DF	SetDA13NoCh	(→)
820D5	SetDA23NoCh	(→)
820E9	SetDA12a3NCh	(→) aka: SetDA12a3NoCh
820F3	SetDAsNoCh	(→)
82085	SetDA2aEcho	(→)
81B76	SetDA1IsStat	(→)
81BA3	SetNoRollDA2	(→)

4.7.4 Clearing the Display

82157	BLANKIT	(#startrow #rows →) Clears #rows from HARDBUFF, starting at #startrow.
81A8B	CLCD10	(→) Clears status and stack areas.
821B1	DOCLLCD	(→) Like user word <REF>CLLCD.

4.7.5 Annunciator and Modes Control

82A03	LockAlpha	(→) Sets alpha mode, annunciators, etc.
82A0D	UnLockAlpha	(→) Clears alpha mode, annunciators, etc.

4.7.6 Window Coordinates

81AD6 WINDOWCORNER (→ #y #x)
Gets coordinates of corner of window. Note the order of #x and #y.

81AEF WINDOWXY (#y #x →)
Sets corner coordinates. The name really should be WINDOWYX

4.7.7 Scrolling the Display

81AEA WINDOWUP (→)
Moves display one pixel up.

81ADB WINDOWDOWN (→)
Moves display one pixel down.

81AE0 WINDOWLEFT (→)
Moves display one pixel left.

81AE5 WINDOWRIGHT (→)
Moves display one pixel right.

82341 SCROLLUP (→)
Moves display one pixel up, checks for corresponding key being pressed.

82323 SCROLLDOWN (→)
Moves display one pixel down, checks for corresponding key being pressed.

8232D SCROLLLEFT (→)
Moves display one pixel left, checks for corresponding key being pressed.

82337 SCROLLRIGHT (→)
Moves display one pixel right, checks for corresponding key being pressed.

82297 JUMPTOP (→)
Jumps to top of display.

8228D JUMPBOT (→)
Jumps to bottom of display.

822A1 JUMPLEFT (→)
Jumps to left of display.

822AB JUMPRIGHT (→)
Jumps to right of display.

824E5 WINDOWTOP? (→ flag)
Is window at the top?

824C7 WINDOWBOT? (→ flag)
Is window at the bottom?

824D1 WINDOWLEFT? (→ flag)
Is window at the left?

824DB WINDOWRIGHT? (→ flag)
Is window at the right?

4.7.8 Displaying Text

821CF	DODISP	(ob %row →) Displays any object in specified row.
8186A	DISPROW1	($ →) aka: DISP@01, BIGDISPROW1
8186F	DISPROW2	($ →) aka: DISP@09, BIGDISPROW2
81874	DISPROW3	($ →) aka: DISP@17, BIGDISPROW3
81879	DISPROW4	($ →) aka: DISP@25, BIGDISPROW4
8187E	DISPROW5	($ →)
81883	DISPROW6	($ →)
81888	DISPROW7	($ →)
8188D	DISPROW8	($ →) May not be possible depending on the size of the font and whether the menu is on or off.
81865	DISPN	($ #row →) aka: BIGDISPN

4.7.9 Messages and Boxes

4.8 Graphics

4.8.1 Built-in Grobs

4.8.2 Dimensions

81BAD	GROBDIM	(grob → #height #width)
8460F	GROBDIMw	(grob → #width)
8217F	CKGROBFITS	(g1 g2 #n #m → g1 g2' #n #m) Shrinks g2 if it does not fit in g1.
69E2E	CHECKHEIGHT	(grob #height →) Forces grob (ABUFF/GBUFF) to be at least 64 rows high.

4.8.3 Grob Handling

81897	GROB!	(grob1 grob2 #x #y →) Stores grob1 into grob2. Bang type.

82251	GROB+#	(flag grob1 grob2 #x #y → grob') Inserts grob2 into the specified position of grob1, using OR (if flag is TRUE) or XOR (if flag is FALSE). Does all necessary checks first.
8189C	GROB!ZERO	(grob #x1 #y1 #x2 #y2 → grob') Blanks a rectangular region of the grob. Bang type.
84290	GROB!ZERODRP	(grob #x1 #y1 #x2 #y2 →) Blanks a rectangular region of the grob. Probably only useful if grob is the text or graphics grob (see section on display-organization). Bang type.
818B5	SUBGROB	(grob #x1 #y1 #x2 #y2 → grob') Returns specified portion of grob.
824EF	XYGROBDISP	(#x #y grob →) Stores grob in HARDBUFF with upper left corner at (#x,#y). HARDBUFF is expanded if necessary.
82265	GROB>GDISP	(grob →) Stores new graph grob.
818B0	MAKEGROB	(#height #width → grob) Creates a blank grob.
818AB	INVGROB	(grob → grob') Inverts grob data bits. Bang type.
81AFE	PIXON	(#x #y →) Sets pixel in text grob.
81AF4	PIXOFF	(#x #y →) Clears pixel in text grob.
81B03	PIXON?	(#x #y → flag) Is pixel in text grob on?
81B08	PIXON3	(#x #y →) Sets pixel in graph grob.
81AF9	PIXOFF3	(#x #y →) Clears pixel in graph grob.
81B0D	PIXON?3	(#x #y → flag) Is pixel in graph grob on?
81BBC	LINEON	(#x1 #y1 #x2 #y2 →) Draws a line in text grob.
81BB2	LINEOFF	(#x1 #y1 #x2 #y2 →) Clears a line in text grob.
81BC6	TOGLINE	(#x1 #y1 #x2 #y2 →) Toggles a line in text grob.
81BC1	LINEON3	(#x1 #y1 #x2 #y2 →) Draws a line in graph grob.
81BB7	LINEOFF3	(#x1 #y1 #x2 #y2 →) Clears a line in graph grob.

81BCB TOGLINE3 (#x1 #y1 #x2 #y2 →)
Toggles a line in graph grob.

821D9 DOLCD> (→ grob)
Returns current display.

4.8.4 Creating Menu Label Grobs

822D3 MakeStdLabel ($ → grob)
Makes standard menu label.

822B5 MakeBoxLabel ($ → grob)
Makes label with a box.

822BF MakeDirLabel ($ → grob)
Makes directory label.

822C9 MakeInvLabel ($ → grob)
Makes inverse label.

82C15 Box/StdLabel ($ flag → grob)
If TRUE makes box label, otherwise makes standard label.

8235F Std/BoxLabel ($ flag → grob)
If TRUE makes standard label, otherwise makes box label.

4.8.5 Converting Strings to Grobs

818BA $>BIGGROB ($ → grob)
Makes grob of the string using the large font (5x9).

818BF $>GROB ($ → grob)
Makes grob of the string using the system font. Linefeed does *not* make new line.

818C4 $>grob ($ → grob)
Makes grob of the string using the minifont. Linefeed does *not* make new line.

4.9 Plotting

82161 CHECKPICT (→)
Checks size of GBUFF. If it is smaller than 131x64 sets GBUFF back to its default size (131x64).

82229 GETXMIN (→ %)
Recalls XMIN from the PPAR list if existent. If not, the default PPAR is created in the current directory.
--
<REF>TEXT:Reserved|PPAR

822E7 PUTXMIN
(% →)
Sets a new value for XMIN. PPAR is created if necessary.
--
<REF>TEXT:Reserved|PPAR

8223D GETXMAX
(→ %)
Recalls XMAX from the PPAR list if existent. If not, the default PPAR is created in the current directory.
--
<REF>TEXT:Reserved|PPAR

822FB PUTXMAX
(% →)
Sets a new value for XMAX. PPAR is created if necessary.
--
<REF>TEXT:Reserved|PPAR

82233 GETYMIN
(→ %)
Recalls YMIN from the PPAR list if existent. If not, the default PPAR is created in the current directory.
--
<REF>TEXT:Reserved|PPAR

822F1 PUTYMIN
(% →)
Sets a new value for YMIN. PPAR is created if necessary.
--
<REF>TEXT:Reserved|PPAR

82247 GETYMAX
(→ %)
Recalls YMAX from the PPAR list if existent. If not, the default PPAR is created in the current directory.
--
<REF>TEXT:Reserved|PPAR

82305 PUTYMAX
(% →)
Sets a new value for YMAX. PPAR is created if necessary.
--
<REF>TEXT:Reserved|PPAR

69347 GETYPOS

8221F GDISPCENTER
(→)
Moves to center of graphics display

5 Entries specific to the HP38/39/40

5.1 Topic Variables and the Topic Outer Loop

These entries are used for the implemtation of applets on the HP38G/39G/40G. On the HP49G, they are included for Hp38/39/40 compatibility, probably in order to allow applet devellopment on the HP49G.

8325F	TopOuterLoop	
83269	TOLSaveUI	
83273	TOLSetTopicUI	
8327D	TOLSetViewUI	
83287	TOLKeyUI	
83291	TOLErrorTrap	
8329B	TOLResUI&Err	
832A5	TOLRestoreUI	
832AF	?ExitThisTop	
84AE4	CALCCXT!	(ob →)
84AF4	CALCCXT@	(→ ob)
84B04	PGMCXT!	(ob →)
84B14	PGMCXT@	(→ ob)
84B24	NOTESCXT!	(ob →)
84B34	NOTESCXT@	(→ ob)
84B44	apletPTR!	(ob →)
84B54	apletPTR@	(→ ob)
84B64	funcPTR!	(ob →)
84B74	funcPTR@	(→ ob)
84B84	polarPTR!	(ob →)
84B94	polarPTR@	(→ ob)
84BA4	paramPTR!	(ob →)
84BB4	paramPTR@	(→ ob)
84BC4	seqPTR!	(ob →)
84BD4	seqPTR@	(→ ob)
84BE4	statPTR!	(ob →)
84BF4	statPTR@	(→ ob)
84C04	solvePTR!	(ob →)
84C14	solvePTR@	(→ ob)
84C24	otherPTR!	(ob →)

84C34	otherPTR@	(→ ob)
81996	TopicVarN!	
81991	TopicVarN@	
84C44	TopicVar1!	(ob →)
84C54	TopicVar1@	(→ ob)
84C64	TopicVar2!	(ob →)
84C74	TopicVar2@	(→ ob)
84C84	TopicVar3!	(ob →)
84C94	TopicVar3@	(→ ob)
84CA4	TopicVar4!	(ob →)
84CB4	TopicVar4@	(→ ob)
84CC4	TopicVar5!	(ob →)
84CD4	TopicVar5@	(→ ob)
84CE4	TopicVar6!	(ob →)
84CF4	TopicVar6@	(→ ob)
84D04	TopicVar7!	(ob →)
84D14	TopicVar7@	(→ ob)
84D24	TopicVar8!	(ob →)
84D34	TopicVar8@	(→ ob)
84D44	TopicVar9!	(ob →)
84D54	TopicVar9@	(→ ob)
84D64	TopicVar10!	(ob →)
84D74	TopicVar10@	(→ ob)
84D84	TopicVar11!	(ob →)
84D94	TopicVar11@	(→ ob)
84DA4	TopicVar12!	(ob →)
84DB4	TopicVar12@	(→ ob)
84DC4	TopicVar13!	(ob →)
84DD4	TopicVar13@	(→ ob)
84DE4	TopicVar14!	(ob →)
84DF4	TopicVar14@	(→ ob)
84E04	TopicVar15!	(ob →)
84E14	TopicVar15@	(→ ob)
84E24	TopicVar16!	(ob →)
84E34	TopicVar16@	(→ ob)
84E44	TopicVar17!	(ob →)
84E54	TopicVar17@	(→ ob)
84E64	TopicVar18!	(ob →)

```
84E74     TopicVar18@          ( → ob )
84E84     TopicVar19!          ( ob → )
84E94     TopicVar19@          ( → ob )
84EA4     TopicVar20!          ( ob → )
84EB4     TopicVar20@          ( → ob )
84EC4     TopicVar21!          ( ob → )
84ED4     TopicVar21@          ( → ob )
84EE4     TopicVar22!          ( ob → )
84EF4     TopicVar22@          ( → ob )
84F04     TopicVar23!          ( ob → )
84F14     TopicVar23@          ( → ob )
84F24     TopicVar24!          ( ob → )
84F34     TopicVar24@          ( → ob )
84F44     TopicVar25!          ( ob → )
84F54     TopicVar25@          ( → ob )
84F64     TopicVar26!          ( ob → )
84F74     TopicVar26@          ( → ob )
84F84     TopicVar27!          ( ob → )
84F94     TopicVar27@          ( → ob )
84FA4     TopicVar28!          ( ob → )
84FB4     TopicVar28@          ( → ob )
84FC4     TopicVar29!          ( ob → )
84FD4     TopicVar29@          ( → ob )
84FE4     TopicVar30!          ( ob → )
84FF4     TopicVar30@          ( → ob )
85004     TopicVar31!          ( ob → )
85014     TopicVar31@          ( → ob )
85024     TopicVar32!          ( ob → )
85034     TopicVar32@          ( → ob )
85044     TopicVar33!          ( ob → )
85054     TopicVar33@          ( → ob )
85064     TopicVar34!          ( ob → )
85074     TopicVar34@          ( → ob )
85084     TopicVar35!          ( ob → )
85094     TopicVar35@          ( → ob )
850A4     TopicVar36!          ( ob → )
850B4     TopicVar36@          ( → ob )
850C4     TopicVar37!          ( ob → )
```

```
850D4     TopicVar37@          ( → ob )
850E4     TopicVar38!          ( ob → )
850F4     TopicVar38@          ( → ob )
85104     TopicVar39!          ( ob → )
85114     TopicVar39@          ( → ob )
85124     TopicVar40!          ( ob → )
85134     TopicVar40@          ( → ob )
85144     TopicVar41!          ( ob → )
85154     TopicVar41@          ( → ob )
85164     TopicVar42!          ( ob → )
85174     TopicVar42@          ( → ob )
85184     TopicVar43!          ( ob → )
85194     TopicVar43@          ( → ob )
851A4     TopicVar44!          ( ob → )
851B4     TopicVar44@          ( → ob )
851C4     TopicVar45!          ( ob → )
851D4     TopicVar45@          ( → ob )
851E4     TopicVar46!          ( ob → )
851F4     TopicVar46@          ( → ob )
85204     TopicVar47!          ( ob → )
85214     TopicVar47@          ( → ob )
85224     TopicVar48!          ( ob → )
85234     TopicVar48@          ( → ob )
85244     TopicVar49!          ( ob → )
85254     TopicVar49@          ( → ob )
85264     TopicVar50!          ( ob → )
85274     TopicVar50@          ( → ob )
85284     TopicVar51!          ( ob → )
85294     TopicVar51@          ( → ob )
852A4     TopicVar52@          ( ob → )
852B4     TopicVar52!          ( → ob )
852C4     TopicVar53@          ( ob → )
852E0     TopicVar53!          ( → ob )
85307     TopicVar54@          ( ob → )
85317     TopicVar54!          ( → ob )
85327     TopicVar55@          ( ob → )
85337     TopicVar55!          ( → ob )
85347     TopicVar56@          ( ob → )
```

```
85357     TopicVar56!          ( → ob )
85367     TopicVar57@          ( ob → )
85377     TopicVar57!          ( → ob )
85387     TopicVar58@          ( ob → )
85397     TopicVar58!          ( → ob )
853A7     TopicVar59@          ( ob → )
853B7     TopicVar59!          ( → ob )
853C7     TopicVar60@          ( ob → )
853D7     TopicVar60!          ( → ob )
853E7     TopicVar61@          ( ob → )
853F7     TopicVar61!          ( → ob )
85407     TopicVar62@          ( ob → )
85417     TopicVar62!          ( → ob )
85427     TopicVar63@          ( ob → )
85437     TopicVar63!          ( → ob )
85447     TopicVar64@          ( ob → )
85457     TopicVar64!          ( → ob )
85467     TopicVar65@          ( ob → )
85477     TopicVar65!          ( → ob )
85487     TopicVar66@          ( ob → )
85497     TopicVar66!          ( → ob )
854A7     TopicVar67@          ( ob → )
854B7     TopicVar67!          ( → ob )
854C7     TopicVar68@          ( ob → )
854D7     TopicVar68!          ( → ob )
854E7     TopicVar69@          ( ob → )
854F7     TopicVar69!          ( → ob )
85507     TopicVar70@          ( ob → )
85517     TopicVar70!          ( → ob )
85527     TopicVar71@          ( ob → )
85537     TopicVar71!          ( → ob )
85547     TopicVar72@          ( ob → )
85557     TopicVar72!          ( → ob )
85567     TopicVar73@          ( ob → )
85577     TopicVar73!          ( → ob )
85587     TopicVar74@          ( ob → )
85597     TopicVar74!          ( → ob )
855A7     TopicVar75@          ( ob → )
```

```
855B7     TopicVar75!          ( → ob )
855C7     TopicVar76@          ( ob → )
855D7     TopicVar76!          ( → ob )
855E7     TopicVar77@          ( ob → )
855F7     TopicVar77!          ( → ob )
85607     TopicVar78@          ( ob → )
85617     TopicVar78!          ( → ob )
85627     TopicVar79@          ( ob → )
85637     TopicVar79!          ( → ob )
85647     TopicVar80@          ( ob → )
85657     TopicVar80!          ( → ob )
85667     TopicVar81@          ( ob → )
85677     TopicVar81!          ( → ob )
85687     TopicVar82@          ( ob → )
85697     TopicVar82!          ( → ob )
856A7     TopicVar83@          ( ob → )
856B7     TopicVar83!          ( → ob )
856C7     TopicVar84@          ( ob → )
856D7     TopicVar84!          ( → ob )
856E7     TopicVar85@          ( ob → )
856F7     TopicVar85!          ( → ob )
85707     TopicVar86@          ( ob → )
85717     TopicVar86!          ( → ob )
85727     TopicVar87@          ( ob → )
85737     TopicVar87!          ( → ob )
85747     TopicVar88@          ( ob → )
85757     TopicVar88!          ( → ob )
85767     TopicVar89@          ( ob → )
85777     TopicVar89!          ( → ob )
85787     TopicVar90@          ( ob → )
85797     TopicVar90!          ( → ob )
857A7     TopicVar91!          ( ob → )
857B7     TopicVar91@          ( → ob )
857C7     TOLVar1!             ( ob → )
857D7     TOLVar1@             ( → ob )
857E7     TOLVar2!             ( ob → )
857F7     TOLVar2@             ( → ob )
85807     TOLVar3!             ( ob → )
```

85817	TOLVar3@	(→ ob)
85827	TOLVar4!	(ob →)
85837	TOLVar4@	(→ ob)
85847	TOLVar5!	(ob →)
85857	TOLVar5@	(→ ob)
85867	TOLVar6!	(ob →)
85877	TOLVar6@	(→ ob)
85887	TOLVar7!	(ob →)
85897	TOLVar7@	(→ ob)
858A7	TOLVar8!	(ob →)
858B7	TOLVar8@	(→ ob)
858C7	TOLVar9!	(ob →)
858D7	TOLVar9@	(→ ob)
858E7	TOLVar10!	(ob →)
858F7	TOLVar10@	(→ ob)
85907	TOLVar11!	(ob →)
85917	TOLVar11@	(→ ob)
85927	TOLVar12!	(ob →)
85937	TOLVar12@	(→ ob)
85947	TOLVar13!	(ob →)
85957	TOLVar13@	(→ ob)
85967	TOLVar14!	(ob →)
85977	TOLVar14@	(→ ob)
85987	TOLVar15!	(ob →)
85997	TOLVar15@	(→ ob)
859A7	TOLVar16!	(ob →)
859B7	TOLVar16@	(→ ob)
859C7	TOLVar17!	(ob →)
859D7	TOLVar17@	(→ ob)
859E7	TOLVar18!	(ob →)
859F7	TOLVar18@	(→ ob)
85A07	TOLVar19!	(ob →)
85A17	TOLVar19@	(→ ob)
85A27	TOLVar20!	(ob →)
85A37	TOLVar20@	(→ ob)
85A47	TOLVar21!	(ob →)
85A57	TOLVar21@	(→ ob)
85A67	TOLVar22!	(ob →)

85A77	TOLVar22@	(→ ob)
85A87	TOLVar23!	(ob →)
85A97	TOLVar23@	(→ ob)
85AA7	TOLVar24!	(ob →)
85AB7	TOLVar24@	(→ ob)
85AC7	TOLVar25!	(ob →)
85AD7	TOLVar25@	(→ ob)
85AE9	TOLVar26!	(ob →)
85AFB	TOLVar26@	(→ ob)
85B0D	TOLVar27!	(ob →)
85B1F	TOLVar27@	(→ ob)
85B31	TOLVar28!	(ob →)
85B43	TOLVar28@	(→ ob)
85B55	TOLVar29!	(ob →)
85B67	TOLVar29@	(→ ob)
85B79	TOLVar30!	(ob →)
85B8B	TOLVar30@	(→ ob)
85B9D	TOLVar31!	(ob →)
85BAF	TOLVar31@	(→ ob)
85BC1	TOLVar32!	(ob →)
85BD3	TOLVar32@	(→ ob)
85BE5	TOLVar33!	(ob →)
85BF7	TOLVar33@	(→ ob)
85C09	TOLVar34!	(ob →)
85C1B	TOLVar34@	(→ ob)
85C2D	TOLVar35!	(ob →)
85C3F	TOLVar35@	(→ ob)
85C51	TOLVar36!	(ob →)
85C63	TOLVar36@	(→ ob)
85C75	TOLVar37!	(ob →)
85C87	TOLVar37@	(→ ob)
85C99	TOLVar38!	(ob →)
85CAB	TOLVar38@	(→ ob)
85CBD	TOLVar39!	(ob →)
85CCF	TOLVar39@	(→ ob)
85CE1	TOLVar40!	(ob →)
85CF3	TOLVar40@	(→ ob)
85D05	TOLVar41!	(ob →)

85D17	TOLVar41@	(→ ob)
85D29	TOLVar42!	(ob →)
85D3B	TOLVar42@	(→ ob)
85D4D	TOLVar43!	(ob →)
85D5F	TOLVar43@	(→ ob)
85D71	TOLVar44!	(ob →)
85D83	TOLVar44@	(→ ob)
85D95	TOLVar45!	(ob →)
85DA7	TOLVar45@	(→ ob)
85DB9	TOLVar46!	(ob →)
85DCB	TOLVar46@	(→ ob)
85DDD	TOLVar47!	(ob →)
85DEF	TOLVar47@	(→ ob)
85E01	TOLVar48!	(ob →)
85E13	TOLVar48@	(→ ob)
85E25	TOLVar49!	(ob →)
85E37	TOLVar49@	(→ ob)
85E49	TOLVar50!	(ob →)
85E5B	TOLVar50@	(→ ob)
85E6D	TOLVar51!	(ob →)
85E7F	TOLVar51@	(→ ob)
85E91	TOLVar52!	(ob →)
85EA3	TOLVar52@	(→ ob)
85EB5	TOLVar53!	(ob →)
85EC7	TOLVar53@	(→ ob)
85ED9	TOLVar54!	(ob →)
85EEB	TOLVar54@	(→ ob)
85EFD	TOLVar55!	(ob →)
85F0F	TOLVar55@	(→ ob)
85F21	TOLVar56!	(ob →)
85F33	TOLVar56@	(→ ob)
85F45	TOLVar57!	(ob →)
85F57	TOLVar57@	(→ ob)
85F69	TOLVar58!	(ob →)
85F7B	TOLVar58@	(→ ob)
85F8D	TOLVar59!	(ob →)
85F9F	TOLVar59@	(→ ob)
85FB1	TOLVar60!	(ob →)

85FC3	TOLVar60@	(→ ob)
85FD5	TOLVar61!	(ob →)
85FE7	TOLVar61@	(→ ob)
85FF9	TOLVar62!	(ob →)
8600B	TOLVar62@	(→ ob)
8601D	TOLVar63!	(ob →)
8602F	TOLVar63@	(→ ob)
86041	TOLVar64!	(ob →)
86053	TOLVar64@	(→ ob)
86065	TOLVar65!	(ob →)
86077	TOLVar65@	(→ ob)
86089	TOLVar66!	(ob →)
8609B	TOLVar66@	(→ ob)
860AD	TOLVar67!	(ob →)
860BF	TOLVar67@	(→ ob)
860D1	TOLVar68!	(ob →)
860E3	TOLVar68@	(→ ob)
860F5	TOLVar69!	(ob →)
86107	TOLVar69@	(→ ob)
86119	TOLVar70!	(ob →)
8612B	TOLVar70@	(→ ob)
8613D	TOLVar71!	(ob →)
8614F	TOLVar71@	(→ ob)
86161	TOLVar72!	(ob →)
86173	TOLVar72@	(→ ob)
86185	TOLVar73!	(ob →)
86197	TOLVar73@	(→ ob)
861A9	TOLVar74!	(ob →)
861BB	TOLVar74@	(→ ob)
861CD	TOLVar75!	(ob →)
861DF	TOLVar75@	(→ ob)
861F1	TOLVar76!	(ob →)
86203	TOLVar76@	(→ ob)
86215	TOLVar77!	(ob →)
86227	TOLVar77@	(→ ob)
86239	TOLVar78!	(ob →)
8624B	TOLVar78@	(→ ob)
8625D	TOLVar79!	(ob →)

8626F	TOLVar79@	(→ ob)
86281	TOLVar80!	(ob →)
86293	TOLVar80@	(→ ob)
862A5	TOLVar81!	(ob →)
862B7	TOLVar81@	(→ ob)
862C9	TOLVar82!	(ob →)
862DB	TOLVar82@	(→ ob)
862ED	TOLVar83!	(ob →)
862FF	TOLVar83@	(→ ob)
86311	TOLVar84!	(ob →)
86323	TOLVar84@	(→ ob)
86335	TOLVar85!	(ob →)
86347	TOLVar85@	(→ ob)
86359	TOLVar86!	(ob →)
8636B	TOLVar86@	(→ ob)
8637D	TOLVar87!	(ob →)
8638F	TOLVar87@	(→ ob)
863A1	TOLVar88!	(ob →)
863B3	TOLVar88@	(→ ob)
863C5	TOLVar89!	(ob →)
863D7	TOLVar89@	(→ ob)
863E9	TOLVar90!	(ob →)
863FB	TOLVar90@	(→ ob)
8640D	TOLVar91!	(ob →)
8641F	TOLVar91@	(→ ob)
86431	TOLVar92!	(ob →)
86443	TOLVar92@	(→ ob)
86455	TOLVar93!	(ob →)
86467	TOLVar93@	(→ ob)
86479	TOLVar94!	(ob →)
8648B	TOLVar94@	(→ ob)
8649D	TOLVar95!	(ob →)
864AF	TOLVar95@	(→ ob)
864C1	TOLVar96!	(ob →)
864D3	TOLVar96@	(→ ob)
864E5	TOLVar97!	(ob →)
864F7	TOLVar97@	(→ ob)
86509	TOLVar98!	(ob →)

8651B	TOLVar98@	(→ ob)
8652D	TOLVar99!	(ob →)
8653F	TOLVar99@	(→ ob)
86551	TOLVar100!	(ob →)
86563	TOLVar100@	(→ ob)
86575	TOLVar101!	(ob →)
86587	TOLVar101@	(→ ob)
86599	TOLVar102!	(ob →)
865AB	TOLVar102@	(→ ob)
865BD	TOLVar103!	(ob →)
865CF	TOLVar103@	(→ ob)
865E1	TOLVar104!	(ob →)
865F3	TOLVar104@	(→ ob)
86605	TOLVar105!	(ob →)
86617	TOLVar105@	(→ ob)
86629	TOLVar106!	(ob →)
8663B	TOLVar106@	(→ ob)
8664D	TOLVar107!	(ob →)
8665F	TOLVar107@	(→ ob)
86671	TOLVar108!	(ob →)
86683	TOLVar108@	(→ ob)
86695	TOLVar109!	(ob →)
866A7	TOLVar109@	(→ ob)
866B9	TOLVar110!	(ob →)
866CB	TOLVar110@	(→ ob)
866DD	TOLVar111!	(ob →)
866EF	TOLVar111@	(→ ob)
86701	TOLVar112!	(ob →)
86713	TOLVar112@	(→ ob)
86725	TOLVar113!	(ob →)
86737	TOLVar113@	(→ ob)
86749	TOLVar114!	(ob →)
8675B	TOLVar114@	(→ ob)
8676D	TOLVar115!	(ob →)
8677F	TOLVar115@	(→ ob)
86791	TOLVar116!	(ob →)
867A3	TOLVar116@	(→ ob)
867B5	TOLVar117!	(ob →)

867C7	TOLVar117@	(→ ob)
867D9	TOLVar118!	(ob →)
867EB	TOLVar118@	(→ ob)
867FD	TOLVar119!	(ob →)
8680F	TOLVar119@	(→ ob)
86821	TOLVar120!	(ob →)
86833	TOLVar120@	(→ ob)
86845	TOLVar121!	(ob →)
86857	TOLVar121@	(→ ob)
86869	TOLVar122!	(ob →)
8687B	TOLVar122@	(→ ob)
8688D	TOLVar123!	(ob →)
8689F	TOLVar123@	(→ ob)
868B1	TOLVar124!	(ob →)
868C3	TOLVar124@	(→ ob)
868D5	TOLVar125!	(ob →)
868E7	TOLVar125@	(→ ob)
868F9	TOLVar126!	(ob →)
8690B	TOLVar126@	(→ ob)
8691D	TOLVar127!	(ob →)
8692F	TOLVar127@	(→ ob)
86941	TOLVar128!	(ob →)
86953	TOLVar128@	(→ ob)
86965	TOLVar129!	(ob →)
86977	TOLVar129@	(→ ob)
86989	TOLVar130!	(ob →)
8699B	TOLVar130@	(→ ob)
869AD	TOLVar131!	(ob →)
869BF	TOLVar131@	(→ ob)
869D1	TOLVar132!	(ob →)
869E3	TOLVar132@	(→ ob)
869F5	TOLVar133!	(ob →)
86A07	TOLVar133@	(→ ob)
86A19	TOLVar134!	(ob →)
86A2B	TOLVar134@	(→ ob)
86A3D	TOLVar135!	(ob →)
86A4F	TOLVar135@	(→ ob)
86A61	TOLVar136!	(ob →)

86A73	TOLVar136@	(→ ob)
86A85	TOLVar137!	(ob →)
86A97	TOLVar137@	(→ ob)
86AA9	TOLVar138!	(ob →)
86ABB	TOLVar138@	(→ ob)
86ACD	TOLVar139!	(ob →)
86ADF	TOLVar139@	(→ ob)
86AF1	TOLVar140!	(ob →)
86B03	TOLVar140@	(→ ob)
86B15	TOLVar141!	(ob →)
86B27	TOLVar141@	(→ ob)
86B39	TOLVar142!	(ob →)
86B4B	TOLVar142@	(→ ob)
86B5D	TOLVar143!	(ob →)
86B6F	TOLVar143@	(→ ob)
86B81	TOLVar144!	(ob →)
86B93	TOLVar144@	(→ ob)
86BA5	TOLVar145!	(ob →)
86BB7	TOLVar145@	(→ ob)
86BC9	TOLVar146!	(ob →)
86BDB	TOLVar146@	(→ ob)
86BED	TOLVar147!	(ob →)
86BFF	TOLVar147@	(→ ob)
86C11	TOLVar148!	(ob →)
86C23	TOLVar148@	(→ ob)
86C35	TOLVar149!	(ob →)
86C47	TOLVar149@	(→ ob)
86C59	TOLVar150!	(ob →)
86C6B	TOLVar150@	(→ ob)
86C7D	TOLVar151!	(ob →)
86C8F	TOLVar151@	(→ ob)
86CA1	TOLVar152!	(ob →)
86CB3	TOLVar152@	(→ ob)
86CC5	TOLVar153!	(ob →)
86CD7	TOLVar153@	(→ ob)
86CE9	TOLVar154!	(ob →)
86CFB	TOLVar154@	(→ ob)
86D0D	TOLVar155!	(ob →)

86D1F	TOLVar155@	(→ ob)
86D31	TOLVar156!	(ob →)
86D43	TOLVar156@	(→ ob)
86D55	TOLVar157!	(ob →)
86D67	TOLVar157@	(→ ob)
86D79	TOLVar158!	(ob →)
86D8B	TOLVar158@	(→ ob)
86D9D	TOLVar159!	(ob →)
86DAF	TOLVar159@	(→ ob)
86DC1	TOLVar160!	(ob →)
86DD3	TOLVar160@	(→ ob)
86DE5	TOLVar161!	(ob →)
86DF7	TOLVar161@	(→ ob)
86E09	TOLVar162!	(ob →)
86E1B	TOLVar162@	(→ ob)
86E2D	TOLVar163!	(ob →)
86E3F	TOLVar163@	(→ ob)
86E51	TOLVar164!	(ob →)
86E63	TOLVar164@	(→ ob)
86E75	TOLVar165!	(ob →)
86E87	TOLVar165@	(→ ob)
86E99	TOLVar166!	(ob →)
86EAB	TOLVar166@	(→ ob)
86EBD	TOLVar167!	(ob →)
86ECF	TOLVar167@	(→ ob)
86EE1	TOLVar168!	(ob →)
86EF3	TOLVar168@	(→ ob)
86F05	TOLVar169!	(ob →)
86F17	TOLVar169@	(→ ob)
86F29	TOLVar170!	(ob →)
86F3B	TOLVar170@	(→ ob)
86F4D	TOLVar171!	(ob →)
86F5F	TOLVar171@	(→ ob)
86F71	TOLVar172!	(ob →)
86F83	TOLVar172@	(→ ob)
86F95	TOLVar173!	(ob →)
86FA7	TOLVar173@	(→ ob)
86FB9	TOLVar174!	(ob →)

86FCB	TOLVar174@	(→ ob)
86FDD	TOLVar175!	(ob →)
86FEF	TOLVar175@	(→ ob)
87001	TOLVar176!	(ob →)
87013	TOLVar176@	(→ ob)
87025	TOLVar177!	(ob →)
87037	TOLVar177@	(→ ob)
87049	TOLVar178!	(ob →)
8705B	TOLVar178@	(→ ob)
8706D	TOLVar179!	(ob →)
8707F	TOLVar179@	(→ ob)
87091	TOLVar180!	(ob →)
870A3	TOLVar180@	(→ ob)
870B5	TOLVar181!	(ob →)
870C7	TOLVar181@	(→ ob)
870D9	TOLVar182!	(ob →)
870EB	TOLVar182@	(→ ob)
870FD	TOLVar183!	(ob →)
8710F	TOLVar183@	(→ ob)
87121	TOLVar184!	(ob →)
87133	TOLVar184@	(→ ob)
87145	TOLVar185!	(ob →)
87157	TOLVar185@	(→ ob)
87169	TOLVar186!	(ob →)
8717B	TOLVar186@	(→ ob)
8718D	TOLVar187!	(ob →)
8719F	TOLVar187@	(→ ob)
871B1	TOLVar188!	(ob →)
871C3	TOLVar188@	(→ ob)
871D5	TOLVar189!	(ob →)
871E7	TOLVar189@	(→ ob)
871F9	TOLVar190!	(ob →)
8720B	TOLVar190@	(→ ob)
8721D	TOLVar191!	(ob →)
8722F	TOLVar191@	(→ ob)
87241	TOLVar192!	(ob →)
87253	TOLVar192@	(→ ob)
87265	TOLVar193!	(ob →)

87277	TOLVar193@	(→ ob)
87289	TOLVar194!	(ob →)
8729B	TOLVar194@	(→ ob)
872AD	TOLVar195!	(ob →)
872BF	TOLVar195@	(→ ob)
872D1	TOLVar196!	(ob →)
872E3	TOLVar196@	(→ ob)
872F5	TOLVar197!	(ob →)
87307	TOLVar197@	(→ ob)
87319	TOLVar198!	(ob →)
8732B	TOLVar198@	(→ ob)
8733D	TOLVar199!	(ob →)
8734F	TOLVar199@	(→ ob)
87361	TOLVar200!	(ob →)
87373	TOLVar200@	(→ ob)
87385	TOLVar201!	(ob →)
87397	TOLVar201@	(→ ob)
873A9	TOLVar202!	(ob →)
873BB	TOLVar202@	(→ ob)
873CD	TOLVar203!	(ob →)
873DF	TOLVar203@	(→ ob)
873F1	TOLVar204!	(ob →)
87403	TOLVar204@	(→ ob)
87415	TOLVar205!	(ob →)
87427	TOLVar205@	(→ ob)
87439	TOLVar206!	(ob →)
8744B	TOLVar206@	(→ ob)
8745D	TOLVar207!	(ob →)
8746F	TOLVar207@	(→ ob)
87481	TOLVar208!	(ob →)
87493	TOLVar208@	(→ ob)
874A5	TOLVar209!	(ob →)
874B7	TOLVar209@	(→ ob)
874C9	TOLVar210!	(ob →)
874DB	TOLVar210@	(→ ob)
874ED	TOLVar211!	(ob →)
874FF	TOLVar211@	(→ ob)
87511	TOLVar212!	(ob →)

87523	TOLVar212@	(→ ob)
87535	TOLVar213!	(ob →)
87547	TOLVar213@	(→ ob)
87559	TOLVar214!	(ob →)
8756B	TOLVar214@	(→ ob)
8757D	TOLVar215!	(ob →)
8758F	TOLVar215@	(→ ob)
875A1	TOLVar216!	(ob →)
875B3	TOLVar216@	(→ ob)
875C5	TOLVarN!	(ob →)
875E8	TOLVarN@	(→ ob)
8760B	ClrAllTVars	
87641	ClrAllTOLVs	
8765D	%0AllTopicVs	
87698	%0AllTOLVars	
876D3	TOLVarSet!	
877A0	%0TOLVarSet	
877F0	1getcxt!	
87804	DoInCxt	
8785E	DoInCalcCxt	
87877	DoInAppCxt	
87890	DoInFuncCxt	
878A9	DoInPolarCxt	
878C2	DoInParamCxt	
878DB	DoInSeqCxt	
878F4	DoInStatCxt	
8790D	DoInSolveCxt	
87926	DoInOtherCxt	
879F3	otherNG?	
87A26	GET@tTYPER	

5.2 Special Variables

82D55	StoVar	(ob id →) Stores to variable. ID is one of the ids returned by any of the commands in the following subsections.

5.2.1 Real HOME variables

`0000F2` `~xa` `( → id )`
The id corresponding to the real variable A.

`0010F2` `~xb` `( → id )`
The id corresponding to the real variable B.

`0020F2` `~xc` `( → id )`
The id corresponding to the real variable C.

`0030F2` `~xd` `( → id )`
The id corresponding to the real variable D.

`0050F2` `~xf` `( → id )`
The id corresponding to the real variable F.

`0060F2` `~xg` `( → id )`
The id corresponding to the real variable G.

`0070F2` `~xh` `( → id )`
The id corresponding to the real variable H.

`0090F2` `~xj` `( → id )`
The id corresponding to the real variable J.

`00A0F2` `~xk` `( → id )`
The id corresponding to the real variable K.

`00B0F2` `~xl` `( → id )`
The id corresponding to the real variable L.

`00C0F2` `~xm` `( → id )`
The id corresponding to the real variable M.

`00D0F2` `~xn` `( → id )`
The id corresponding to the real variable N.

`00E0F2` `~xo` `( → id )`
The id corresponding to the real variable O.

`00F0F2` `~xp` `( → id )`
The id corresponding to the real variable P.

`0100F2` `~xq` `( → id )`
The id corresponding to the real variable Q.

`0110F2` `~xr` `( → id )`
The id corresponding to the real variable R.

`0120F2` `~xs` `( → id )`
The id corresponding to the real variable S.

`0130F2` `~xt` `( → id )`
The id corresponding to the real variable T.

`0140F2` `~xu` `( → id )`
The id corresponding to the real variable U.

`0150F2` `~xv` `( → id )`
The id corresponding to the real variable V.

`0160F2` `~xw` `( → id )`
The id corresponding to the real variable W.

`0170F2` `~xx` `( → id )`
The id corresponding to the real variable X.

`0180F2` `~xy` `( → id )`
The id corresponding to the real variable Y.

`0190F2` `~xz` `( → id )`
The id corresponding to the real variable Z.

`01A0F2` `~xtheta` `( → id )`
The id corresponding to the real variable θ.

5.2.2 Complex HOME variableS

`0310F2` `~xz0` `( → id )`
The id corresponding to the complex variable Z0.

`0320F2` `~xz1` `( → id )`
The id corresponding to the complex variable Z1.

`0330F2` `~xz2` `( → id )`
The id corresponding to the complex variable Z2.

`0340F2` `~xz3` `( → id )`
The id corresponding to the complex variable Z3.

`0350F2` `~xz4` `( → id )`
The id corresponding to the complex variable Z4.

`0360F2` `~xz5` `( → id )`
The id corresponding to the complex variable Z5.

`0370F2` `~xz6` `( → id )`
The id corresponding to the complex variable Z6.

`0380F2` `~xz7` `( → id )`
The id corresponding to the complex variable Z7.

`0390F2` `~xz8` `( → id )`
The id corresponding to the complex variable Z8.

`03A0F2` `~xz9` `( → id )`
The id corresponding to the complex variable Z9.

5.2.3 Matrix HOME variables

`03B0F2` `~xm0` `( → id )`
The id corresponding to the matrix variable M0.

`03C0F2` `~xm1` `( → id )`
The id corresponding to the matrix variable M1.

`03D0F2` `~xm2` `( → id )`
The id corresponding to the matrix variable M2.

`03E0F2` `~xm3` `( → id )`
The id corresponding to the matrix variable M3.

`03F0F2` `~xm4` `( → id )`
The id corresponding to the matrix variable M4.

`0400F2` `~xm5` `( → id )`
The id corresponding to the matrix variable M5.

`0410F2` `~xm6` `( → id )`
The id corresponding to the matrix variable M6.

`0420F2` `~xm7` `( → id )`
The id corresponding to the matrix variable M7.

`0430F2` `~xm8` `( → id )`
The id corresponding to the matrix variable M8.

`0440F2` `~xm9` `( → id )`
The id corresponding to the matrix variable M9.

5.2.4 Graphical HOME variables

`04F0F2` `~xg0` `( → id )`
The id corresponding to the graphics variable G0.

`0500F2` `~xg1` `( → id )`
The id corresponding to the graphics variable G1.

`0510F2` `~xg2` `( → id )`
The id corresponding to the graphics variable G2.

`0520F2` `~xg3` `( → id )`
The id corresponding to the graphics variable G3.

`0530F2` `~xg4` `( → id )`
The id corresponding to the graphics variable G4.

`0540F2` `~xg5` `( → id )`
The id corresponding to the graphics variable G5.

`0550F2` `~xg6` `( → id )`
The id corresponding to the graphics variable G6.

`0560F2` `~xg7` `( → id )`
The id corresponding to the graphics variable G7.

`0570F2` `~xg8` `( → id )`
The id corresponding to the graphics variable G8.

`0580F2` `~xg9` `( → id )`
The id corresponding to the graphics variable G9.

5.2.5 List HOME variables

`0450F2` `~xl0` `( → id )`
The id corresponding to the list variable L0.

`0460F2` `~xl1` `( → id )`
The id corresponding to the list variable L1.

`0470F2` `~xl2` `( → id )`
The id corresponding to the list variable L2.

`0480F2` `~xl3` `( → id )`
The id corresponding to the list variable L3.

`0490F2` `~xl4` `( → id )`
The id corresponding to the list variable L4.

`04A0F2` `~xl5` `( → id )`
The id corresponding to the list variable L5.

`04B0F2` `~xl6` `( → id )`
The id corresponding to the list variable L6.

`04C0F2` `~xl7` `( → id )`
The id corresponding to the list variable L7.

`04D0F2` `~xl8` `( → id )`
The id corresponding to the list variable L8.

`04E0F2` `~xl9` `( → id )`
The id corresponding to the list variable L9.

`81F86` `ClearList0` `( → )`
Clears list 0.

`81F2C` `ClearList1` `( → )`
Clears list 1.

`81F36` `ClearList2` `( → )`
Clears list 2.

`81F40` `ClearList3` `( → )`
Clears list 3.

`81F4A` `ClearList4` `( → )`
Clears list 4.

`81F54` `ClearList5` `( → )`
Clears list 5.

`81F5E` `ClearList6` `( → )`
Clears list 6.

`81F68` `ClearList7` `( → )`
Clears list 7.

`81F72` `ClearList8` `( → )`
Clears list 8.

`81F7C` `ClearList9` `( → )`
Clears list 9.

`28381` `(ClearLists)` `( → )`
Clears all lists.

`81F22` `ClrListUtil`

`81D92` `ClrInAplet`

5.2.6 FUNCTION applet

`0D20F2` `~xF0` `( → id )`
The id corresponding to the `FUNCTION` applet variable F0.

`0C00F2` `~xF1` `( → id )`
The id corresponding to the `FUNCTION` applet variable F1.

`0C20F2` `~xF2` `( → id )`
The id corresponding to the `FUNCTION` applet variable F2.

`0C40F2` `~xF3` `( → id )`
The id corresponding to the `FUNCTION` applet variable F3.

`0C60F2` `~xF4` `( → id )`
The id corresponding to the `FUNCTION` applet variable F4.

`0C80F2` `~xF5` `( → id )`
The id corresponding to the `FUNCTION` applet variable F5.

`0CA0F2` `~xF6` `( → id )`
The id corresponding to the `FUNCTION` applet variable F6.

`0CC0F2` `~xF7` `( → id )`
The id corresponding to the `FUNCTION` applet variable F7.

`0CE0F2` `~xF8` `( → id )`
The id corresponding to the `FUNCTION` applet variable F8.

`0D00F2` `~xF9` `( → id )`
The id corresponding to the `FUNCTION` applet variable F9.

`0D30F2` `~idF0` `( → id )`
The id corresponding to the `FUNCTION` applet variable F0.

`0C10F2` `~idF1` `( → id )`
The id corresponding to the `FUNCTION` applet variable F1.

`0C30F2` `~idF2` `( → id )`
The id corresponding to the `FUNCTION` applet variable F2.

`0C50F2` `~idF3` `( → id )`
The id corresponding to the `FUNCTION` applet variable F3.

`0C70F2` `~idF4` `( → id )`
The id corresponding to the `FUNCTION` applet variable F4.

`0C90F2` `~idF5` `( → id )`
The id corresponding to the `FUNCTION` applet variable F5.

`0CB0F2` `~idF6` `( → id )`
The id corresponding to the `FUNCTION` applet variable F6.

`0CD0F2` `~idF7` `( → id )`
The id corresponding to the `FUNCTION` applet variable F7.

`0CF0F2` `~idF8` `( → id )`
The id corresponding to the `FUNCTION` applet variable F8.

`0D10F2` `~idF9` `( → id )`
The id corresponding to the `FUNCTION` applet variable F9.

5.2.7 PARAMETRIC applet

`0F80F2` `~xX0` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X0.

`0D40F2` `~xX1` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X1.

`0D80F2` `~xX2` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X2.

`0DC0F2` `~xX3` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X3.

`0E00F2` `~xX4` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X4.

`0E40F2` `~xX5` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X5.

`0E80F2` `~xX6` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X6.

`0EC0F2` `~xX7` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X7.

`0F00F2` `~xX8` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X8.

`0F40F2` `~xX9` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X9.

`0FA0F2` `~xY0` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y0.

`0D60F2` `~xY1` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y1.

`0DA0F2` `~xY2` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y2.

`0DE0F2` `~xY3` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y3.

`0E20F2` `~xY4` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y4.

`0E60F2` `~xY5` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y5.

`0EA0F2` `~xY6` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y6.

`0EE0F2` `~xY7` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y7.

`0F20F2` `~xY8` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y8.

`0F60F2` `~xY9` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y9.

`0F90F2` `~idX0` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X0.

`0D50F2` `~idX1` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X1.

`0D90F2` `~idX2` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X2.

`0DD0F2` `~idX3` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X3.

`0E10F2` `~idX4` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X4.

`0E50F2` `~idX5` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X5.

`0E90F2` `~idX6` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X6.

`0ED0F2` `~idX7` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X7.

`0F10F2` `~idX8` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X8.

`0F50F2` `~idX9` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable X9.

`0FB0F2` `~idY0` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y0.

`0D70F2` `~idY1` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y1.

`0DB0F2` `~idY2` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y2.

`0DF0F2` `~idY3` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y3.

`0E30F2` `~idY4` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y4.

`0E70F2` `~idY5` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y5.

`0EB0F2` `~idY6` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y6.

`0EF0F2` `~idY7` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y7.

`0F30F2` `~idY8` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y8.

`0F70F2` `~idY9` `( → id )`
The id corresponding to the `PARAMETRIC` applet variable Y9.

5.2.8 POLAR applet

`10E0F2` `~xR0` `( → id )`
The id corresponding to the `POLAR` applet variable R0.

`0FC0F2` `~xR1` `( → id )`
The id corresponding to the `POLAR` applet variable R1.

`0FE0F2` `~xR2` `( → id )`
The id corresponding to the `POLAR` applet variable R2.

`1000F2` `~xR3` `( → id )`
The id corresponding to the `POLAR` applet variable R3.

`1020F2` `~xR4` `( → id )`
The id corresponding to the `POLAR` applet variable R4.

`1040F2` `~xR5` `( → id )`
The id corresponding to the `POLAR` applet variable R5.

`1060F2` `~xR6` `( → id )`
The id corresponding to the `POLAR` applet variable R6.

`1080F2` `~xR7` `( → id )`
The id corresponding to the `POLAR` applet variable R7.

`10A0F2` `~xR8` `( → id )`
The id corresponding to the `POLAR` applet variable R8.

`10C0F2` `~xR9` `( → id )`
The id corresponding to the `POLAR` applet variable R9.

`10F0F2` `~idR0` `( → id )`
The id corresponding to the `POLAR` applet variable R0.

`0FD0F2` `~idR1` `( → id )`
The id corresponding to the `POLAR` applet variable R1.

`0FF0F2` `~idR2` `( → id )`
The id corresponding to the `POLAR` applet variable R2.

`1010F2` `~idR3` `( → id )`
The id corresponding to the `POLAR` applet variable R3.

`1030F2` `~idR4` `( → id )`
The id corresponding to the `POLAR` applet variable R4.

`1050F2` `~idR5` `( → id )`
The id corresponding to the `POLAR` applet variable R5.

`1070F2` `~idR6` `( → id )`
The id corresponding to the `POLAR` applet variable R6.

`1090F2` `~idR7` `( → id )`
The id corresponding to the `POLAR` applet variable R7.

`10B0F2` `~idR8` `( → id )`
The id corresponding to the `POLAR` applet variable R8.

`10D0F2` `~idR9` `( → id )`
The id corresponding to the `POLAR` applet variable R9.

5.2.9 SEQUENCE applet

`0BE0F2` `~xU0` `( → id )`
The id corresponding to the SEQUENCE applet variable U0.

`0AC0F2` `~xU1` `( → id )`
The id corresponding to the SEQUENCE applet variable U1.

`0AE0F2` `~xU2` `( → id )`
The id corresponding to the SEQUENCE applet variable U2.

`0B00F2` `~xU3` `( → id )`
The id corresponding to the SEQUENCE applet variable U3.

`0B20F2` `~xU4` `( → id )`
The id corresponding to the SEQUENCE applet variable U4.

`0B40F2` `~xU5` `( → id )`
The id corresponding to the SEQUENCE applet variable U5.

`0B60F2` `~xU6` `( → id )`
The id corresponding to the SEQUENCE applet variable U6.

`0B80F2` `~xU7` `( → id )`
The id corresponding to the SEQUENCE applet variable U7.

`0BA0F2` `~xU8` `( → id )`
The id corresponding to the SEQUENCE applet variable U8.

`0BC0F2` `~xU9` `( → id )`
The id corresponding to the SEQUENCE applet variable U9.

`0BF0F2` `~idU0` `( → id )`
The id corresponding to the SEQUENCE applet variable U0.

`0AD0F2` `~idU1` `( → id )`
The id corresponding to the SEQUENCE applet variable U1.

`0AF0F2` `~idU2` `( → id )`
The id corresponding to the SEQUENCE applet variable U2.

`0B10F2` `~idU3` `( → id )`
The id corresponding to the SEQUENCE applet variable U3.

`0B30F2` `~idU4` `( → id )`
The id corresponding to the SEQUENCE applet variable U4.

`0B50F2` `~idU5` `( → id )`
The id corresponding to the SEQUENCE applet variable U5.

`0B70F2` `~idU6` `( → id )`
The id corresponding to the SEQUENCE applet variable U6.

`0B90F2` `~idU7` `( → id )`
The id corresponding to the SEQUENCE applet variable U7.

`0BB0F2` `~idU8` `( → id )`
The id corresponding to the SEQUENCE applet variable U8.

`0BD0F2` `~idU9` `( → id )`
The id corresponding to the SEQUENCE applet variable U9.

5.2.10 SOLVE applet

`08E0F2` `~idE0` `( → id )`
The id corresponding to the SOLVE applet variable E0.

`0850F2` `~idE1` `( → id )`
The id corresponding to the SOLVE applet variable E1.

`0860F2` `~idE2` `( → id )`
The id corresponding to the SOLVE applet variable E2.

`0870F2` `~idE3` `( → id )`
The id corresponding to the SOLVE applet variable E3.

`0880F2` `~idE4` `( → id )`
The id corresponding to the SOLVE applet variable E4.

`0890F2` `~idE5` `( → id )`
The id corresponding to the SOLVE applet variable E5.

`08A0F2` `~idE6` `( → id )`
The id corresponding to the SOLVE applet variable E6.

`08B0F2` `~idE7` `( → id )`
The id corresponding to the SOLVE applet variable E7.

`08C0F2` `~idE8` `( → id )`
The id corresponding to the SOLVE applet variable E8.

`08D0F2` `~idE9` `( → id )`
The id corresponding to the SOLVE applet variable E9.

5.2.11 STATISTICS applet

5FFF4	xC1	(→ id) The id corresponding to the STATISTICS applet variable C1.
6001A	xC2	(→ id) The id corresponding to the STATISTICS applet variable C2.
60040	xC3	(→ id) The id corresponding to the STATISTICS applet variable C3.
60066	xC4	(→ id) The id corresponding to the STATISTICS applet variable C4.
6008C	xC5	(→ id) The id corresponding to the STATISTICS applet variable C5.

5.2.12 Unknown

1240F2	~xs1
1250F2	~xs2
1260F2	~xs3
1270F2	~xs4
1280F2	~xs5
1290F2	~xn1
12A0F2	~xn2
12B0F2	~xn3
12C0F2	~xn4
12D0F2	~xn5
1190F2	~xD0
1100F2	~xD1
1110F2	~xD2
1120F2	~xD3
1130F2	~xD4
1140F2	~xD5
1150F2	~xD6
1160F2	~xD7
1170F2	~xD8
1180F2	~xD9
0040F2	~xE

```
11A0F2    ~xH1
11B0F2    ~xH2
11C0F2    ~xH3
11D0F2    ~xH4
11E0F2    ~xH5
0080F2    ~xI
0250F2    ~xQ1
0260F2    ~xQ3
11F0F2    ~xS1
0A70F2    ~xS1fit
0A20F2    ~xS1mark
1200F2    ~xS2
0A80F2    ~xS2fit
0A30F2    ~xS2mark
1210F2    ~xS3
0A90F2    ~xS3fit
0A40F2    ~xS3mark
1220F2    ~xS4
0AA0F2    ~xS4fit
0A50F2    ~xS4mark
1230F2    ~xS5
0AB0F2    ~xS5fit
0A60F2    ~xS5mark
```

5.3 m

```
0680F0    ~m->DEFACOS
06E0F0    ~m->DEFACOSH
0670F0    ~m->DEFASIN
06D0F0    ~m->DEFASINH
0690F0    ~m->DEFATAN
06F0F0    ~m->DEFATANH
0650F0    ~m->DEFCOS
06B0F0    ~m->DEFCOSH
0640F0    ~m->DEFSIN
06A0F0    ~m->DEFSINH
0660F0    ~m->DEFTAN
06C0F0    ~m->DEFTANH
```

```
0630F0    ~m->TRG
05E0F0    ~m->[]<-*/
05D0F0    ~m->[]<-+-
03F0F0    ~m-[]*
0410F0    ~m-[]+
0420F0    ~m-[]-
0400F0    ~m-[]/
03E0F0    ~m-[]L
03A0F0    ~m1/[]*
03B0F0    ~m1/[]/
03D0F0    ~m1/[]E
03C0F0    ~m1/[]^
0210F0    ~m<->*
01F0F0    ~m<->+
0200F0    ~m<->-
0220F0    ~m<->/
0230F0    ~m<-A-+
0240F0    ~m<-A--
0250F0    ~m<-A/*
0260F0    ~m<-A//
0270F0    ~m<-A^*
0500F0    ~m<-M*E
04E0F0    ~m<-M*^
0490F0    ~m<-M+*
0520F0    ~m<-M+L
04A0F0    ~m<-M-*
0530F0    ~m<-M-L
0510F0    ~m<-M/E
04F0F0    ~m<-M/^
0580F0    ~m<-T*/
0570F0    ~m<-T+-
01B0F0    ~m<-T=
05A0F0    ~m<-[*/
0590F0    ~m<-[+-
0560F0    ~m<T>*
0550F0    ~m<T>+
02A0F0    ~mA->*/
0280F0    ~mA->+-
```

```
0290F0    ~mA->--
02B0F0    ~mA->//
02C0F0    ~mA->^^
01C0F0    ~mAFlq
01D0F0    ~mAFqq
01E0F0    ~mAFrq
05F0F0    ~mCONJ[]
0710F0    ~mCOS+
0740F0    ~mCOSH+
02D0F0    ~mD->/+
02E0F0    ~mD->/-
0310F0    ~mD->E+
0320F0    ~mD->E-
0330F0    ~mD->L*
0340F0    ~mD->L/
02F0F0    ~mD->^+
0300F0    ~mD->^-
0450F0    ~mE[]^
0430F0    ~mE^*
0440F0    ~mE^/
0610F0    ~mIM[]
0460F0    ~mL*^
0470F0    ~mL[]*
0480F0    ~mL[]/
0540F0    ~mM->op
0600F0    ~mRE[]
0700F0    ~mSIN+
0730F0    ~mSINH+
01A0F0    ~mT->=
0720F0    ~mTAN+
0750F0    ~mTANH+
0350F0    ~m[]CHS*
0360F0    ~m[]CHS/
0370F0    ~m[]CHSL
0390F0    ~m[]INVE
0380F0    ~m[]INV^
05C0F0    ~m]->*/
05B0F0    ~m]->+-
```

5.4 Keys

The following entries execute the command corresponding to the corresponding key.

`00D0A1` `~NSKey3.2` ???
The unshifted key 3.2.

`00E0A1` `~NSKey3.3` ???
The unshifted key 3.3.

`0120A1` `~NSKey4.1` ???
The unshifted key 4.1.

`0130A1` `~NSKey4.2` ???
The unshifted key 4.2.

`0140A1` `~NSKey4.3` ???
The unshifted key 4.3.

`0150A1` `~NSKey4.4` ???
The unshifted key 4.4.

`0160A1` `~NSKey4.5` ???
The unshifted key 4.5.

`0170A1` `~NSKey4.6` ???
The unshifted key 4.6.

`0190A1` `~NSKey5.2` ???
The unshifted key 5.2.

`01A0A1` `~NSKey5.3` ???
The unshifted key 5.3.

`01B0A1` `~NSKey5.4` ???
The unshifted key 5.4.

`01C0A1` `~NSKey5.5` ???
The unshifted key 5.5.

`01D0A1` `~NSKey6.1` ???
The unshifted key 6.1.

`01E0A1` `~NSKey6.2` ???
The unshifted key 6.2.

`01F0A1` `~NSKey6.3` ???
The unshifted key 6.3.

`0200A1` `~NSKey6.4` ???
The unshifted key 6.4.

`0210A1` `~NSKey6.5` ???
The unshifted key 6.5.

`0220A1` `~NSKey7.1` ???
The unshifted key 7.1.

`0230A1` `~NSKey7.2` ???
The unshifted key 7.2.

`0240A1` `~NSKey7.3` ???
The unshifted key 7.3.

`0250A1` `~NSKey7.4` ???
The unshifted key 7.4.

`0260A1` `~NSKey7.5` ???
The unshifted key 7.5.

`0270A1` `~NSKey8.1` ???
The unshifted key 8.1.

`0280A1` `~NSKey8.2` ???
The unshifted key 8.2.

`0290A1` `~NSKey8.3` ???
The unshifted key 8.3.

`02A0A1` `~NSKey8.4` ???
The unshifted key 8.4.

`02B0A1` `~NSKey8.5` ???
The unshifted key 8.5.

`02D0A1` `~NSKey9.2` ???
The unshifted key 9.2.

`02E0A1` `~NSKey9.3` ???
The unshifted key 9.3.

`02F0A1` `~NSKey9.4` ???
The unshifted key 9.4.

`0300A1` `~NSKey9.5` ???
The unshifted key 9.5.

`0000A2` `~LSKey1.1` ???
The shifted key 1.1.

`0010A2` `~LSKey1.2` ???
The shifted key 1.2.

`0020A2` `~LSKey1.3` ???
The shifted key 1.3.

`0030A2` `~LSKey1.4` ???
The shifted key 1.4.

`0040A2` `~LSKey1.5` ???
The shifted key 1.5.

`0050A2` `~LSKey1.6` ???
The shifted key 1.6.

`0060A2` `~LSKey2.1` ???
The shifted key 2.1.

`0070A2` `~LSKey2.2` ???
The shifted key 2.2.

`0080A2` `~LSKey2.3` ???
The shifted key 2.3.

`00C0A2` `~LSKey3.1` ???
The shifted key 3.1.

`00D0A2` `~LSKey3.2` ???
The shifted key 3.2.

`00E0A2` `~LSKey3.3` ???
The shifted key 3.3.

`0120A2` `~LSKey4.1` ???
The shifted key 4.1.

0130A2	~LSKey4.2	???
		The shifted key 4.2.
0140A2	~LSKey4.3	???
		The shifted key 4.3.
0150A2	~LSKey4.4	???
		The shifted key 4.4.
0160A2	~LSKey4.5	???
		The shifted key 4.5.
0170A2	~LSKey4.6	???
		The shifted key 4.6.
0180A2	~LSKey5.1	???
		The shifted key 5.1.
0190A2	~LSKey5.2	???
		The shifted key 5.2.
01B0A2	~LSKey5.4	???
		The shifted key 5.4.
01C0A2	~LSKey5.5	???
		The shifted key 5.5.
01D0A2	~LSKey6.1	???
		The shifted key 6.1.
01E0A2	~LSKey6.2	???
		The shifted key 6.2.
01F0A2	~LSKey6.3	???
		The shifted key 6.3.
0200A2	~LSKey6.4	???
		The shifted key 6.4.
0210A2	~LSKey6.5	???
		The shifted key 6.5.
0220A2	~LSKey7.1	???
		The shifted key 7.1.
0230A2	~LSKey7.2	???
		The shifted key 7.2.
0240A2	~LSKey7.3	???
		The shifted key 7.3.
0250A2	~LSKey7.4	???
		The shifted key 7.4.
0260A2	~LSKey7.5	???
		The shifted key 7.5.
0270A2	~LSKey8.1	???
		The shifted key 8.1.
0280A2	~LSKey8.2	???
		The shifted key 8.2.
0290A2	~LSKey8.3	???
		The shifted key 8.3.
02A0A2	~LSKey8.4	???
		The shifted key 8.4.

`02B0A2` `~LSKey8.5` `???`
The shifted key 8.5.

`02C0A2` `~LSKey9.1` `???`
The shifted key 9.1.

`02D0A2` `~LSKey9.2` `???`
The shifted key 9.2.

`02E0A2` `~LSKey9.3` `???`
The shifted key 9.3.

`02F0A2` `~LSKey9.4` `???`
The shifted key 9.4.

`0300A2` `~LSKey9.5` `???`
The shifted key 9.5.

`0000A4` `~ANSKey1.1` `???`
The key 1.1 in alpha mode.

`0010A4` `~ANSKey1.2` `???`
The key 1.2 in alpha mode.

`0020A4` `~ANSKey1.3` `???`
The key 1.3 in alpha mode.

`0030A4` `~ANSKey1.4` `???`
The key 1.4 in alpha mode.

`0040A4` `~ANSKey1.5` `???`
The key 1.5 in alpha mode.

`0050A4` `~ANSKey1.6` `???`
The key 1.6 in alpha mode.

`0060A4` `~ANSKey2.1` `???`
The key 2.1 in alpha mode.

`0070A4` `~ANSKey2.2` `???`
The key 2.2 in alpha mode.

`0080A4` `~ANSKey2.3` `???`
The key 2.3 in alpha mode.

`0090A4` `~ANSKey2.4` `???`
The key 2.4 in alpha mode.

`00A0A4` `~ANSKey2.5` `???`
The key 2.5 in alpha mode.

`00B0A4` `~ANSKey2.6` `???`
The key 2.6 in alpha mode.

`00C0A4` `~ANSKey3.1` `???`
The key 3.1 in alpha mode.

`00D0A4` `~ANSKey3.2` `???`
The key 3.2 in alpha mode.

`00E0A4` `~ANSKey3.3` `???`
The key 3.3 in alpha mode.

`00F0A4` `~ANSKey3.4` `???`
The key 3.4 in alpha mode.

`0100A4` `~ANSKey3.5` `???`
The key 3.5 in alpha mode.

0110A4	~ANSKey3.6	???
		The key 3.6 in alpha mode.
0120A4	~ANSKey4.1	???
		The key 4.1 in alpha mode.
0130A4	~ANSKey4.2	???
		The key 4.2 in alpha mode.
0140A4	~ANSKey4.3	???
		The key 4.3 in alpha mode.
0150A4	~ANSKey4.4	???
		The key 4.4 in alpha mode.
0160A4	~ANSKey4.5	???
		The key 4.5 in alpha mode.
0170A4	~ANSKey4.6	???
		The key 4.6 in alpha mode.
0180A4	~ANSKey5.1	???
		The key 5.1 in alpha mode.
0190A4	~ANSKey5.2	???
		The key 5.2 in alpha mode.
01A0A4	~ANSKey5.3	???
		The key 5.3 in alpha mode.
01B0A4	~ANSKey5.4	???
		The key 5.4 in alpha mode.
01C0A4	~ANSKey5.5	???
		The key 5.5 in alpha mode.
01D0A4	~ANSKey6.1	???
		The key 6.1 in alpha mode.
01E0A4	~ANSKey6.2	???
		The key 6.2 in alpha mode.
01F0A4	~ANSKey6.3	???
		The key 6.3 in alpha mode.
0200A4	~ANSKey6.4	???
		The key 6.4 in alpha mode.
0210A4	~ANSKey6.5	???
		The key 6.5 in alpha mode.
0220A4	~ANSKey7.1	???
		The key 7.1 in alpha mode.
0230A4	~ANSKey7.2	???
		The key 7.2 in alpha mode.
0240A4	~ANSKey7.3	???
		The key 7.3 in alpha mode.
0250A4	~ANSKey7.4	???
		The key 7.4 in alpha mode.
0260A4	~ANSKey7.5	???
		The key 7.5 in alpha mode.
0270A4	~ANSKey8.1	???
		The key 8.1 in alpha mode.

0280A4	~ANSKey8.2	???
		The key 8.2 in alpha mode.
0290A4	~ANSKey8.3	???
		The key 8.3 in alpha mode.
02A0A4	~ANSKey8.4	???
		The key 8.4 in alpha mode.
02B0A4	~ANSKey8.5	???
		The key 8.5 in alpha mode.
02C0A4	~ANSKey9.1	???
		The key 9.1 in alpha mode.
02D0A4	~ANSKey9.2	???
		The key 9.2 in alpha mode.
02E0A4	~ANSKey9.3	???
		The key 9.3 in alpha mode.
02F0A4	~ANSKey9.4	???
		The key 9.4 in alpha mode.
0300A4	~ANSKey9.5	???
		The key 9.5 in alpha mode.
0000A5	~ALSKey1.1	???
		The shifted 1.1 key in alpha mode.
0010A5	~ALSKey1.2	???
		The shifted 1.2 key in alpha mode.
0020A5	~ALSKey1.3	???
		The shifted 1.3 key in alpha mode.
0030A5	~ALSKey1.4	???
		The shifted 1.4 key in alpha mode.
0040A5	~ALSKey1.5	???
		The shifted 1.5 key in alpha mode.
0050A5	~ALSKey1.6	???
		The shifted 1.6 key in alpha mode.
0060A5	~ALSKey2.1	???
		The shifted 2.1 key in alpha mode.
0070A5	~ALSKey2.2	???
		The shifted 2.2 key in alpha mode.
0080A5	~ALSKey2.3	???
		The shifted 2.3 key in alpha mode.
0090A5	~ALSKey2.4	???
		The shifted 2.4 key in alpha mode.
00A0A5	~ALSKey2.5	???
		The shifted 2.5 key in alpha mode.
00B0A5	~ALSKey2.6	???
		The shifted 2.6 key in alpha mode.
0170A5	~ALSKey4.6	???
		The shifted 4.6 key in alpha mode.
00C0A5	~ALSKey3.1	???
		The shifted 3.1 key in alpha mode.

00D0A5 ~ALSKey3.2 ???
The shifted 3.2 key in alpha mode.

00E0A5 ~ALSKey3.3 ???
The shifted 3.3 key in alpha mode.

00F0A5 ~ALSKey3.4 ???
The shifted 3.4 key in alpha mode.

0100A5 ~ALSKey3.5 ???
The shifted 3.5 key in alpha mode.

0110A5 ~ALSKey3.6 ???
The shifted 3.6 key in alpha mode.

0120A5 ~ALSKey4.1 ???
The shifted 4.1 key in alpha mode.

0130A5 ~ALSKey4.2 ???
The shifted 4.2 key in alpha mode.

0140A5 ~ALSKey4.3 ???
The shifted 4.3 key in alpha mode.

0150A5 ~ALSKey4.4 ???
The shifted 4.4 key in alpha mode.

0160A5 ~ALSKey4.5 ???
The shifted 4.5 key in alpha mode.

0180A5 ~ALSKey5.1 ???
The shifted 5.1 key in alpha mode.

0190A5 ~ALSKey5.2 ???
The shifted 5.2 key in alpha mode.

01A0A5 ~ALSKey5.3 ???
The shifted 5.3 key in alpha mode.

01B0A5 ~ALSKey5.4 ???
The shifted 5.4 key in alpha mode.

01C0A5 ~ALSKey5.5 ???
The shifted 5.5 key in alpha mode.

01D0A5 ~ALSKey6.1 ???
The shifted 6.1 key in alpha mode.

01E0A5 ~ALSKey6.2 ???
The shifted 6.2 key in alpha mode.

01F0A5 ~ALSKey6.3 ???
The shifted 6.3 key in alpha mode.

0200A5 ~ALSKey6.4 ???
The shifted 6.4 key in alpha mode.

0210A5 ~ALSKey6.5 ???
The shifted 6.5 key in alpha mode.

0220A5 ~ALSKey7.1 ???
The shifted 7.1 key in alpha mode.

0230A5 ~ALSKey7.2 ???
The shifted 7.2 key in alpha mode.

0240A5 ~ALSKey7.3 ???
The shifted 7.3 key in alpha mode.

0250A5	~ALSKey7.4	??? The shifted 7.4 key in alpha mode.
0260A5	~ALSKey7.5	??? The shifted 7.5 key in alpha mode.
0270A5	~ALSKey8.1	??? The shifted 8.1 key in alpha mode.
0280A5	~ALSKey8.2	??? The shifted 8.2 key in alpha mode.
0290A5	~ALSKey8.3	??? The shifted 8.3 key in alpha mode.
02A0A5	~ALSKey8.4	??? The shifted 8.4 key in alpha mode.
02B0A5	~ALSKey8.5	??? The shifted 8.5 key in alpha mode.
02C0A5	~ALSKey9.1	??? The shifted 9.1 key in alpha mode.
02D0A5	~ALSKey9.2	??? The shifted 9.2 key in alpha mode.
02E0A5	~ALSKey9.3	??? The shifted 9.3 key in alpha mode.
02F0A5	~ALSKey9.4	??? The shifted 9.4 key in alpha mode.
0300A5	~ALSKey9.5	??? The shifted 9.5 key in alpha mode.
0090A1	~MissingKey1	
00B0A1	~MissingKey2	
0090A2	~MissingKey3	
00B0A2	~MissingKey4	

5.5 Labels

81937	INT_00
8193C	INT_01
81941	INT_02
81946	INT_03
8194B	INT_04
81950	INT_05
81955	INT_06
8195A	INT_07
8195F	INT_08
81964	INT_09
81969	INT_0A

```
8196E     INT_0B
81973     INT_0C
81978     INT_0D
8197D     INT_0E
81982     INT_0F
```

5.6 LastBut

```
81DB0     LastBut0
81DB5     LastBut1
81DBA     LastBut2
81DBF     LastBut3
81DC4     LastBut4
81DC9     LastBut5
81DCE     LastBut6
81DD3     LastBut7
81DD8     LastBut8
81DDD     LastBut9
81DE2     LastBut10
81DE7     LastBut11
81DEC     LastBut12
81DF1     LastBut13
81DF6     LastBut14
81DFB     LastBut15
81E00     LastBut16
81E05     LastBut17
81E0A     LastBut18
81E0F     LastBut19
81E14     LastBut20
81E19     LastBut21
81E1E     LastBut22
81E23     LastBut23
81E28     LastBut24
81E2D     LastBut25
81E32     LastBut26
81E37     LastBut27
81E3C     LastBut28
81E41     LastBut29
```

```
81E46     LastBut30
81E4B     LastBut31
81E50     LastBut32
```

5.7 x

```
0620F2   ~xAngle
0590F2   ~xAns
0920F2   ~xArea
0630F2   ~xAxes
0650F2   ~xConnect
06C0F2   ~xCoord
0610F2   ~xDate
0810F2   ~xDigits
0910F2   ~xExtremum
05A0F2   ~xFIT
03A0AB   ~xFmList
03B0AB   ~xFmMat
0800F2   ~xFormat
0640F2   ~xGrid
05B0F2   ~xHAngle
05D0F2   ~xHDigits
05C0F2   ~xHFormat
0740F2   ~xHTick
0660F2   ~xHighRes
09F0F2   ~xHisWidth
0A10F2   ~xHmax
0A00F2   ~xHmin
0760F2   ~xHzoom
05F0F2   ~xIerr
0710F2   ~xIndep
0690F2   ~xInvCursor
0900F2   ~xIsect
06A0F2   ~xLabels
0230F2   ~xMAXS
01B0F2   ~xMEANS
0270F2   ~xMEANX
02A0F2   ~xMEANY
```

```
0240F2    ~xMEDIAN
0220F2    ~xMINS
0210F2    ~xNS
09B0F2    ~xNmax
09A0F2    ~xNmin
0820F2    ~xNoteText
07E0F2    ~xNumCol
07F0F2    ~xNumFont
07B0F2    ~xNumIndep
07D0F2    ~xNumRow
0780F2    ~xNumStart
0790F2    ~xNumStep
07A0F2    ~xNumType
07C0F2    ~xNumZoom
0830F2    ~xPage
0840F2    ~xPageNum
0300F2    ~xRELERR
05E0F2    ~xRadixMark
0680F2    ~xRecenter
08F0F2    ~xRoot
01F0F2    ~xSSDEV
01D0F2    ~xSVARS
0280F2    ~xSX
0290F2    ~xSX2
02D0F2    ~xSXY
02B0F2    ~xSY
02C0F2    ~xSY2
09C0F2    ~xSeqPlot
0670F2    ~xSimult
0930F2    ~xSlope
09D0F2    ~xStatMode
09E0F2    ~xStatPlot
01C0F2    ~xTOTS
0960F2    ~xTStep
0980F2    ~xThetaMax
0970F2    ~xThetaMin
0990F2    ~xThetaStep
0600F2    ~xTime
```

```
0950F2    ~xTmax
0940F2    ~xTmin
06B0F2    ~xTracing
0750F2    ~xVTick
0770F2    ~xVzoom
0720F2    ~xXcross
06E0F2    ~xXmax
06D0F2    ~xXmin
0730F2    ~xYcross
0700F2    ~xYmax
06F0F2    ~xYmin
0150AB    ~x>COL
0170AB    ~x>DIAG
0B7002    ~x>DISPLAY
0B9002    ~x>PLOT
0130AB    ~x>ROW
0570AB    ~xACOT
0580AB    ~xACSC
0590AB    ~xASEC
0BA002    ~xBLANKGROB
0470AB    ~xBOXW
03B701    ~xCHECK
0450AB    ~xCOBWEB
0160AB    ~xCOL>
0370AB    ~xCONCAT
0540AB    ~xCOT
0560AB    ~xCSC
01E0AB    ~xCSWP
04D0AB    ~xCUBICFIT
0280F1    ~xDFLTNOTE
0290F1    ~xDFLTPICT
0180AB    ~xDIAG>
0B6002    ~xDISPLAY>
0A6002    ~xERASEA
0430AB    ~xFRACTION
0210F1    ~xFUNCSYMB
0080F1    ~xFUNCTAB
0460AB    ~xHIST
```

```
04E0AB   ~xLOGISFIT
0530AB   ~xMKMAT
0230F1   ~xPARAMSYMB
00A0F1   ~xPARAMTAB
0B8002   ~xPLOT>
0220F1   ~xPOLARSYMB
0090F1   ~xPOLARTAB
05B0AB   ~xPOLYFORM
04B0AB   ~xPOWERFIT
05C0AB   ~xPoly
04C0AB   ~xQUADFIT
0320F1   ~xREADNOTE
0330F1   ~xREADPICT
05A0AB   ~xRECURSE
0140AB   ~xROW>
0550AB   ~xSEC
0240F1   ~xSEQSYMB
00B0F1   ~xSEQTAB
0270F1   ~xSOLVESYMB
00E0F1   ~xSOLVETAB
0440AB   ~xSTAIRSTEP
0260F1   ~xSTAT2SYMB
00D0F1   ~xSTAT2TAB
0250F1   ~xSTATSYMB
00C0F1   ~xSTATTAB
0500AB   ~xStat1Var
0510AB   ~xStat2Var
03C701   ~xUNCHECK
04F0AB   ~xUSERFIT
0340F1   ~xUndefined
0330AB   ~x\85LIST
02F0AB   ~x\9BLIST
0350AB   ~x\9CLIST
014701   ~xx>DISPLAY
017701   ~xx>GROB
016701   ~xx>PLOT
018701   ~xxARC
003701   ~xxBEEP
```

```
00F701    ~xxBOX
01D701    ~xxBREAK
03F701    ~xxCHOOSE
023701    ~xxCOL+
022701    ~xxCOL-
025701    ~xxCSWP
03C0AB    ~xxDEG
038701    ~xxDEMO
002701    ~xxDISP
013701    ~xxDISPLAY>
031701    ~xxDO1VSTATS
034701    ~xxDO2VSTATS
009701    ~xxERASE
00A701    ~xxERASEPLOT
01F701    ~xxFREEZE
040701    ~xxGETKEY
010701    ~xxGOR
03E0AB    ~xxGRAD
012701    ~xxGROBNOT
011701    ~xxGXOR
041701    ~xxHELP
01C701    ~xxINPUT
0520AB    ~xxITERATE
02D701    ~xxLIBEVAL
00D701    ~xxLINE
02A701    ~xxMATEDIT
02B701    ~xxMKGROB
03E701    ~xxMSGBOX
00C701    ~xxPIXOFF
00B701    ~xxPIXON
015701    ~xxPLOT>
086002    ~xxPOS
01B701    ~xxPRDISPLAY
019701    ~xxPRSTC
01A701    ~xxPRVAR
03D0AB    ~xxRAD
036701    ~xxRANM
026701    ~xxRCI
```

```
027701    ~xxRCIJ
008701    ~xxRDM
005701    ~xxRDZ
007701    ~xxREPL
021701    ~xxROW+
020701    ~xxROW-
024701    ~xxRSWP
039701    ~xxRULES
029701    ~xxRUNPGM
035701    ~xxSELECT
033701    ~xxSETDEPEND
030701    ~xxSETFREQ
032701    ~xxSETINDEP
02F701    ~xxSETSAMPLE
03A701    ~xxSETVIEWS
085002    ~xxSIZE
01E701    ~xxSTOP
006701    ~xxSUB
02E701    ~xxSYSEVAL
00E701    ~xxTLINE
028701    ~xxTO
001701    ~xxTSTR
037701    ~xxVERSION
004701    ~xxWAIT
000701    ~xxWSLOG
02C701    ~xxZEROGROB
```

5.8 Rest

```
81CE8      !>ARRAY
BA700      #+#2-
829E5      #=Lookup
818F1      #DIV
8042E      #Error:
818F6      #MOD
818EC      #NEG
813A6      #NOT
81905      #ODD
```

```
813AB     #OR
803E8     #ObTypeBase
80424     #Warning:NL
813B0     #XOR
A4CEF     %%-1
8307F     &&
84A2E     1GETLAM#0=
82E59     1GETapndcpl
8253F     2CDispList
825DF     2CKeyOK
82571     2Col?Case2Col
82535     2ColChoose
80046     2STR
826ED     ?AdjFocusPos
82639     ?DispMoreU/D
829BD     ?FixFieldKeys
8289B     ?GetFObTypes
82BF7     ?NoTaskSwDef
81CAC     ABSCOERCE
800DC     ARRYCMP
800FA     ARRYLIST
8012C     ARRYSYM
82143     AddEq$
8214D     AlDrawMenu
81A7C     AllowPRLCD
BD42C     Angle@
832C3     AngleField
832B9     AngleLabel
8211B     AnyDABad?
833BD     ApName$>Id
833B3     ApNameId>$
8339F     ApNameId>Id
81DA6     AppDir+Offs
BDF75     Area@
81EB4     AttnPOSCOMP
81711     BAK>HOME
81D79     BREAK
BD8BE     BTRow1@
```

```
3949A      BadIfEdit
8199B      BinLookup
8291D      BlankClient
82927      BlankHelp
81E5A      Bubble
81987      CAND
01C0F1    ~CLRTOPICLAM
81C1B      COMPROMID
8198C      COR
81DA1      CalcDir+Offs
82DFF      CatNot
82DF5      CatPgm
82DEB      CatThisCxt
829C7      Choose&DoTask
833EF      ChooseVEntry
833F9      ChooseVExit
83403      ChooseViewUI
81DAB      Contxt+Offs
81B30      CopyRegCOb
8123D      DOINDIR
821E3      DOLCD>g0
82FD5      DOROOT
821ED      DOSHOWIT1
821F7      DOSHOWIT1C
82C01      DOWAIT
8287D      DecompNoNL
82869      DecompOb
82189      DefauPtXit
82193      DefauTrcInit
7B7D8      DefaultHint
E03A1      DemoFrames
BD940      Digits@
9165A      DispMsgBox
8219D      DispXFunc
821A7      DispYFunc
82909      DoAlert&Query
833C7      DoApletLib
8257B      DoAs2Col
```

83313	DoCApNoteV	
832F5	DoCApPlotSV	
832D7	DoCApPlotV	
8331D	DoCApSketchV	
83309	DoCApSymbSV	
832EB	DoCApSymbV	
832FF	DoCApTableSV	
832E1	DoCApTableV	
832CD	DoCurrAplet	
821C5	DoDemo	
825E9	DoDispBorder	
82783	DoDispField	
825FD	DoDispList	
825F3	DoDispPrompt	
8250D	DoEditLCancel	
82517	DoEditLOK	
824F9	DoEditLine	
82AFD	DoGetObFrSto	
82B2F	DoIOErrAlert	
82B25	DoIOStatusBox	
82E09	DoInApLbCxt	
82E1D	DoInNotCxt	
82E13	DoInPgmCxt	
827E7	DoKeyCheck	
827D3	DoKeyChoos/Ck	
827DD	DoKeyChoose	
828C3	DoMatEdit	
828FF	DoQueryBox	
82AE9	DoRecv/GetOb	(id →) Receive an object. FIXME: Stack diagram not confirmed.
82AF3	DoRecvObFrEls	
82611	DoRestCovWin	
829F9	DoResultTab	
83039	DoRomPtrKey	
82607	DoSaveCovWin	
82AAD	DoSendOb	(ob →) Send an object. FIXME: Stack diagram not confirmed.

```
82ACB     DoSendObToCDi
82AD5     DoSendObToDir
82AC1     DoSendObToSto
82913     DoSpecAlert
67B3E     Docrunchc
829DB     Done?CkNoNul:
25DF8     DropJunk
7D3ED     DummyMenuErr
82B39     ElsieGet
82B4D     ElsiePkt
82B43     ElsieSend
82689     EmptyList?
82585     EmptyRList?
7D46A     EnsureMenuOff
834FD     EnterGraphView
834F3     EnterTextView
2B7F5     EraseGraph
82201     EraseGrob
803D4     Err#Chr00
82959     EvalPart1
82963     EvalPart2
8296D     EvalPart3
BDFBB     Extremum@
82981     FAreaBad?
82E63     FOURpsh
803CA     FSTFLOATROM#
82AA3     FTypeCheck?
82A99     FTypeFixedL?
82A8F     FTypeList?
82A85     FTypeText?
82215     FUNCPLOT
82837     FitLeftSmF
82841     FitRightSmF
BD8FF     Format@
8220B     FuncPLoop
83327     FuncPSetup1
83331     FuncSplitViewers
81ABD     GDISP?
```

```
8225B     GROBBUFF!
8226F     GROBVIEW
82DD7     GetBVars.1
828AF     GetChoiceFmt
828A5     GetChoiceList
82675     GetDASpecFlag
8302F     GetElNoRomp
83395     GetLastNotThis
82855     GetNextFId
82B1B     GetObType$
82B11     GetObTypePr$
8293B     GetPart1
82945     GetPart2
8294F     GetPart3
8285F     GetPrevFId
6E8C2     GraphTableUI
6E908     GraphZoomUI
82931     GtoField
82DC3     HOME>BAK
BD328     HTick@
BD3AA     HZoom@
C0383     HisWidth@
C040F     Hmax@
C03C9     Hmin@
827AB     IFECheck
827BF     IFEChoosByChr
827B5     IFEChooseNext
8275B     IFEDispClient
827A1     IFEDispHelp
8276F     IFEDispLabel
82765     IFEDispTitle
8278D     IFEUnShowSel
82751     IFEdLineMenu
82747     IFMenu
833A9     Id>ApNameId
83467     InAplet?
81D97     InApletF?
82567     Init2ColMets
```

```
82279     InitIndep
8255D     InitListMets
82283     Init_window
833DB     InpFormVEntry
833E5     InpFormVExit
833D1     InpFormViewUI
82797     InvertField
8282D     IsIFMenu?
82891     IsNullField?
82C51     IsTaskSwKey?
BDF2F     Isect@
82977     KeyFace
81E55     LASTBUTN
8269D     LEDispBorder
826CF     LESetIDecomp
826C5     LESetItem
826D9     LESetRowWidth
80AF4     LF$
82625     LHighlight
80528     LSTBIMACROM#
8262F     LUnHighlight
BD530     LastEq@
BD4EF     LastIndep@
BD46D     LastX@
BD4AE     LastY@
83511     LeaveGraphView
83507     LeaveTextView
826E3     ListBar
81F90     ListNames
BE001     ListOfEqs@
8315B     M+prep
8338B     Make1stAplet
83449     MakeNoteVTtl
8342B     MakeNumSVTtl
83421     MakeNumVTtl
83417     MakePlotSVTtl
8340D     MakePlotVTtl
83453     MakeSketVTtl
```

```
8343F     MakeSymbSVTtl
83435     MakeSymbVTtl
829B3     MakeTitleBar
8345D     MakeViewTitle
82D37     MemStoAns
7D42E     MiniVar
8264D     MoreDown?
8261B     MoreU/D?
82643     MoreUp?
81D33     NULLargcase
81FC7     NUMEVAL1
83381     NextApOfType
828EB     NextTextLine
818DD     NotAndbitmap
82DCD     OB>BAK
81518     OVEREQcase
818D3     Orbitmap
82CBF     POLSetUIExt
8171B     PORT0ADDR
421AF     PageDnNGrob
4216B     PageDnYGrob
42127     PageUpNGrob
420E3     PageUpYGrob
3D3F6     ParseExpr
822DD     PickedEqs@
829D1     PlaceFVals
BD5B2     Plot2Flg@
BD5F3     PlotCKSUM@
BD571     PlotFlag@
83237     PlotOvViewUI
83219     PlotViewUI
82D41     Port0Ids
8333B     PrepCurrAplet
82521     PrepEdLKeyOb
82B6B     PrintHist
82B89     PrintLcd
82B75     PrintVar
82B7F     PrintVarOb
```

```
83359     PurgeAplet
83363     PurgeApletOb
818E2     Put3x5
818E7     Put5x7
8267F     PutDASpecFlag
818CE     Putbitmap
8049C     REALLISTREAL
8044C     REALSTRID
81E82     REDIMPREP
81B2B     RPICK
83377     RclAplet
8336D     RclAplet?Err
82887     RclFieldVal
828B9     RclResetVal
C0527     ReCalcFlag@
831FB     Replace_List
BDEA3     Root@
82B61     SEFINISH
62D36     SETPLOTENV
99EF3     STArryList
9C0B9     STBigKeyDef
9A7B8     STDoMedium
9A03D     STDoSmall
9BFA8     STEditKeyDef
97C29     STErrorGrob
99E30     STInitCols
9BFD8     STInsKeyDef
9B5E8     STJump
9B6BA     STJumpN
BD0B7     STO_tTYPE
9C4B2     STSortCol
9C1FA     STStatsKeyDef
9A024     STTableDisp
99FFC     STTableExit
9AEBB     STTableHKeys
99D95     STTableInit
80F74     STypeAnyChr
80F2E     STypeDirChr
```

```
80F5F     STypeLibChr
80F51     STypeLstChr
80F58     STypeMatChr
80F3C     STypeNteChr
80F43     STypePgmChr
80F66     STypeTgtChr
80F4A     STypeVarChr
80F6D     STypeVecChr
80F35     STypeZapChr
81D9C     SV_?defined
83471     SV_actual
8347B     SV_calledit
83485     SV_getbody
8348F     SV_keycancel
83499     SV_keycheck
834A3     SV_keyedit
834AD     SV_keyeval
834B7     SV_keyok
834C1     SV_keyshow
834CB     SV_setgrob19
834D5     SV_setitem0
C02F7     SVarType@
9C2CC     SWAPStatFlag
8030C     SYMSTR
81FE5     SafeCrunch%
831A1     SafeDecomp
82553     SaveListMets
82823     Sel&DispNextF
82805     SelNextField
8280F     SelPrevField
83345     SelectAplet
C6B6B     Seq_eval0
C6BC5     Seq_eval1
C6E45     Seq_eval2
C6FEE     Seq_evaln
820FD     SetDA2Temp
82125     SetDAsBad
82995     SetFAreaBad
```

```
8298B     SetFAreaOK
829A9     SetFAreasBad
8299F     SetFAreasOK
81D8D     SetInAplet
64184     SetRedrawFlag
8234B     Set_window
BDEE9     Slope@
BD634     Split1CKSUM@
BD675     Split2CKSUM@
BD87D     SplitRow@
82355     SplitTraceInit
C04E1     Stat2Flag@
C061C     StatFit@
C056D     StatFont@
C0455     StatMark@
C0586     StatMisc[]@
C049B     StatModel@
C033D     StatPlot@
C0298     StatType!
C02B1     StatType@
0190F1    ~StdApEntry
82873     StdDecompNoNL
82B07     StdIOProc
83223     StdTableViewUI
82369     StndXYCoord?
82D69     StoAns@
82D73     StoAns@Drp
8334F     StoAplet
831AB     StripTicks
82549     SwapL/RMets
8322D     SymbViewUI
82373     TBColL3x5
8237D     TBColL5x7
82387     TBColR3x5
82391     TBColR5x7
8239B     TBDrawF3x5
823A5     TBDrawF5x7
82503     TBEdSfKeys
```

823AF	TBErrorGrob
823B9	TBFormat
9216B	TBFuncDecomp
823C3	TBInv3x5C0
823CD	TBInv3x5C1
823D7	TBInv3x5C2
823E1	TBInv3x5C3
823EB	TBInv5x7C0
823F5	TBInv5x7C1
823FF	TBInv5x7C2
82409	TBRollD3x5
82413	TBRollD5x7
8241D	TBRollU3x5
82427	TBRollU5x7
83241	TBStdZooms
8324B	TBStndSplitInfo
BD83C	TCol1@
82431	TDDat3x5C1
8243B	TDDat3x5C2
82445	TDDat3x5C3
8244F	TDDat3x5C4
82459	TDDat3x5C5
82463	TDDatD3x5
8246D	TDDatL3x5
82477	TDDatR3x5
82481	TDDatU3x5
8248B	TDDataF3x5
BD779	TFlags@
041A7	THIRTYSIX
80050	THREEFOUR
BD6B6	TStart@
BD6F7	TStep@
BD738	TZoom@
83255	TablSetViewUI
BD7FB	Tcol@
82CFB	TempMenuBuff

Makes some new menus that surely comes from METAKERNEL FIXME: What is meant by this?

```
82495     TraceY
BD7BA     Trow@
824BD     UnpackGrob
5CAD5     Update_tTYPE
82D7D     UserSto
80474     VLMAlarmMsg
8046A     VLMUserKeys
80488     VLMcmdlmsg
80460     VLMhistmsg
8047E     VLMlastargs
80442     VLMmsg
80438     VLMpurgemsg
8044C     VLMstkmsg
80456     VLMundomsg
BD369     VTick@
BD3EB     VZoom@
8284B     WidthSmF
82DAF     XPURGEp
82DB9     XPURGEp0
82D9B     XRCLp
095A5     XRCLp0
82D87     XSTOp
82D91     XSTOp0
BD14D     Xmax!
BD265     Xmax2@
BD161     Xmax@
BD10C     Xmin!
BD224     Xmin2@
BD120     Xmin@
818D8     Xorbitmap
BD2E7     Ymax2@
BD1E3     Ymax@
BD2A6     Ymin2@
BD1A2     Ymin@
6E94E     ZoomAutoUI
831F1     alg=
82E9F     apndit
8310B     argswap
```

```
83101     argswap&&
83115     argswapnext
81FA4     blackbox
8216B     check_xrange
82175     check_yrange
82EA9     chooselst
82EB3     completed
8191E     d*
8190F     d<
81919     d<=
8190A     d>
81932     d>%
81914     d>=
81923     dDIV
81928     dMOD
0BCEE     dirstrucchk
8192D     dmuldiv
852EC     doptr!
852D0     doptr@
82EBD     dvbind
82EC7     elsiename
82EDB     filename
BE03D     funcCache@
82A17     grobCheck
82A21     grobCheckX
82A2B     grobInvChk
82A35     grobInvChkX
82A53     grobInvNoChk
82A49     grobInvUnChkX
82661     grobMoreDown
82657     grobMoreUp
8266B     grobNoMore
826F7     grobPOBox2
82701     grobPOBox3
8270B     grobPOBox4
82715     grobPOBox5
8271F     grobPOBoxP2
82729     grobPOBoxP3
```

```
82733     grobPOBoxP4
82A71     grobQueryIcon
82A7B     grobTitleBar
82A3F     grobUnCheckX
80208     idntany
80000     illnameerr
8024E     lamany
802B2     library
0BD53     loopdirck
83057     metaDUP
83129     metainsert
82EE5     newsymbPA
8311F     numargs
82EEF     oneexpr
82EF9     onestring
82F03     optfilename
82B93     prx1
8306B     psh1
83093     psharg
83089     pshmonop
80A0C     rbrac
82E31     realPA
83043     resolved
81D0B     roll3RD
81D1F     roll4TH
81D1A     rollNTH
8001E     rrp
82319     s1>
82E3B     solverTTT
83205     startSQFORM
830E3     syminner&
830F7     syminner&N
830ED     syminnertwo
83025     tTYPE@
82F0D     threeexprs
82F17     tok;triand
82F21     toktriand
834DF     topic_install
```

```
834E9     topic_uninstall
82F2B     twoexprs
82F35     twostrings
81D15     unroll3RD
81D24     unroll4TH
81D29     unrollNTH
830D9     unsyminner
83147     unsymone
83133     verysyminner
8313D     veryunsymin
83151     vunsymfcn
835C5     {NoteText}
835CF     {NumVars}
835D9     {SketchSet}
0660AB   ~{StatVars}
0060E8   ~::args
0130E8   ~?NULLSETDIM
02C0A1   ~AttentionKe
0830F0   ~CHECKEXISTS
08F0F0   ~COLCTDER
0940F0   ~COLCTFCNAP
0920F0   ~COLCTIFTE
0900F0   ~COLCTINTG
0930F0   ~COLCTQUOTE
0910F0   ~COLCTSUM
0DA002   ~COMPLEXDUMM
0340AB   ~ChkDaList
0100A1   ~DArrow
0170F1   ~DefauStat2T
0160F1   ~DefauStatTy
01A0A2   ~DoExponent
0000A1   ~DoMenuKey1N
0010A1   ~DoMenuKey2N
0020A1   ~DoMenuKey3N
0030A1   ~DoMenuKey4N
0040A1   ~DoMenuKey5N
0050A1   ~DoMenuKey6N
01F0E8   ~DoNumeric:
```

```
0180A1    ~Enter/Again
0100A2    ~FarDArrow
00F0A2    ~FarLArrow
0110A2    ~FarRArrow
00A0A2    ~FarUArrow
01D0F1    ~GETPLTLABLS
0150F1    ~GetTypeText
0010F0    ~I:-InvSin
0090F0    ~I:-InvSinh
0170F0    ~I:Acosh
0160F0    ~I:Asinh
0130F0    ~I:Atan
0030F0    ~I:LnTan
00A0F0    ~I:LnTanh
00C0F0    ~I:Tanh
0060F0    ~INTGACOS
00F0F0    ~INTGALOG
0050F0    ~INTGASIN
0070F0    ~INTGATAN
0020F0    ~INTGCOS
00B0F0    ~INTGCOSH
0190F0    ~INTGDER
00E0F0    ~INTGEXPM
0120F0    ~INTGINV
0100F0    ~INTGLN
0110F0    ~INTGLOG
0180F0    ~INTGSIGN
0000F0    ~INTGSIN
0080F0    ~INTGSINH
0140F0    ~INTGSQ
0150F0    ~INTGSQRT
0040F0    ~INTGTAN
00D0F0    ~INTGTANH
00F0A1    ~LArrow
0300E8    ~LIXRecv
0310E8    ~LIXSend
0330C2    ~MAKEEPIDN
0000B9    ~MiscIFMsg
```

```
0210E8   ~NotHidden
01E0F1   ~POINTERR
01F0F1   ~POINTEXIT
0DB002   ~POLARDUMMY
0000BE   ~PlotIFMsg
0060A1   ~PlotViewKey
0080C0   ~PolyNSymbF
0070C0   ~PolyNSymbP
0110A1   ~RArrow
0620F0   ~REIM[]*
01B0F1   ~SETTOPICLAM
01A0F1   ~SolveApEntr
0000BF   ~SolveIFMsg
0000BB   ~StatIFMsg
0070A1   ~SymbViewKey
0080A1   ~TableViewKe
00C0A1   ~TopicLibKey
00A0A1   ~UpArrow
0200E8   ~UseHidden{}
0780F0   ~WHEREDER
0770F0   ~WHEREFCNAPP
0790F0   ~WHEREIFTE
07C0F0   ~WHEREINTG
07D0F0   ~WHERESUM
07A0F0   ~WHEREWHERE
0210AB   ~XEQDIAG>L
0220AB   ~XEQDIAG>R
0230AB   ~XEQRANM
0020AB   ~XEQSYMLIN
0810F0   ~XEQXDPTCH
08A0F0   ~XEVALp*
0890F0   ~XEVALp?
08C0F0   ~XPURGEp*
08B0F0   ~XPURGEp?
0880F0   ~XRCLp*
0850F0   ~XRCLp?
08E0F0   ~XRCLp?acc>
0870F0   ~XRCLpL
```

```
0860F0    ~XRCLpNL
07E0F0    ~XSTOCHECK
07F0F0    ~XSTOCHECK10
0820F0    ~Xcont
04D0F0    ~adjdiv
04B0F0    ~adjdivsign
04C0F0    ~adjsign
02E0E8    ~arryspec
06B0AB    ~bad^
08D0F0    ~convertaddr
02D0E8    ~copysub
0960F0    ~covD/DCROSS
0970F0    ~covD/DDOT
0B90F0    ~covD/DINTG
0C90F0    ~covINV*
0C60F0    ~covINV+
0C70F0    ~covINV-
0CA0F0    ~covINV/
0C80F0    ~covINV=
0D40F0    ~covINVALOG
0CF0F0    ~covINVCOS
0D20F0    ~covINVCOSH
0CD0F0    ~covINVEXP
0D50F0    ~covINVEXPM1
0CE0F0    ~covINVSIN
0D10F0    ~covINVSINH
0D00F0    ~covINVTAN
0D30F0    ~covINVTANH
0CB0F0    ~covINV^
0CC0F0    ~covINV^X
0800F0    ~covLBSTO
0C50F0    ~covMANATG
0C10F0    ~covMANCSIV
0BF0F0    ~covMANEXP
0BD0F0    ~covMANMENU*
0BC0F0    ~covMANMENU+
0C30F0    ~covMANMENUC
0C20F0    ~covMANMENUE
```

0C00F0 ~covMANMENUL
0C40F0 ~covMANTRG
07B0F0 ~covWSPLIT
0760F0 ~covmanCOL
0840F0 ~covmetaLIBS
00D0E8 ~docmdlist
0040E8 ~doidseqn
00F0E8 ~dolatorre
0110E8 ~dolatorre+
0120E8 ~dolatorre2
0190E8 ~dolist+
0020E8 ~dontuple
0030E8 ~dontuple#

Internal DOSUBS
(comp ob # → {})
Takes objects from comp in groups of # and evals ob on them. The results are returned as a list.

05F0AB ~dopcoeff
05E0AB ~dopolydiv
05D0AB ~dopolyz
00A0E8 ~doptrseqn
06D0AB ~dopval
0010E8 ~dosecntuple
0080E8 ~dosecseqn
0000E8 ~doseq
00B0E8 ~doseqn
00C0E8 ~doseqn#
01A0E8 ~dosort
0100E8 ~elsielists?
02F0E8 ~etorc
0250C2 ~lauserQR
0160E8 ~lolatorre
0150E8 ~lslatorre
0600AB ~metapolyz
0240E8 ~morerepl
0230E8 ~moresub
0260E8 ~mrepll
0270E8 ~mrepll+
0250E8 ~mrepln
02A0E8 ~msubll

```
02B0E8   ~msubll+
0280E8   ~msubln
0290E8   ~msubnl
02C0E8   ~msubnn
0070F1   ~nBOXWHISKER
0000F1   ~nFUNCTION
00F0F1   ~nFUNCTOPIC
0050F1   ~nHISTOGRAM
0030F1   ~nPARAMETRIC
0110F1   ~nPARAMTOPIC
0020F1   ~nPOLAR
0100F1   ~nPOLARTOPIC
0180F1   ~nPTYPE>PINF
0040F1   ~nSCATTER
0120F1   ~nSEQTOPIC
0060F1   ~nSEQUENCE
0010F1   ~nSOLVE
0140F1   ~nSOLVETOPIC
0130F1   ~nSTATTOPIC
0680AB   ~ns*spec
0170E8   ~ollatorre
0180E8   ~ollatorre+
0040C0   ~pcoef
0050C0   ~pcoefacc1
0060C0   ~pcoefacc2
06E0AB   ~pdiv
0030C0   ~peval
0640AB   ~poly*
0620AB   ~poly+
0700AB   ~poly/
06A0AB   ~poly^
06C0AB   ~poly^#
0630AB   ~polyneg
0610AB   ~polyprep
0010C0   ~proot
0000C0   ~proot_c
0020C0   ~proot_r
0070E8   ~ptrargs
```

```
0310C2    ~rMAKEPCOPY
0320C2    ~rPACKARRYD
06F0AB    ~resymb
0D7002    ~rpnAPPLY
0CE002    ~rpnDER
0D1002    ~rpnINTG
0D4002    ~rpnWHERE
0200F1    ~runalias?
0050E8    ~seqid
00E0E8    ~seqnargs
0140E8    ~sllatorre
0670AB    ~sn*spec
0690AB    ~ss*spec
0310F1    ~topic_CAPLE
02A0F1    ~topic_NONE
0090E8    ~udfargs
02C0F1    ~view01_CAPL
02D0F1    ~view23_CAPL
02E0F1    ~view45_CAPL
02F0F1    ~view6_CAPLE
0300F1    ~view7_CAPLE
02B0F1    ~view_NONE
01D0E8    ~{$}>{id}
01E0E8    ~{$}>{lam}
01B0E8    ~{id}>{$}
01C0E8    ~{lam}>{$}
83165      APPEND_SPC
81A77      AlowPrlcdCl
82AB7      DoSendObToEl
82DE1      GetApDirLst
```

6 UserRPL Commands

6.1 A-F

0270AB ~xCHOOSE
(title {elems} pos → ob 1)
(title {elems} pos → 0)
User-Defined Choose Box Cmd
--
Creates a user-defined choose box
--
Related: INFORM,NOVAL

01C0AB ~xCOL+
([[]] [[]]' n → [[]]'')
([] x n → []')
Insert Column Cmd
--
Inserts an array (vector or matrix) into a matrix (one or more elements into a vector) at the position indicated by nindex, and returns the modified array.
--
[[mat]]1 [mat]2 nidx → [[mat]]3
[[mat]]1 [vec]col nidx → [[mat]]2
[vec]1 nelement nidx → [vec]2
--
Related: COL-,CSWP,ROW+,ROW-

01B0AB ~xCOL-
([] n → []' xn)
([[]] n → [[]]' [vn])
Delete Column Cmd
--
Deletes column n of a matrix (or element n of a vector), and returns the modified matrix (or vector) and the deleted column (or element).
--
Related: COL+,CSWP,ROW+,ROW-

0030AB ~xCOND
([[n*n]] → x)
Conditional Number Cmd
--
Returns the 1-norm (column norm) condition number of a square matrix.
--
Related: SNRM,SRAD,TRACE

01E0AB ~xCSWP

0360AB ~xDOLIST
({1}...{n} n prog → {})
({1}...{n} prog → {} (n=1))
Do to List Cmd
--
Applies commands, programs, or user-defined functions to lists.
--
{lst}1 ...{lst}n n ≪prog≫ → {res}
{lst}1 ...{lst}n n cmd → {res}
{lst}1 ...{lst}n n name → {res}
{lst}1 ...{lst}n ≪prog≫ → {res}
{lst}1 ...{lst}n cmd → {res}
{lst}1 ...{lst}n name → {res}
--
Related: DOSUBS,ENDSUB,NSUB,STREAM

02E0AB ~xDOSUBS
({} n prog → {}')
({} prog → {}' (n=1))
Do to Sublist Cmd
--
Applies a program or command to groups of elements in a list.
--
{list}1 n ≪prog≫ → {list}2
{list}1 n command → {list}2
{list}1 n name → {list}2
{list}1 ≪prog≫ → {list}2
{list}1 command → {list}2
{list}1 name → {list}2
--
Related: DOLIST,ENDSUB,NSUB,STREAM

0090AB ~xEGV
([[]] → [[evect]]' [evals])
Eigenvalues and Eigenvectors Command
--
Computes the eigenvalues and right eigenvectors for a square matrix.
--
Related: EGVL

00A0AB ~xEGVL
([[]] → [egval])
Eigenvalues Cmd
--
Computes the eigenvalues of a square matrix.
--
Related: EGV

0310AB ~xENDSUB
(→ x)
Ending Sublist Cmd
--
Provides a way to access the total number of sublists contained in the list used by DOSUBS.
--
Related: DOSUBS,NSUB

81FC2 xEVAL
(ob → ?)
Evaluate Object Cmd
--
Evaluates the object.
--
obj → (see below)
Obj. Type Effects of Evaluation Local Name Recalls the contents of the variable. Global Name Calls the contents of the variable: ; A name is evaluated. A program is evaluated. A directory becomes the current directory. Other objects are put on the stack. If no variable exists for a given name, evaluating the name returns the name to the stack. Program. Enters each object in the program: Names are evaluated (unless quoted). ed). Cmds are evaluated. Other objects are put on the stack. List Enters each object in the list: Names are evaluated. Cmds are evaluated. Programs are evaluated. Other objects are put on the stack. Tagged If the tag specifies a port, recalls and evaluates the specified object. Otherwise, puts the untagged object on the stack. Algebraic Enters each object in the algebraic expression: Names are evaluated. Cmds are evaluated. Other objects are put on the stack. Cmd, Func, XLIB Name Evaluates the specified object. Other Objects Puts the object on the stack.
--
Related: →NUM,SYSEVAL

6.2 G-M

02B0AB ~xHEAD
({} → ob)
($ → $')
First Listed Element Cmd
--
Returns the first element of a list or string.
--
Related: TAIL

0010AB ~xLININ
(symb var → 0/1)
Linear Test Func
--
Tests whether an algebraic is structurally linear for a given variable.

00F0AB ~xLQ
([[]] → [[L]] [[Q]] [[P]])
LQ Factorization of a Matrix Cmd
--
Returns the LQ factorization of an nm matrix.
--
Related: LSQ,QR

0080AB ~xLSQ
([B] [[A]] → []')
([[B]] [[A]] → [[]]')
Least Squares Solution Cmd
--
Returns the minimum norm least squares solution to any system of linear equations where A X = B
--
Related: LQ,RANK,QR,/

00D0AB ~xLU
([[]] → [[L]] [[U]] [[P]])
LU Dec of a Sq. Matrix Cmd
--
Returns the LU decomposition of a square matrix.
--
Related: DET,INV,LSQ,/

0280AB ~xMSGBOX
($ →)
Message Box Cmd
--
Creates a user-defined message box.
--
Related: CHOOSE,INFORM,PROMPT

6.3 N-S

0300AB ~xNSUB
(→ npos)
Number of Sublist Cmd
--
Provides a way to access the current sublist position during an iteration of a program or command applied using DOSUBS.
--
Related: DOSUBS,ENDSUB

0250AB ~xPCOEF
([roots] → [coefs])
Monic Polynomial Coefficients Cmd
--
Returns the coefficients of a monic polynomial (a polynomial with a leading coefficient of 1) having specific roots.
--
Related: PEVAL,PROOT

0260AB ~xPEVAL
([coefs] x → x')
Polynomial Evaluation Cmd
--
Evaluates an n-degree polynomial at x.
--
Related: PCOEFF,PROOT

03D701 ~xPINIT
(→)
Port Initialize Cmd
--
Initializes all currently active ports. Does not affect data already stored in a port.

0240AB ~xPROOT
([coefs] → [roots])
Polynomial Roots Cmd
--
Returns all roots of an n-degree polynomial having real or complex roots.
--
Related: PCOEFF,PEVAL

0200F2 ~xPSDEV
(→ xpsdev)
(→ {x1...xn})
Population Standard Deviation Cmd
--
Calculates the population standard deviation of each of the m columns of coordiate values in the current stastics matrix (reserved variable ΣDAT).
--
<REF>TEXT:Reserved|ΣDAT
--
Related: MEAN,PCOV,PVAR,SDEV,TOT,VAR

00E0AB ~xQR
([[]] → [[Q]] [[R]] [[P]])
QR Factorization of a Matrix Cmd
--
Returns the QR factorization of an nm matrix.
--
Related: LQ,LSQ

0070AB ~xRANK
([[]] → n)
Matrix Rank Cmd
--
Returns the rank of a rectangular matrix.
--
Related: LQ,LSQ,QR

0120AB ~xRANM
({m n} → [[]])
([[]] → [[]]')
Random Matrix Cmd
--
Returns a matrix of specified dimensions that contains random integers in the range -9 through 9.
--
{ m n } → [[rand mat]]mn
[[mat]]mn → [[rand mat]]mn
--
Related: RAND,RDZ

01F0AB ~xRCI
([[]] x nrow → [[]]')
[] x n []'
Multiply Row by Constant Cmd
--
Multiplies row n of a matrix (or element n of a vector) by a const x, and returns the modified matrix.
--
Related: RCIJ

0200AB ~xRCIJ
([[]] x n* n+ → [[]]')
([] x n* n+ → []')
Add Multiplied Row Cmd
--
Multiplies row n* of a matrix by a constant x, adds this product to row n+ of the matrix, and returns the modified matrix. Or, multiplies element n* of a vector by a constant x, adds this product to element n+ of the vector, and returns the modified vector.
--
Related: RCI

0380AB ~xREVLIST
({1...n} → {n...1}')
Reverse List Cmd
--
Reverses the order of the elements in a list.
--
Related: SORT

0190AB ~xROW-
([[]] nrow → [[]]' [])
([] n → []' elt)
Delete Row Cmd
--
Deletes row n of a matrix (or element n of a vector), and returns the modified matrix (or vector) and the deleted row (or element).
--
Related: COL-,COL+,ROW-,RSWP

01A0AB ~xROW+
([[]] [[]]' n → [[]]'')
([[]] [] n → [[]]')
([] n n' → [])
Insert Row Cmd
--
Inserts an array into a matrix (or one or more numbers into a vector) at a position indicated by nindex, and returns the modified matrix (or vector).
--
Related: COL-,COL+,ROW-,RSWP

0110AB ~xRREF
([[]] → [[]]')
Reduced Row Echelon Form Cmd
--
Converts a rectangular matrix to a reduced row echelon form.

01D0AB ~xRSWP
([]/[[]] i j → []/[[]])
Row Swap Cmd
--
Swaps rows i and j of a matrix and returns the modified matrix, or swaps elements i and j of a vector and returns the modified vector.
--
Related: CSWP,ROW+,ROW-

0100AB ~xSCHUR
([[]] → [[Q]] [[T]])
Schur Decomp. of Squ. Matrix Cmd
--
Returns the Schur decomposition of a square matrix.
--
Related: LQ,LU,QR,SVD,SVL,TRN

02D0AB ~xSEQ
(prog var start end incr → {})
Sequential Calculation Cmd
--
Returns a list of results generated ated by repeatedly executing prog using index var over the range start to end, in increments of incr.
--
Related: DOSUBS,STREAM

0060AB ~xSNRM
([] → x)
Spectral Norm Cmd
--
Returns the spectral norm of an array.
--
Related:
ABS,CNRM,COND,RNRM,SRAD,TRACE

0390AB ~xSORT
({} → {}')
Ascending Order Sort Cmd
--
Sorts the elements in a list in ascending order.
--
Related: REVLIST

0050AB ~xSRAD
([[]] → x)
Spectral Radius Cmd
--
Returns the spectral radius of a square matrix.
--
Related: COND,SNRM,TRACE

0320AB ~xSTREAM
({} prog → x)
Stream Execution Cmd
--
Moves the first two elements from the list onto the stack, and executes prog. The moves the next element (if any) onto the stack, and executes obj again using the previous result and the new element. Repeats this until the list is exhausted, and returns the final result.
--
Related: DOSUBS

00B0AB ~xSVD
([[]] → [[U]] [[V]] [S])
Singular Value Decomposition Cmd
--
Returns the sigular value decomposition of an mn matrix.
--
Related: DIAG→,MIN,SVL

00C0AB ~xSVL
([[]] → [])
Singular Values Cmd
--
Returns the singular values of an mn matrix.
--
Related: MIN,SVD

6.4 T-Z

02C0AB ~xTAIL
({} → {}')
($ → $')
Last Listed Elements Cmd
--
Returns all but the first element of a list or string.
--
Related: HEAD

0040AB ~xTRACE
([[]] → x)
Matrix Trace Cmd
--
Returns the trace of a square matrix.

0000AB ~xVERSION
(→ $ $)
Software Version Cmd
--
Displays the software version and copyright message.

02A0AB ~xXRECV
(name →)
XModem Receive Cmd
--
Prepares the HP 48 to receive an object via XModem. The received object is stored in the given name.
--
Related: BAUD,RECV,RECN,SEND,XSEND

0290AB ~xXSEND
(name →)
XModem Send Cmd
--
Sends a copy of the named object via XModem.
--
Related: BAUD,RECN,RECV,SEND,XRECV

6.5 Non A-Z

7 ML Entry Points

7.1 General Purpose

```
06816      SAVPTR              D0 to RPLTOP
                               D1 to DSKTOP
                               B to RETTOP
                               D to FREETOP
                               Clear carry
05123      GETPTRLOOP          <see>GETPTR , Loop to RPL
01140      DisableIntr         Disable interrupts.
```

7.2 Errors

7.2.1 Generating Errors

7.3 Hexadecimal Math

7.4 Memory Handling

7.4.1 General Memory Handling Routines

```
03019      SKIPOB              Skip object in D0, clears ST1,
                               clears carry, P=0
                               --> D0 = addr past object
                               Uses: A.A C.A P ST1 RSTK2
81228      $jSKIPBODY
```

7.4.2 Moving and Swapping Memory Areas

7.4.3 Allocating Memory in TEMPOB

7.4.4 Working with Memory

7.5 Display

7.6 Popping and Pushing

7.6.1 Pointers

03A86	PUSHA	Push A, Loop

7.6.2 TRUE and FALSE

DEC0B	GPPushFLoop	<see>GETPTR , Push FALSE, Loop
DEBF2	GPPushTLoop	<see>GETPTR , Push TRUE, Loop
81117	$jGPOvrWrFLp	
81125	$jGPOvrWrTLp	
8118E	$jOvrWrF/TLp	
81195	$jOvrWrFLoop	
8119C	$jOvrWrT/FLp	
811A3	$jOvrWrTLoop	
811FE	$jPshF/TLoop	
81205	$jPshT/FLoop	

7.6.3 System Binary Integers (BINT)

066BC	POP#	Pop # to A.A

7.6.4 Real and Complex Numbers

22706	PUSH%LOOP	(A -> %push) Push A as %, <see>GETPTRLOOP

7.7 Keyboard Handling

7.8 Various ML Entries

7.9 Object Types

029E8	DOARRY	Array prologue 5 size 5 prologue of objects 5 # of dimensions 5n dimensions .. objects (content only)
02B62	DOBAK	Backup prologue 5 size 2 # of chars in name .. name .. object 5 DOBINT 5 CRC Apparently unused on the 49
02911	DOBINT	BINT prologue 5 number (hex)
029BF	DOCHAR	Character prologue 2 character
02977	DOCMP	Complex number prologue 3 real exponent 12 real mantissa 1 real sign 3 complex exponent 12 complex mantissa 1 complex sign
02DCC	DOCODE	Code prologue 5 length .. machine code
02D9D	DOCOL	Secondary prologue .. objects 5 SEMI
02A2C	DOCSTR	String prologue 5 length .. characters
0299D	DOECMP	Long complex prologue 5 real exponent 15 real mantissa 1 real sign 5 complex exponent 15 complex mantissa 1 complex sign
02955	DOEREL	Long real prologue 5 exponent 15 mantissa 1 sign

02ADA	DOEXT	Unit object prologue .. object (usually a real) .. unit 5 SEMI
02B1E	DOGROB	GROB prologue 5 size 5 height 5 width
02A4E	DOHSTR	HXS prologue 5 length .. hex digits, reverse order aka: DOHXS
02E48	DOIDNT	Global name (ID) prologue 2 # of characters .. characters
02E6D	DOLAM	Local name (LAM) prologue see <see>DOIDNT
02A0A	DOLNKARRY	Linked array prologue Not used by the system.
02B40	DOLIB	Library prologue 5 size 2 # of characters .. name 2 # of characters (unless 0) 3 library ID 5 hash table offset 5 message table offset 5 link table offset 5 config object offset .. contents 4 CRC ; XLIBs: 1 or 3: kind 3 library ID 3 command ID .. object -- <REF>TEXT:Libraries
02A74	DOLIST	List prologue see <see>DOCOL
02933	DOREAL	Real number prologue 3 exponent 12 mantissa 1 sign
02E92	DOROMP	XLIB prologue 3 library ID 3 command #

```
02A96      DORRP               Directory prologue
                               Home directory:
                               3  # of attached libs
                               n*[
                                 3  library ID
                                 5  address of hash table
                                 5  address of message table
                               ]
                               5  offset of last object
                               *[
                                 5  offset to previous object
                                    00000 for the first one
                                 2  # of characters
                                 .. name of object
                                 2  # of characters
                                 .. object
                               ]
                               ;
                               Subdirectories:
                               3  # of attached library
                                  7FF if none
                               5  offset of last object
                               .. same as above
02AB8      DOSYMB              Symbolic prologue
                               .. objects
                               5 SEMI
02AFC      DOTAG               Tagged object prologue
                               2 # of chars in tag
                               .. tag
                               .. object
02B88      DOEXT0
02BAA      DOEXT1
                               aka: DOACPTR
02BCC      DOEXT2
02BEE      DOEXT3
02C10      DOEXT4
```

8 RAM entries

Note that pointers (->...) are always 5 nibbles wide.

8.1 UART buffering

```
F02B8      uart_buffer           UART buffer area (512)
```

9 Miscellaneous Entries

9.1 Various Matrix operations

```
00D0C3    ~la+COL
00E0C3    ~la+COLs
0110C3    ~la+ELEM
0100C3    ~la+ELEMc
00F0C3    ~la+ELEMr
00C0C3    ~la+RCsLP
00A0C3    ~la+ROW
00B0C3    ~la+ROWs
0090C3    ~la-COL
0070C3    ~la-ROW
0140C3    ~la>COL
0170C3    ~la>DIAG
0130C3    ~la>ELEM
0120C3    ~la>ROW
0200C2    ~laBPMUTE
0160C3    ~laCOL>
04D0C2    ~laCOND
04E0C2    ~laCONDdone
0040C3    ~laCSWP
0180C3    ~laDIAG>
0510C2    ~laDT
0070C2    ~laECQhQAQh
0040C2    ~laEGV
0020C2    ~laEGVL
0030C2    ~laEGVL%%
05E0C2    ~laEGetTiny
01B0C2    ~laEgCQRI
01C0C2    ~laEgCQRIk1
01A0C2    ~laEgCSchur
0060C2    ~laEgHF
00A0C2    ~laEgIsoVal
0110C2    ~laEgM*G2
00F0C2    ~laEgM*RG3
```

```
01E0C2    ~laEgPrep
00C0C2    ~laEgQRIk0
0080C2    ~laEgQkHA
00B0C2    ~laEgRQRI
00D0C2    ~laEgRQRIk1
0090C2    ~laEgRSchur
00E0C2    ~laEgRWilk3
0130C2    ~laEgRotR
0190C2    ~laEgSclCls
0120C2    ~laEgValr
0180C2    ~laEgVcPair
0160C2    ~laEgVcSngl
0170C2    ~laEgVcUrhs
01D0C2    ~laEgVecC
0150C2    ~laEgVecR
0100C2    ~laEgWilk2
01F0C2    ~laFPMUTE
0210C2    ~laFSCALE
0550C2    ~laIV
0570C2    ~laIVF
0560C2    ~laIVc
0220C2    ~laLSQ
0590C2    ~laLsdScale
02B0C2    ~laQ2hX
0260C2    ~laQRF
02E0C2    ~laQRSVecUp
0300C2    ~laQRmaxSV
02F0C2    ~laQRminSV
02D0C2    ~laQRrank
0270C2    ~laQhA
0280C2    ~laQhB
0360C2    ~laRANK
0000C3    ~laRANM
0050C3    ~laRCI
0060C3    ~laRCIJ
0150C3    ~laROW>
02A0C2    ~laRQF
05B0C2    ~laRREF
```

```
02C0C2    ~laRSVF
0020C3    ~laRSWP
0030C3    ~laRSWP2
0010C3    ~laRanInt
05D0C2    ~laRedHere?
05C0C2    ~laRedRow
0520C2    ~laRefineDT
0050C2    ~laSCHUR
0290C2    ~laSETDIAG
0340C2    ~laSNORM
0350C2    ~laSNORM%%
0000C2    ~laSRAD
0530C2    ~laSV
0380C2    ~laSVD
0370C2    ~laSVL
0540C2    ~laSVc
05A0C2    ~laScIntRnd
0140C2    ~laSchur2
03C0C2    ~laSvdAPPhV
03D0C2    ~laSvdAPk
03F0C2    ~laSvdBDQR
0420C2    ~laSvdBDirC
0490C2    ~laSvdCROTL
0480C2    ~laSvdCROTR
0410C2    ~laSvdFDirC
03E0C2    ~laSvdGPROT
0430C2    ~laSvdGShft
03A0C2    ~laSvdLtUBD
04A0C2    ~laSvdPSort
04B0C2    ~laSvdPrep
0400C2    ~laSvdQR2x2
0470C2    ~laSvdQRB
0460C2    ~laSvdQRF
0450C2    ~laSvdQRSB
0440C2    ~laSvdQRSF
0390C2    ~laSvdUBD
03B0C2    ~laSvdUQhQA
04C0C2    ~laTRACE
```

```
0580C2    ~laULHSVF
0240C2    ~laUserLQ
0500C2    ~laUserLU
0230C2    ~laUserQR
0010C2    ~laVMAX%%
04F0C2    ~laVMAXJRP
0080C3    ~laVec-
```

9.2 Undescribed Entry Points

```
81AB8      !MATTRNnc
81AAE      !REDIMTEMP
81AB3      !REDIMUSER
8185B      DropSysObs
81FB8      EVALCRUNCH
81C39      InitEnab
80A18      lbrac
81BD0      LINECHANGE
81856      NEWINDEP
82CC9      POLErrorTrap
028FC      PRLG
8301B      PTYPE>PINFO
82FE9      SYMBNUMSOLVE
82DA5      X@
```

10 Entries sorted by address

Here follows a list of entries sorted by address. Six-digit addresses are always sorted after five-digit addresses. The six-digit addresses for rompointers and flashpointers consist of the pointer number (first three digits) and the flashbank/library id (last three digits). Sorting of these addresses uses first the flashbank/library id and then the pointer number, so 000123 will be sorted after FFF122.

```
01140   DisableIntr       03019 SKIPOB          04071 BINT5
028FC   PRLG              0312B SEMI            04071 list
02911   DOBINT            03A81 TRUE            0407B id
02933   DOREAL            03A86 PUSHA           0407B idnt
02955   DOEREL            03AC0 FALSE           0407B BINT6
02977   DOCMP             03FDB TYPEREAL        0407B SIX
0299D   DOECMP            03FE5 TYPECMP         04085 lam
029BF   DOCHAR            03FEF TYPELIST        04085 SEVEN
029E8   DOARRY            03FF9 TYPEIDNT        04085 BINT7
02A0A   DOLNKARRY         04003 TYPECOL         0408F seco
02A2C   DOCSTR            0400D TYPESYMB        0408F EIGHT
02A4E   DOHSTR            04017 TYPERRP         0408F BINT8
02A4E   DOHXS             04021 TYPELAM         04099 symb
02A74   DOLIST            0402B TYPEEREL        04099 BINT9
02A96   DORRP             04035 TYPEEXT         04099 NINE
02AB8   DOSYMB            0403F any             040A3 BINT10
02ADA   DOEXT             0403F BINT0           040A3 sym
02AFC   DOTAG             0403F ZERO            040A3 TEN
02B1E   DOGROB            04049 real            040AD hxs
02B40   DOLIB             04049 BINT1           040AD BINT11
02B62   DOBAK             04049 MEMERR          040AD ELEVEN
02B88   DOEXT0            04049 ONE             040B7 BINT12
02BAA   DOEXT1            04053 BINT2           040B7 grob
02BAA   DOACPTR           04053 TWO             040B7 TWELVE
02BCC   DOEXT2            04053 cmp             040C1 THIRTEEN
02BEE   DOEXT3            0405D BINT3           040C1 TAGGED
02C10   DOEXT4            0405D str             040C1 BINT13
02D9D   DOCOL             0405D THREE           040CB FOURTEEN
02DCC   DOCODE            04067 FOUR            040CB unitob
02E48   DOIDNT            04067 arry            040CB EXT
02E6D   DOLAM             04067 BINT4           040CB BINT14
02E92   DOROMP            04071 FIVE            040D5 rompointer
```

040D5 FIFTEEN
040D5 BINT15
040DF REALOB
040DF BINT16
040DF SIXTEEN
040E9 BINT17
040E9 SEVENTEEN
040E9 2REAL
040E9 REALREAL
040F3 EIGHTEEN
040F3 BINT18
040FD NINETEEN
040FD BINT19
04107 BINT20
04107 TWENTY
04111 TWENTYONE
04111 BINT21
0411B BINT22
0411B TWENTYTWO
04125 BINT23
04125 TWENTYTHREE
0412F TWENTYFOUR
0412F BINT24
04139 BINT25
04139 TWENTYFIVE
04143 REALSYM
04143 BINT26
04143 TWENTYSIX
0414D TWENTYSEVEN
0414D BINT27
04157 TWENTYEIGHT
04157 BINT28
04161 BINT29
04161 TWENTYNINE
0416B REALEXT
0416B THIRTY
0416B BINT30
04175 THIRTYONE
04175 BINT31
0417F BINT32
0417F THIRTYTWO
04189 BINT33
04189 THIRTYTHREE
04193 BINT34
04193 THIRTYFOUR
0419D BINT35
0419D THIRTYFIVE
041A7 THIRTYSIX
041B1 THIRTYSEVEN
041B1 BINT37
041BB BINT38
041BB THIRTYEIGHT
041C5 BINT39
041C5 THIRTYNINE
041CF BINT40
041CF FORTY
041CF FOURTY
041D9 FORTYONE
041D9 BINT41
041E3 BINT42
041E3 FORTYTWO
041ED FORTYTHREE
041ED BINT43
05123 GETPTRLOOP
055B5 NULLHXS
055BF NULL$
055C9 NULL{}
055D3 NULLSYMB
055DD NULL::
066BC POP#
06816 SAVPTR
0744F ZERO_DO
0745A ONE_DO
07467 #1+_ONE_DO
08452 RAM-WORDNAME
095A5 XRCLp0
0BCEE dirstrucchk
0BD53 loopdirck
0BDC1 TrueTrue
0E909 CRLF$
10C72 CLOSEUART
117CD AllowPrlcdCl
22706 PUSH%LOOP
25DF8 DropJunk
26B24 DA3OK?NOTIT
28381 ClearLists
2B7F5 EraseGraph
33905 HARDHEIGHT
3949A BadIfEdit
3C635 DoBadKey
3C77E 'DoBadKeyT
3CC36 TakeOver
3D3F6 ParseExpr
420E3 PageUpYGrob
42127 PageUpNGrob
4216B PageDnYGrob
421AF PageDnNGrob
45611 CK0
458CA %ABSCOERCE
45AC1 CK1&Dispatch
45AD2 CK2&Dispatch
45AE3 CK3&Dispatch
45AF4 CK4&Dispatch
45B05 CK5&Dispatch
48F1C %15
48FB7 %25
4F7F8 tok:
5CAD5 Update_tTYPE
5FFF4 xC1
6001A xC2
60040 xC3
60066 xC4
6008C xC5
62D36 SETPLOTENV

64184 SetRedrawFlag
67B3E Docrunchc
69347 GETYPOS
69E2E CHECKHEIGHT
6E8C2 GraphTableUI
6E908 GraphZoomUI
6E94E ZoomAutoUI
7B7D8 DefaultHint
7D3ED DummyMenuErr
7D42E MiniVar
7D46A EnsureMenuOff
80000 BINT44
80000 illnameerr
80000 FORTYFOUR
8000A FORTYFIVE
8000A BINT45
80014 FORTYSIX
80014 BINT46
8001E rrp
8001E BINT47
8001E FORTYSEVEN
80028 BINT48
80028 FORTYEIGHT
80032 FORTYNINE
80032 BINT49
8003C FIFTY
8003C BINT50
80046 2STR
80046 FIFTYONE
80046 BINT51
80050 BINT52
80050 THREEFOUR
80050 FIFTYTWO
8005A BINT53
8005A THREEFIVE
8005A STRLIST
8005A FIFTYTHREE
80064 FIFTYFOUR
80064 BINT54
8006E FIFTYFIVE
8006E BINT55
8006E #THREESEVEN
80078 FIFTYSIX
80078 BINT56
80082 FIFTYSEVEN
80082 BINT57
8008C FIFTYEIGHT
8008C BINT58
80096 BINT59
80096 FIFTYNINE
800A0 SIXTY
800A0 BINT60
800AA SIXTYONE
800AA BINT61
800B4 BINT62
800B4 SIXTYTWO
800BE SIXTYTHREE
800BE BINT63
800BE BINT3Fh
800C8 SIXTYFOUR
800C8 BINT40h
800C8 BINT64
800C8 YHI
800D2 BINT_65d
800D2 BINT65
800D2 ARRYREAL
800D2 SIXTYFIVE
800DC FOURTWO
800DC ARRYCMP
800DC SIXTYSIX
800DC BINT66
800E6 FOURTHREE
800E6 BINT67
800F0 2ARRY
800F0 SIXTYEIGHT
800F0 BINT68
800FA BINT69
800FA FOURFIVE
800FA ARRYLIST
80104 SEVENTY
80104 ARRYID
80104 BINT70
8010E SEVENTYONE
80118 SEVENTYTWO
80122 SEVENTYTHREE
8012C ARRYSYM
8012C SEVENTYFOUR
8012C BINT74
80136 SEVENTYFIVE
80140 SEVENTYSIX
8014A SEVENTYSEVEN
80154 SEVENTYEIGHT
8015E SEVENTYNINE
8015E BINT79
80168 EIGHTY
80168 LISTOB
80168 BINT80
80172 BINT81
80172 LISTREAL
80172 EIGHTYONE
8017C BINT82
8017C LISTCMP
80186 BINT83
80186 FIVETHREE
80190 BINT84
80190 FIVEFOUR
8019A BINT85
8019A 2LIST
801A4 BINT86
801A4 LISTID
801A4 FIVESIX
801AE BINT87
801AE LISTLAM
801B8 EIGHTYEIGHT

801C2 EIGHTYNINE
801CC NINETY
801D6 BINT_91d
801D6 BINT91
801E0 NINETYTWO
801EA NINETYTHREE
801F4 NINETYFOUR
801FE NINETYFIVE
80208 BINT96
80208 idntany
80208 BINT_96d
80212 BINT97
80212 IDREAL
8021C NINETYEIGHT
8021C IDCMP
80226 NINETYNINE
80230 IDARRY
80230 ONEHUNDRED
80230 BINT100
8023A IDLIST
8023A SIXFIVE
80244 char
80244 BINT111
8024E lamany
80258 LAMREAL
80262 BINT_114
8026C BINT_115d
8026C BINT115
80276 BINT_116d
80276 BINT116
80280 BINT_117d
80280 LAMLIST
8028A BINT_122d
8028A BINT122
80294 BINT_128d
80294 BINT128
80294 BINT80h
8029E BINT_130d
8029E BINT130d
8029E XHI-1
8029E BINT130
802A8 XHI
802A8 BINT_131d
802A8 BINT131
802A8 BINT131d
802B2 library
802BC SYMBREAL
802C6 SYMBCMP
802D0 SYMBSYM
802DA SYMBUNIT
802E4 backup
802EE SYMOB
802F8 SYMREAL
80302 SYMCMP
8030C SYMSTR
80316 SYMARRY
80320 SYMLIST
8032A SYMID
80334 SYMLAM
8033E SYMSYMB
80348 SYMSYM
80352 SYMEXT
8035C HXSREAL
80366 2HXS
80370 BINTC0h
8037A 2GROB
80384 TAGGEDANY
8038E EXTREAL
80398 UNITSYM
80398 EXTSYM
803A2 2EXT
803AC ROMPANY
803B6 BINT253
803C0 BINT255d
803CA REALOBOB
803CA FSTFLOATROM#
803D4 #_258_d
803D4 #_102
803D4 Err#Chr00
803DE #SyntaxErr
803E8 BINT_263d
803E8 #ObTypeBase
803F2 REALREALOB
803FC 3REAL
80406 #_291_d
80406 #_123
80406 Err#Kill
80410 #_124
80410 #_292_d
80410 Err#NoLstStk
8041A BINT_305d
8041A #NoRoomForSt
80424 BINT_306d
80424 #Warning:NL
8042E REALSTRSTR
8042E BINT_307d
8042E #Error:
80438 VLMpurgemsg
80442 VLMmsg
8044C REALSTRID
8044C VLMstkmsg
80456 VLMundomsg
80460 VLMhistmsg
8046A VLMUserKeys
80474 VLMAlarmMsg
8047E VLMlastargs
80488 VLMcmdlmsg
80492 Err#Cont
8049C REALLISTREAL
8049C INTEGER337
804A6 CMPOBOB
804B0 Err#NoLstArg
804B0 #_205
804B0 #_517_d

804BA STRREALREAL
804C4 ARRYREALREAL
804CE ARRYREALCMP
804D8 3ARRY
804E2 ARRYLISTREAL
804EC ARRYLISTCMP
804F6 LISTREALOB
80500 LISTREALREAL
8050A LISTLISTOB
80514 IDREALOB
8051E IDLISTOB
80528 LSTBIMACROM#
80528 FSTMACROROM#
80528 LAMANYANY
80532 PROGIDREAL
8053C PROGIDCMP
80546 PROGIDLIST
80550 PROGIDEXT
8055A ATTNERR
80564 SYMREALREAL
8056E SYMREALCMP
80578 SYMREALSYM
80582 SYMCMPREAL
8058C SYMCMPCMP
80596 SYMCMPSYM
805A0 SYMIDREAL
805AA SYMIDCMP
805B4 SYMIDLIST
805BE SYMIDEXT
805C8 SYMSYMREAL
805D2 SYMSYMCMP
805DC 3SYM
805E6 XFERFAIL
805F0 PROTERR
805FA InvalServCmd
80604 Connecting
8060E Retry
80618 #CAlarmErr
80622 EXTOBOB
8062C #EXITERR
80636 MINUSONE
80640 MINUSTWO
8064A MINUSTHREE
80654 MINUSFOUR
8065E MINUSFIVE
80668 %0
8067D %1
80692 %2
806A7 %3
806BC %4
806D1 %5
806E6 %6
806FB %7
80710 %8
80725 %9
8073A %-1
8074F %-2
80764 %-3
80779 %-4
8078E %-5
807A3 %-6
807B8 %-7
807CD %-8
807E2 %-9
807F7 %PI
8080C %%PI
80826 %MAXREAL
8083B %-MAXREAL
80850 %MINREAL
80865 %-MINREAL
8087A %%0
80894 %%1
808AE %%2
808C8 %%3
808E2 %%4
808FC %%5
80916 %%.1
80930 %%.5
8094A %%10
80964 %e
80979 %.5
8098E %-.5
809A3 %10
809B8 %180
809CD %200
809E2 %360
809F7 %400
80A0C tok]
80A0C rbrac
80A18 lbrac
80A26 tok[
80A32 tok{
80A3E tok}
80A4A toksharp
80A56 tokuscore
80A62 tok$
80A6E tok&
80A7A tokESC
80A86 tok>>
80A92 tok<<
80A9E tokexponent
80AAA tokanglesign
80AB6 tokSIGMA
80AC2 tokWHERE
80ACE 14SPACES$
80AF4 LF$
80AF4 NEWLINE$
80B00 $DER
80B10 SPACE$
80B10 tok_
80B1C tokUNKNOWN
80B34 tokquote
80B40 tok’
80B4C tok,

80B58 tok.
80B64 tok;
80B70 toklparen
80B7C tokrparen
80B88 tok^
80B94 tok*
80BA0 tok/
80BAC tok+
80BB8 tok-
80BC4 tok=
80BD0 tokSQRT
80BDC tokDER
80BE8 tokCTGROB
80BFA tokCTSTR
80C08 tok0
80C14 tok1
80C20 tok2
80C2C tok3
80C38 tok4
80C44 tok5
80C50 tok6
80C5C tok7
80C68 tok8
80C74 tok9
80C80 CHR_00
80C87 CHR_...
80C8E CHR_'
80C95 CHR_DblQuote
80C9C CHR_#
80CA3 CHR_*
80CAA CHR_+
80CB1 CHR_,
80CB8 CHR_-
80CBF CHR_.
80CC6 CHR_/
80CCD CHR_0
80CD4 CHR_1
80CDB CHR_2
80CE2 CHR_3
80CE9 CHR_4
80CF0 CHR_5
80CF7 CHR_6
80CFE CHR_7
80D05 CHR_8
80D0C CHR_9
80D13 CHR_:
80D1A CHR_;
80D21 CHR_<
80D28 CHR_=
80D2F CHR_>
80D36 CHR_A
80D3D CHR_B
80D44 CHR_C
80D4B CHR_D
80D52 CHR_E
80D59 CHR_F
80D60 CHR_G
80D67 CHR_H
80D6E CHR_I
80D75 CHR_J
80D7C CHR_K
80D83 CHR_L
80D8A CHR_M
80D91 CHR_N
80D98 CHR_O
80D9F CHR_P
80DA6 CHR_Q
80DAD CHR_R
80DB4 CHR_S
80DBB CHR_T
80DC2 CHR_U
80DC9 CHR_V
80DD0 CHR_W
80DD7 CHR_X
80DDE CHR_Y
80DE5 CHR_Z
80DEC CHR_a
80DF3 CHR_b
80DFA CHR_c
80E01 CHR_d
80E08 CHR_e
80E0F CHR_f
80E16 CHR_g
80E1D CHR_h
80E24 CHR_i
80E2B CHR_j
80E32 CHR_k
80E39 CHR_l
80E40 CHR_m
80E47 CHR_n
80E4E CHR_o
80E55 CHR_p
80E5C CHR_q
80E63 CHR_r
80E6A CHR_s
80E71 CHR_t
80E78 CHR_u
80E7F CHR_v
80E86 CHR_w
80E8D CHR_x
80E94 CHR_y
80E9B CHR_z
80EA2 CHR_->
80EA9 CHR_<<
80EB0 CHR_>>
80EB7 CHR_Angle
80EBE CHR_Deriv
80EC5 CHR_Integral
80ECC CHR_LeftPar
80ED3 CHR_Newline
80EDA CHR_Pi
80EE1 CHR_RightPar
80EE8 CHR_Sigma
80EEF CHR_Space

```
80EF6   CHR_UndScore
80EFD   CHR_[
80F04   CHR_]
80F0B   CHR_{
80F12   CHR_}
80F19   CHR_<=
80F20   CHR_>=
80F27   CHR_<>
80F2E   STypeDirChr
80F35   STypeZapChr
80F3C   STypeNteChr
80F43   STypePgmChr
80F4A   STypeVarChr
80F51   STypeLstChr
80F58   STypeMatChr
80F5F   STypeLibChr
80F66   STypeTgtChr
80F6D   STypeVecChr
80F74   STypeAnyChr
80F7B   $_R<<
80F8B   $_R<Z
80F9B   $_XYZ
80FAB   $_<<>>
80FB9   $_{}
80FD5   $_''
80FE3   $_::
80FF1   $_LRParens
80FFF   $_2DQ
8100D   $_ECHO
8101F   $_EXIT
81031   $_Undefined
8104D   $_RAD
8105D   $_GRAD
81117   $jGPOvrWrFLp
81125   $jGPOvrWrTLp
8118E   $jOvrWrF/TLp
81195   $jOvrWrFLoop
8119C   $jOvrWrT/FLp
811A3   $jOvrWrTLoop
811FE   $jPshF/TLoop
81205   $jPshT/FLoop
81228   $jSKIPBODY
8123D   DOINDIR
81252   %%>%
81257   %>%%
8125C   %0>
81261   %0<
81266   %0=
8126B   %<
81270   %<=
81275   %>=
8127A   %<>
8127F   %=
81284   %>
81289   %*
8128E   %+
81293   %-
81298   %/
8129D   %^
812A2   %ABS
812A7   %ACOS
812AC   %ACOSH
812B1   %ALOG
812B6   %ANGLE
812BB   %ASIN
812C0   %ASINH
812C5   %ATAN
812CA   %ATANH
812CF   %CEIL
812D4   %CH
812D9   %CHS
812DE   %COMB
812E3   %COS
812E8   %COSH
812ED   %EXP
812F2   %EXPM1
812F7   %EXPONENT
812FC   %FLOOR
81301   %FP
81306   %IP
8130B   %LN
81310   %LNP1
81315   %LOG
8131A   %MANTISSA
8131F   %MOD
81324   %NFACT
81329   %NROOT
8132E   %OF
81333   %PERM
81338   %RAN
8133D   %SGN
81342   %SIN
81347   %SINH
8134C   %SQRT
81351   %T
81356   %TAN
8135B   %TANH
81360   #0=case
81365   OVER#=case
8136A   #=case
8136F   #=casedrop
81374   2SWAP
81379   SEVENROLL
81379   7ROLL
8137E   EIGHTROLL
8137E   8ROLL
81383   DUMP
81388   DUP#0=csedrp
8138D   EQcasedrop
81392   Embedded?
81397   GETLAMPAIR
8139C   #MAX
813A1   #MIN
813A6   #NOT
```

```
813AB   #OR
813B0   #XOR
813B5   #*OVF
813BA   #1<>
813BF   #1=
813C4   #2=
813CE   2RDROP
813D3   ?SEMI
813D8   case
813DD   case2DROP
813E2   case2drop
813E7   caseDROP
813EC   casedrop
813F1   COLACOLA
813F6   COLA_EVAL
813FB   COLARPITE
81400   COLAcase
81405   IT
8140A   ITE
8140F   ITE_DROP
81414   NOT?SEMI
81419   NOTcase
8141E   NOTcase2DROP
81423   NOTcase2drop
81428   NOTcaseDROP
8142D   NOTcasedrop
81432   RDROPCOLA
81437   RSWAP
8143C   XYZ>YXZ
8143C   ROTSWAP
81441   ROTDROPSWAP
81441   XYZ>ZY
81446   ROTDROP
81446   XYZ>YZ
8144B   SWAPROT
8144B   XYZ>ZYX
8144B   UNROTSWAP
81450   7DROP
81455   SWAPDROP
81455   XY>Y
8145A   9ROLL
8145F   XYZ>Z
8145F   UNROT2DROP
8145F   ROTROT2DROP
81464   4UNROLL3DROP
81464   XYZW>W
81469   3RDROP
8146E   #-PICK
81473   #+PICK
81478   #1+PICK
8147D   #2+PICK
81482   #3+PICK
81487   #4+PICK
8148C   ticR
81491   EXPAND
81496   ROM-WORD?
8149B   3DROP
8149B   XYZ>
814A0   3PICK
814A5   3UNROLL
814AA   4DROP
814AA   XYZW>
814B4   XYZW>YZWX
814B4   4ROLL
814B4   FOURROLL
814B9   FOURUNROLL
814B9   XYZW>WXYZ
814B9   4UNROLL
814BE   5DROP
814C3   5PICK
814C8   5ROLL
814C8   FIVEROLL
814CD   5UNROLL
814CD   FIVEUNROLL
814D2   6DROP
814D7   6PICK
814DC   7PICK
814E1   8PICK
814E6   9PICK
814EB   10PICK
814F0   #-ROLL
814F5   #+ROLL
814FA   #1+ROLL
814FF   #2+ROLL
81504   #-UNROLL
81509   #+UNROLL
8150E   #1+UNROLL
81513   #2+UNROLL
81518   OVEREQcase
8151D   OVER#=
81522   DROPTRUE
81527   DROPFALSE
8152C   DROPSWAP
81531   ROT2DROP
81531   XYZ>Y
81531   DROPSWAPDROP
81536   SWAPDUP
8153B   ROTDUP
81540   SWAP#-
81545   DROPDUP
8154A   DUPLEN$
8154F   #+DUP
81554   SWAPDROPDUP
81559   UNROTDROP
81559   SWAPDROPSWAP
81559   XYZ>ZX
8155E   2DUP#>
81563   DUP#1+
81568   SWP1+
81568   SWAP#1+
8156D   DROPONE
81572   2DUP#<
81577   2DUP#=
8157C   DUP#0=
```

```
81581   #3=
81586   DUP#1=
8158B   DUP#0<>
81590   !!append$
81595   #-#2/
8159A   DROPZERO
8159F   2DROP00
815A4   #3+
815A9   #4+
815AE   #5+
815B3   #0=?SEMI
815B8   get1
815BD   6ROLL
815BD   SIXROLL
815C2   6UNROLL
815C2   SIXUNROLL
815C7   DUPUNROT
815C7   SWAPOVER
815CC   UNROT
815CC   XYZ>ZXY
815D1   ZEROZERO
815D6   1GETLAM
815DB   1PUTLAM
815E0   2GETLAM
815E5   2PUTLAM
815EA   3GETLAM
815EF   3PUTLAM
815F4   4GETLAM
815F9   4PUTLAM
815FE   5GETLAM
81603   5PUTLAM
81608   6GETLAM
8160D   6PUTLAM
81612   7GETLAM
81617   7PUTLAM
8161C   8GETLAM
81621   8PUTLAM
81626   9GETLAM
8162B   9PUTLAM
81630   10GETLAM
81635   10PUTLAM
8163A   11GETLAM
8163F   11PUTLAM
81644   12GETLAM
81649   12PUTLAM
8164E   13GETLAM
81653   13PUTLAM
81658   14GETLAM
8165D   14PUTLAM
81662   15GETLAM
81667   15PUTLAM
8166C   16GETLAM
81671   16PUTLAM
81676   17GETLAM
8167B   17PUTLAM
81680   18GETLAM
81685   18PUTLAM
8168A   19GETLAM
8168F   19PUTLAM
81694   20GETLAM
81699   20PUTLAM
8169E   21GETLAM
816A3   21PUTLAM
816A8   22GETLAM
816AD   22PUTLAM
816B2   CACHE
816B7   TYPEARRY?
816BC   TYPEBINT?
816C1   TYPECARRY?
816C6   TYPECHAR?
816CB   TYPECMP?
816D0   TYPECOL?
816D5   TYPECSTR?
816DA   TYPEEXT?
816DF   TYPEGROB?
816E4   TYPEHSTR?
816E9   TYPEIDNT?
816EE   TYPELAM?
816F3   TYPELIST?
816F8   TYPERARRY?
816FD   TYPEREAL?
81702   TYPEROMP?
81707   TYPERRP?
8170C   TYPESYMB?
81711   BAK>HOME
81716   BAK>OB
8171B   PORTOADDR
81720   BAKNAME
81725   '
8172A   'R
8172F   'REVAL
81734   >R
81739   +LOOP
8173E   ?SKIP
8173E   NOT_IT
81743   AGAIN
81748   BEGIN
8174D   COLA
81752   DO
81757   EVAL
8175C   INDEX@
81761   INDEXSTO
81766   ISTOP@
8176B   ISTOPSTO
81770   JINDEX@
81775   JINDEXSTO
8177A   JSTOP@
8177F   JSTOPSTO
81784   LOOP
81789   NOP
8178E   R>
81793   R@
81798   RDROP
8179D   REPEAT
```

817A2 RPIT
817A7 RPITE
817AC SKIP
817B1 UNTIL
817B6 WHILE
817BB ABND
817C0 DOBIND
817C5 GETLAM
817CA PUTLAM
817CF #*
817D4 #+
817D9 #-
817DE #/
817E3 #AND
817E8 #1+
817ED #1-
817F2 #2*
817F7 #2+
817FC #2-
81801 #2/
81806 #=
8180B #<>
81810 #<
81815 #>
8181A #0=
8181F #0<>
81824 AND
8182E NOT
81833 OR
8183D XOR
81842 EQ
81847 EQUAL
8184C TYPE
81851 'DROPFALSE
81856 NEWINDEP
8185B DropSysObs
81860 ABUFF
81865 DISPN
81865 BIGDISPN
8186A DISPROW1
8186A DISP@01
8186A BIGDISPROW1
8186F DISPROW2
8186F DISP@09
8186F BIGDISPROW2
81874 DISPROW3
81874 BIGDISPROW3
81874 DISP@17
81879 BIGDISPROW4
81879 DISP@25
81879 DISPROW4
8187E DISPROW5
81883 DISPROW6
81888 DISPROW7
8188D DISPROW8
81892 GBUFF
81897 GROB!
8189C GROB!ZERO
818A1 HARDBUFF
818A6 HARDBUFF2
818AB INVGROB
818B0 MAKEGROB
818B5 SUBGROB
818BA $>BIGGROB
818BF $>GROB
818C4 $>grob
818C9 #>$
818CE Putbitmap
818D3 Orbitmap
818D8 Xorbitmap
818DD NotAndbitmap
818E2 Put3x5
818E7 Put5x7
818EC #NEG
818F1 #DIV
818F6 #MOD
818FB #>=
81900 #<=
81905 #ODD
8190A d>
8190F d<
81914 d>=
81919 d<=
8191E d*
81923 dDIV
81928 dMOD
8192D dmuldiv
81932 d>%
81937 INT_00
8193C INT_01
81941 INT_02
81946 INT_03
8194B INT_04
81950 INT_05
81955 INT_06
8195A INT_07
8195F INT_08
81964 INT_09
81969 INT_0A
8196E INT_0B
81973 INT_0C
81978 INT_0D
8197D INT_0E
81982 INT_0F
81987 CAND
8198C COR
81991 TopicVarN@
81996 TopicVarN!
8199B BinLookup
819A0 CARCOMP
819A5 INNERCOMP
819AA LENCOMP
819AF NTHELCOMP
819B4 NULLCOMP?

```
819B9   SUBCOMP
819BE   OCRC
819C3   OSIZE
819C8   &$
819CD   >H$
819D2   >T$
819D7   CAR$
819DC   LEN$
819E1   NULL$?
819E6   SUB$
819EB   ERROR@
819F0   ERRORSTO
819F5   ERRORCLR
819FA   DROPNULL$
819FF   TWODROPNULL$
81A04   GETEXITMSG
81A09   EXITMSGSTO
81A0E   ERRSET
81A13   ERRTRAP
81A18   ERRJMP
81A1D   SETLBERR
81A22   SETMEMERR
81A27   SETROMPERR
81A2C   ATTNFLGCLR
81A31   CHECKKEY
81A36   GETTOUCH
81A3B   REPKEY?
81A40   GARBAGE
81A45   MEM
81A4A   TOTEMPOB
81A4F   INTEMNOTREF?
81A54   ClrSysFlag
81A59   ClrUserFlag
81A5E   SetSysFlag
81A63   SetUserFlag
81A68   TestSysFlag
81A6D   TestUserFlag
81A72   SUB$1#
81A77   AlowPrlcdCl
81A7C   AllowPRLCD
81A81   SetEcma94
81A86   FLUSHKEYS
81A86   FLUSH
81A8B   CLCD10
81A90   ATTN?
81A95   SLOW
81A9A   VERYSLOW
81A9F   VERYVERYSLOW
81AA4   MDIMS
81AA9   PUTEL
81AAE   !REDIMTEMP
81AB3   !REDIMUSER
81AB8   !MATTRNnc
81ABD   GDISP?
81AC2   HEIGHTENGROB
81AC7   KILLGDISP
81ACC   TOADISP
81AD1   TOGDISP
81AD6   WINDOWCORNER
81ADB   WINDOWDOWN
81AE0   WINDOWLEFT
81AE5   WINDOWRIGHT
81AEA   WINDOWUP
81AEF   WINDOWXY
81AF4   PIXOFF
81AF9   PIXOFF3
81AFE   PIXON
81B03   PIXON?
81B08   PIXON3
81B0D   PIXON?3
81B12   OLASTOWDOB!
81B12   OLastRomWrd!
81B17   ERRBEEP
81B1C   setbeep
81B21   RDUP
81B26   RROLL
81B2B   RPICK
81B30   CopyRegCOb
81B35   NEXTCOMPOB
81B3A   POS$
81B3F   POS$REV
81B44   POSCHR
81B49   POSCHRREV
81B4E   ClrDA1Bad
81B53   ClrDA2aBad
81B58   ClrDA2bBad
81B5D   ClrDA2bNoCh
81B62   DA1Bad?
81B67   DA2aBad?
81B6C   DA2bNoCh?
81B71   SetDA1Bad
81B76   SetDA1IsStat
81B7B   SetDA1NoCh
81B80   SetDA2aBad
81B85   SetDA2aNoCh
81B8A   SetDA2bBad
81B8F   SetDA2bNoCh
81B94   SetDA3Bad
81B99   SetDA3NoCh
81B9E   SetDA3ValidF
81BA3   SetNoRollDA2
81BA8   INHARDROM?
81BAD   GROBDIM
81BB2   LINEOFF
81BB7   LINEOFF3
81BBC   LINEON
81BC1   LINEON3
81BC6   TOGLINE
81BCB   TOGLINE3
81BD0   LINECHANGE
81BD5   ARSIZE
81BDA   DIMLIMITS
81BDF   GETATELN
81BE4   MAKEARRY
```

81BE9 #>CHR
81BEE #>HXS
81BF3 $>ID
81BF8 %>C%
81BFD C%>%
81C02 CHR>#
81C07 ID>$
81C0C #>ROMPTR
81C11 @
81C16 @LAM
81C1B COMPROMID
81C20 COMPILEID
81C25 CONTEXT!
81C2A CONTEXT@
81C2F CREATE
81C34 SYSCONTEXT
81C34 HOMEDIR
81C39 InitEnab
81C3E MAKERRP
81C43 OFFSRRP
81C48 ONSRRP?
81C4D PURGE
81C57 LASTRAM-WORD
81C5C PREVRAM-WORD
81C61 REPLACE
81C66 ROMPTR>#
81C6B ROMPTR@
81C70 STO
81C75 STOLAM
81C7F SYSRRP?
81C84 TOSRRP
81C89 tok8cktrior
81C8E tok8trior
81C93 nultrior
81C98 SETNONEXTERR
81C9D SETSIZEERR
81CA2 SETTYPEERR
81CA7 SETSTACKERR
81CAC ABSCOERCE
81CB1 COERCE
81CB6 UNCOERCE
81CBB COMPEVAL
81CD9 CK&DISPATCH0
81CDE CK&DISPATCH1
81CE3 CK&DISPATCH2
81CE8 !>ARRAY
81CF2 top&
81CF7 psh1&
81CFC psh1&rev
81D01 psh
81D06 roll2ND
81D0B roll3RD
81D10 unroll2ND
81D15 unroll3RD
81D1A rollNTH
81D1F roll4TH
81D24 unroll4TH
81D29 unrollNTH
81D2E ROT#1+UNROT
81D33 NULLargcase
81D38 DEPTH
81D3D DUP
81D42 2DUP
81D47 NDUP
81D4C SWAP
81D51 DROP
81D56 2DROP
81D5B NDROP
81D60 ROT
81D65 OVER
81D6A PICK
81D6F ROLL
81D74 UNROLL
81D79 BREAK
81D7E GETSERIAL
81D83 UARTBUFLEN
81D88 OpenUart?Clr
81D8D SetInAplet
81D92 ClrInAplet
81D97 InApletF?
81D9C SV_?defined
81DA1 CalcDir+Offs
81DA6 AppDir+Offs
81DAB Contxt+Offs
81DB0 LastBut0
81DB5 LastBut1
81DBA LastBut2
81DBF LastBut3
81DC4 LastBut4
81DC9 LastBut5
81DCE LastBut6
81DD3 LastBut7
81DD8 LastBut8
81DDD LastBut9
81DE2 LastBut10
81DE7 LastBut11
81DEC LastBut12
81DF1 LastBut13
81DF6 LastBut14
81DFB LastBut15
81E00 LastBut16
81E05 LastBut17
81E0A LastBut18
81E0F LastBut19
81E14 LastBut20
81E19 LastBut21
81E1E LastBut22
81E23 LastBut23
81E28 LastBut24
81E2D LastBut25
81E32 LastBut26
81E37 LastBut27
81E3C LastBut28
81E41 LastBut29

81E46 LastBut30
81E4B LastBut31
81E50 LastBut32
81E55 LASTBUTN
81E5A Bubble
81E64 MATCON
81E6E MATREDIM
81E78 MATTRN
81E82 REDIMPREP
81E8C >HCOMP
81E96 >TCOMP
81EA0 CDRCOMP
81EB4 AttnPOSCOMP
81EBE EQUALPOSCMP
81EC8 Lookup
81ED2 Lookup.1
81EDC POSCOMP
81EE6 PUTLIST
81EF0 ::N
81EFA {}N
81F04 SYMBN
81F0E EXTN
81F18 &COMP
81F22 ClrListUtil
81F2C ClearList1
81F36 ClearList2
81F40 ClearList3
81F4A ClearList4
81F54 ClearList5
81F5E ClearList6
81F68 ClearList7
81F72 ClearList8
81F7C ClearList9
81F86 ClearList0
81F90 ListNames
81F9A ABORT
81FA4 blackbox
81FAE DUP#0=case
81FB8 EVALCRUNCH
81FC2 xEVAL
81FC7 NUMEVAL1
81FD1 ORcase
81FDB FalseFalse
81FE5 SafeCrunch%
81FEF DA1OK?
81FF9 DA2aOK?
82003 DA2bOK?
8200D DA2OK?
82017 DA3OK?
82021 DAsOK?
8202B DA2aLess1OK?
82035 SetDA1Valid
8203F SetDA2aValid
82049 SetDA2bValid
82053 SetDA2Valid
8205D SetDA3Valid
82067 SetDA1Temp
82071 SetDA2aTemp
8207B SetDA3Temp
82085 SetDA2aEcho
8208F ClrDA1OK
82099 ClrDA2aOK
820A3 ClrDA2bOK
820AD ClrDA2OK
820B7 ClrDA3OK
820C1 SetDA2NoCh
820CB SetDA12NoCh
820D5 SetDA23NoCh
820DF SetDA13NoCh
820E9 SetDA12a3NoCh
820E9 SetDA12a3NCh
820F3 SetDAsNoCh
820FD SetDA2Temp
82107 SetDA12Temp
82111 SetDAsTemp
8211B AnyDABad?
82125 SetDAsBad
8212F DO#EXIT
82139 DO$EXIT
82143 AddEq$
8214D AlDrawMenu
82157 BLANKIT
82161 CHECKPICT
8216B check_xrange
82175 check_yrange
8217F CKGROBFITS
82189 DefauPtXit
82193 DefauTrcInit
8219D DispXFunc
821A7 DispYFunc
821B1 DOCLLCD
821BB DOERASE
821C5 DoDemo
821CF DODISP
821D9 DOLCD>
821E3 DOLCD>g0
821ED DOSHOWIT1
821F7 DOSHOWIT1C
82201 EraseGrob
8220B FuncPLoop
82215 FUNCPLOT
8221F GDISPCENTER
82229 GETXMIN
82233 GETYMIN
8223D GETXMAX
82247 GETYMAX
82251 GROB+#
8225B GROBBUFF!
82265 GROB>GDISP
8226F GROBVIEW
82279 InitIndep
82283 Init_window
8228D JUMPBOT
82297 JUMPTOP

822A1 JUMPLEFT
822AB JUMPRIGHT
822B5 MakeBoxLabel
822BF MakeDirLabel
822C9 MakeInvLabel
822D3 MakeStdLabel
822DD PickedEqs@
822E7 PUTXMIN
822F1 PUTYMIN
822FB PUTXMAX
82305 PUTYMAX
8230F RECLAIMDISP
82319 s1>
82323 SCROLLDOWN
8232D SCROLLLEFT
82337 SCROLLRIGHT
82341 SCROLLUP
8234B Set_window
82355 SplitTraceInit
8235F Std/BoxLabel
82369 StndXYCoord?
82373 TBColL3x5
8237D TBColL5x7
82387 TBColR3x5
82391 TBColR5x7
8239B TBDrawF3x5
823A5 TBDrawF5x7
823AF TBErrorGrob
823B9 TBFormat
823C3 TBInv3x5C0
823CD TBInv3x5C1
823D7 TBInv3x5C2
823E1 TBInv3x5C3
823EB TBInv5x7C0
823F5 TBInv5x7C1
823FF TBInv5x7C2
82409 TBRollD3x5
82413 TBRollD5x7
8241D TBRollU3x5
82427 TBRollU5x7
82431 TDDat3x5C1
8243B TDDat3x5C2
82445 TDDat3x5C3
8244F TDDat3x5C4
82459 TDDat3x5C5
82463 TDDatD3x5
8246D TDDatL3x5
82477 TDDatR3x5
82481 TDDatU3x5
8248B TDDataF3x5
82495 TraceY
8249F TURNMENUOFF
824A9 TURNMENUON
824B3 MENUOFF?
824BD UnpackGrob
824C7 WINDOWBOT?
824D1 WINDOWLEFT?
824DB WINDOWRIGHT?
824E5 WINDOWTOP?
824EF XYGROBDISP
824F9 DoEditLine
82503 TBEdSfKeys
8250D DoEditLCancel
82517 DoEditLOK
82521 PrepEdLKeyOb
82535 2ColChoose
8253F 2CDispList
82549 SwapL/RMets
82553 SaveListMets
8255D InitListMets
82567 Init2ColMets
82571 2Col?Case2Col
8257B DoAs2Col
82585 EmptyRList?
825DF 2CKeyOK
825E9 DoDispBorder
825F3 DoDispPrompt
825FD DoDispList
82607 DoSaveCovWin
82611 DoRestCovWin
8261B MoreU/D?
82625 LHighlight
8262F LUnHighlight
82639 ?DispMoreU/D
82643 MoreUp?
8264D MoreDown?
82657 grobMoreUp
82661 grobMoreDown
8266B grobNoMore
82675 GetDASpecFlag
8267F PutDASpecFlag
82689 EmptyList?
8269D LEDispBorder
826C5 LESetItem
826CF LESetIDecomp
826D9 LESetRowWidth
826E3 ListBar
826ED ?AdjFocusPos
826F7 grobPOBox2
82701 grobPOBox3
8270B grobPOBox4
82715 grobPOBox5
8271F grobPOBoxP2
82729 grobPOBoxP3
82733 grobPOBoxP4
8273D DoInputForm
82747 IFMenu
82751 IFEdLineMenu
8275B IFEDispClient
82765 IFEDispTitle
8276F IFEDispLabel
82783 DoDispField
8278D IFEUnShowSel
82797 InvertField

827A1 IFEDispHelp
827AB IFECheck
827B5 IFEChooseNext
827BF IFEChoosByChr
827D3 DoKeyChoos/Ck
827DD DoKeyChoose
827E7 DoKeyCheck
82805 SelNextField
8280F SelPrevField
82823 Sel&DispNextF
8282D IsIFMenu?
82837 FitLeftSmF
82841 FitRightSmF
8284B WidthSmF
82855 GetNextFId
8285F GetPrevFId
82869 DecompOb
82873 StdDecompNoNL
8287D DecompNoNL
82887 RclFieldVal
82891 IsNullField?
8289B ?GetFObTypes
828A5 GetChoiceList
828AF GetChoiceFmt
828B9 RclResetVal
828C3 DoMatEdit
828EB NextTextLine
828FF DoQueryBox
82909 DoAlert&Query
82913 DoSpecAlert
8291D BlankClient
82927 BlankHelp
82931 GtoField
8293B GetPart1
82945 GetPart2
8294F GetPart3
82959 EvalPart1
82963 EvalPart2
8296D EvalPart3
82977 KeyFace
82981 FAreaBad?
8298B SetFAreaOK
82995 SetFAreaBad
8299F SetFAreasOK
829A9 SetFAreasBad
829B3 MakeTitleBar
829BD ?FixFieldKeys
829C7 Choose&DoTask
829D1 PlaceFVals
829DB Done?CkNoNul:
829E5 #=Lookup
829EF ?GetMsg
829F9 DoResultTab
82A03 LockAlpha
82A0D UnLockAlpha
82A17 grobCheck
82A21 grobCheckX
82A2B grobInvChk
82A35 grobInvChkX
82A3F grobUnCheckX
82A49 grobInvUnChkX
82A53 grobInvNoChk
82A71 grobQueryIcon
82A7B grobTitleBar
82A85 FTypeText?
82A8F FTypeList?
82A99 FTypeFixedL?
82AA3 FTypeCheck?
82AAD DoSendOb
82AB7 DoSendObToEl
82AC1 DoSendObToSto
82ACB DoSendObToCDi
82AD5 DoSendObToDir
82ADF docr
82AE9 DoRecv/GetOb
82AF3 DoRecvObFrEls
82AFD DoGetObFrSto
82B07 StdIOProc
82B11 GetObTypePr$
82B1B GetObType$
82B25 DoIOStatusBox
82B2F DoIOErrAlert
82B39 ElsieGet
82B43 ElsieSend
82B4D ElsiePkt
82B57 DOFINISH
82B61 SEFINISH
82B6B PrintHist
82B75 PrintVar
82B7F PrintVarOb
82B89 PrintLcd
82B93 prx1
82B9D OpenIO
82BA7 PUTSERIAL
82BB1 PRINT
82BBB 'DoBadKey
82BC5 ?ATTN_QUIT
82BC5 ?ATTNQUIT
82BCF ?CaseKeyDef
82BD9 Ck&DecKeyLoc
82BE3 CodePl>%rc.p
82BED ?CaseRomptr@
82BF7 ?NoTaskSwDef
82C01 DOWAIT
82C0B dowait
82C15 Box/StdLabel
82C1F DispMenu
82C29 DispMenu.1
82C3D GETKEY
82C47 InitMenu
82C51 IsTaskSwKey?
82C5B KEYINBUFFER?
82C65 Key>StdKeyOb
82C6F ModifierKey?

82C79 NoExitAction
82C8D POLSaveUI
82C97 POLKeyUI
82CA1 POLResUI&Err
82CAB POLRestoreUI
82CB5 POLSetUI
82CBF POLSetUIExt
82CC9 POLErrorTrap
82CD3 ParOuterLoop
82CDD REPEATER
82CE7 REPEATERCH
82CFB TempMenuBuff
82D05 TurnOff
82D0F WaitForKey
82D19 CHANGETYPE
82D23 CKREF
82D2D CREATEDIR
82D37 MemStoAns
82D41 Port0Ids
82D4B NULLID
82D55 StoVar
82D5F XEQSETLIB
82D69 StoAns@
82D73 StoAns@Drp
82D7D UserSto
82D87 XSTOp
82D91 XSTOp0
82D9B XRCLp
82DA5 X@
82DAF XPURGEp
82DB9 XPURGEp0
82DC3 HOME>BAK
82DCD OB>BAK
82DD7 GetBVars.1
82DE1 GetApDirLst
82DEB CatThisCxt
82DF5 CatPgm
82DFF CatNot
82E09 DoInApLbCxt
82E13 DoInPgmCxt
82E1D DoInNotCxt
82E27 GetNextToken
82E31 realPA
82E3B solverTTT
82E45 !*triand
82E4F 'Rapndit
82E59 1GETapndcpl
82E63 FOURpsh
82E77 P::N
82E8B SWAPcompSWAP
82E95 'RSWP1+
82E9F apndit
82EA9 chooselst
82EB3 completed
82EBD dvbind
82EC7 elsiename
82ED1 failed
82EDB filename
82EE5 newsymbPA
82EEF oneexpr
82EF9 onestring
82F03 optfilename
82F0D threeexprs
82F17 tok;triand
82F21 toktriand
82F2B twoexprs
82F35 twostrings
82F3F %0<>
82F49 %0>=
82F53 %D>R
82F5D %FACT
82F67 %HMS+
82F71 %HMS-
82F7B %HMS>
82F85 %>HMS
82F8F %MAX
82F99 %MIN
82FA3 %POL>%REC
82FAD %R>D
82FB7 %RANDOMIZE
82FC1 %REC>%POL
82FCB %SPH>%REC
82FD5 DOROOT
82FDF RNDXY
82FE9 SYMBNUMSOLVE
82FF3 TRCXY
82FFD ?>ROMPTR
83007 ?ROMPTR>
83011 RESOROMP
8301B PTYPE>PINFO
83025 tTYPE@
8302F GetElNoRomp
83039 DoRomPtrKey
83043 resolved
8304D NDUPN
83057 metaDUP
83061 psh&
8306B psh1
83075 psh1top&
8307F &&
83089 pshmonop
83093 psharg
8309D pshtop&
830A7 pshzer
830B1 #1-SWAP
830B1 pull
830BB pullrev
830C5 pullpsh1&
830CF reversym
830D9 unsyminner
830E3 syminner&
830ED syminnertwo
830F7 syminner&N
83101 argswap&&

8310B argswap
83115 argswapnext
8311F numargs
83129 metainsert
83133 verysyminner
8313D veryunsymin
83147 unsymone
83151 vunsymfcn
8315B M+prep
83165 APPEND_SPC
8316F !append$
83179 CDR$
83183 DECOMP$
8318D DO>STR
83197 EDITDECOMP$
831A1 SafeDecomp
831AB StripTicks
831B5 SWAP&$
831BF Decomp%Short
831C9 BIND
831D3 SysTime
831D3 CLKTICKS
831DD GETTHEMESG
831E7 JstGETTHEMSG
831E7 JstGetTHEMESG
831F1 alg=
831FB Replace_List
83205 startSQFORM
8320F symcomp
83219 PlotViewUI
83223 StdTableViewUI
8322D SymbViewUI
83237 PlotOvViewUI
83241 TBStdZooms
8324B TBStndSplitInfo
83255 TablSetViewUI
8325F TopOuterLoop
83269 TOLSaveUI
83273 TOLSetTopicUI
8327D TOLSetViewUI
83287 TOLKeyUI
83291 TOLErrorTrap
8329B TOLResUI&Err
832A5 TOLRestoreUI
832AF ?ExitThisTop
832B9 AngleLabel
832C3 AngleField
832CD DoCurrAplet
832D7 DoCApPlotV
832E1 DoCApTableV
832EB DoCApSymbV
832F5 DoCApPlotSV
832FF DoCApTableSV
83309 DoCApSymbSV
83313 DoCApNoteV
8331D DoCApSketchV
83327 FuncPSetup1
83331 FuncSplitViewers
8333B PrepCurrAplet
83345 SelectAplet
8334F StoAplet
83359 PurgeAplet
83363 PurgeApletOb
8336D RclAplet?Err
83377 RclAplet
83381 NextApOfType
8338B Make1stAplet
83395 GetLastNotThis
8339F ApNameId>Id
833A9 Id>ApNameId
833B3 ApNameId>$
833BD ApName$>Id
833C7 DoApletLib
833D1 InpFormViewUI
833DB InpFormVEntry
833E5 InpFormVExit
833EF ChooseVEntry
833F9 ChooseVExit
83403 ChooseViewUI
8340D MakePlotVTtl
83417 MakePlotSVTtl
83421 MakeNumVTtl
8342B MakeNumSVTtl
83435 MakeSymbVTtl
8343F MakeSymbSVTtl
83449 MakeNoteVTtl
83453 MakeSketVTtl
8345D MakeViewTitle
83467 InAplet?
83471 SV_actual
8347B SV_calledit
83485 SV_getbody
8348F SV_keycancel
83499 SV_keycheck
834A3 SV_keyedit
834AD SV_keyeval
834B7 SV_keyok
834C1 SV_keyshow
834CB SV_setgrob19
834D5 SV_setitem0
834DF topic_install
834E9 topic_uninstall
834F3 EnterTextView
834FD EnterGraphView
83507 LeaveTextView
83511 LeaveGraphView
8351B DTYPEARRY?
8351B DUPTYPEARRY?
83525 DUPTYPEBINT?
8352F DUPTYPECHAR?
83539 DUPTYPECMP?
83543 DUPTYPECOL?
83543 DTYPECOL?
8354D DUPTYPECSTR?

8354D DTYPECSTR?
83557 DUPTYPEEXT?
83561 DUPTYPEGROB?
8356B DUPTYPEHSTR?
83575 DUPTYPEIDNT?
8357F DUPTYPELAM?
83589 DTYPELIST?
83589 DUPTYPELIST?
83593 DUPTYPEREAL?
83593 DTYPEREAL?
8359D DUPTYPEROMP?
835A7 DUPTYPERRP?
835B1 DUPTYPESYMB?
835BB DUPTYPETAG?
835C5 {NoteText}
835CF {NumVars}
835D9 {SketchSet}
835E3 2DROPFALSE
835F7 INCOMPDROP
8360B NTHCOMPDROP
8361F APPEND_SPACE
83633 7UNROLL
83647 #0=UNTIL
83674 DUP@
83688 DUPROMPTR@
8369C #=ITE
836B0 INNERDUP
836C4 NOTAND
836D8 TOTEMPSWAP
836EC ROT2DUP
83700 ROTAND
83714 ROTOVER
83728 DUPDUP
8373C OVERDUP
83750 COERCEDUP
83764 UNROTDUP
83778 4UNROLLDUP
8378C NTHCOMDDUP
837A0 OVERSWAP
837A0 OVERUNROT
837B4 ROLLSWAP
837C8 NULL$SWAP
837DC SUB$SWAP
837F0 %MAXorder
8380E ?SKIPSWAP
83822 1ABNDSWAP
8383B ROT+SWAP
8383B ROT#+SWAP
83854 4PICK+SWAP
83854 4PICK#+SWAP
8386D #+SWAP
83881 #-SWAP
83895 #1+SWAP
838A9 ZEROSWAP
838BD #1-1SWAP
838D6 ONESWAP
838EA COERCESWAP
838FE %>%%SWAP
83926 XYZ>ZTRUE
8393A 4ROLLSWAP
8394E 3PICKSWAP
83962 4PICKSWAP
83976 1GETSWAP
8398A ?SWAP
8399E !append$SWAP
839B2 NOT?SWAPDROP
839CB ?SWAPDROP
839E4 #1+NDROP
839E4 N+1DROP
839F8 ROLLDROP
83A0C MDIMSDROP
83A20 DUPROT
83A34 DROPROT
83A48 #1-ROT
83A70 4ROLLROT
83A70 FOURROLLROT
83A84 4UNROLLROT
83A98 DROPOVER
83AAC EQOVER
83AC0 #+OVER
83AD4 #-OVER
83AE8 ZEROOVER
83AFC UNROTOVER
83B10 4ROLLOVER
83B24 3PICKOVER
83B38 4PICKOVER
83B4C DUPPICK
83B60 DUPROLL
83B88 8UNROLL
83B9C 10UNROLL
83BB0 OVERARSIZE
83BC4 'ERRJMP
83BD8 caseERRJMP
83BEC ?CARCOMP
83C00 NEWLINE$&$
83C00 NEWLINE&$
83C14 #1-{}N
83C28 TWO{}N
83C3C THREE{}N
83C50 DUPINCOMP
83C64 SWAPINCOMP
83C78 DUPNULL$?
83C8C DUPNULLCOMP?
83CA0 DUPLENCOMP
83CB4 #1-SUB$
83CC8 1_#1-SUB
83CC8 1_#1-SUB$
83CDC LAST$
83CF0 #1+LAST$
83D04 DUP$>ID
83D18 SWAP%>C%
83D2C 'NOP
83D40 ::NEVAL
83D54 2GETEVAL

83D68 DROPRDROP
83D81 SWAPCOLA
83D95 XYZ>ZCOLA
83DA9 #0=?SKIP
83DC2 #1=?SKIP
83DDB #=?SKIP
83DF4 ONE_EQ
83E08 #>?SKIP
83E21 COLASKIP
83E35 NOT_UNTIL
83E4E NOT_WHILE
83E67 DUP#0<>WHILE
83E80 DUPINDEX@
83E94 SWAPINDEX@
83EA8 OVERINDEX@
83EBC SWAPLOOP
83ED5 DROPLOOP
83EEE DUP#0_DO
83F07 toLEN_DO
83F25 1GETABND
83F39 DUP1LAMBIND
83F3E 1LAMBIND
83F52 caseTRUE
83F66 TRUEFALSE
83F66 TrueFalse
83F7A FALSETRUE
83F7A FalseTrue
83F8E ZEROFALSE
83FA2 ONEFALSE
83FB6 #=casedrpfls
83FD9 casedrpfls
83FF2 case2drpfls
8400B caseFALSE
8401F ORNOT
84033 EQUALNOT
84047 2DUPEQ
8405B EQOR
8406F EQUALOR
84083 2#0=OR
840A1 OVER#0=
840B5 OVER#<
840C9 #<3
840DD DUP#<7
840F6 INNER#1=
8410A #5=
8411E #2<>
84132 OVER#>
84146 #>1
84146 ONE#>
8415A 2DUP#+
8415A DUP3PICK#+
8416E ROT#+
84182 OVER#+
84196 3PICK#+
841AA 4PICK#+
841BE ROT#-
841D2 OVER#-
841E6 INDEX@#-
841FA SWAPOVER#-
8420E ROT#1+
84222 SWAP#1-
84236 DROP#1-
8424A ERROROUT
8425E SWAP2DUP
84272 RSKIP
84290 GROB!ZERODRP
842A4 casedrptru
842BD NOTcaseTRUE
842D6 NOTcaseFALSE
842EF ?SEMIDROP
84308 SWAPUnDROP
8431C SWAPUnNDROP
84330 DUP'
84344 SWAP'
84358 DROP'
8436C OVER'
84380 STO'
84394 TRUE'
843A8 ONEFALSE'
843C1 FALSE'
843D5 #1+'
843E9 'R'R
84407 'RRDROP
84420 ONECOLA
84434 dvarlsBIND
84448 'LAMLNAMESTO
84461 'xDEREQ
8447A DUPNULL{}?
84493 DUPZERO
844A7 DUPONE
844BB SWAPONE
844CF ONEDUP
844CF ONEONE
844E3 DUPTWO
844F7 NOTcsdrpfls
84510 caseSIZEERR
84524 NcaseSIZEERR
84538 CKREAL
84551 NcaseTYPEERR
84579 'xDER
8458D %%/>%
845A1 UNCOERCE%%
845B5 DUP%0=
845C9 SWAP%%/
845DD caseDrpBadKy
845F6 caseDEADKEY
845F6 caseDoBadKey
8460F GROBDIMw
84637 XYZW>YWZX
84637 SWAP4ROLL
8464B 2DUP5ROLL
8465F SWAP3PICK
84673 3PICK3PICK
84687 SWAP4PICK

```
8469B   OVER5PICK
846AF   EQUALcasedrp
846C8   DUP#0=csDROP
846E1   jEQcase
846F5   ANDcase
84709   EQUALcase
8471D   #<case
84731   #1=case
84745   #<>case
84759   #>2case
84772   #>case
84786   j%0=case
8479A   REALcase
847AE   dARRYcase
847C2   dLISTcase
847D6   EditExstCase
847EA   ANDNOTcase
847FE   EQUALNOTcase
84812   dIDNTNcase
84826   dREALNcase
8483A   EQIT
84853   DUP#0=IT
8486C   ANDITE
84880   EQITE
84894   #0=ITE
848A8   #<ITE
848BC   #>ITE
848D0   DUP#0=ITE
848E4   UserITE
848F8   SysITE
8490C   top&Cr
84925   metaROTDUP
84939   ROTUntop&
8494D   rolltwotop&
8494D   roll2top&
84961   plDRPpZparg
84975   &$SWAP
84989   SWAPCKREF
8499D   pZpargSWAPUn
849B1   DROPNDROP
849C5   2OVER
849D9   ?Ob>Seco
849F2   Ob>Seco
84A06   2Ob>Seco
84A1A   ZEROISTOPSTO
84A1A   ExitAtLOOP
84A2E   1GETLAM#0=
84A42   OVER#1-
84A56   #=POSCOMP
84A6F   EQUALPOSCOMP
84A88   NTHOF
84A9C   EQLookup
84ABA   CHR>$
84AD3   1NULLLAM{}
84AD8   NULLLAM
84AE4   CALCCXT!
84AF4   CALCCXT@
84B04   PGMCXT!
84B14   PGMCXT@
84B24   NOTESCXT!
84B34   NOTESCXT@
84B44   apletPTR!
84B54   apletPTR@
84B64   funcPTR!
84B74   funcPTR@
84B84   polarPTR!
84B94   polarPTR@
84BA4   paramPTR!
84BB4   paramPTR@
84BC4   seqPTR!
84BD4   seqPTR@
84BE4   statPTR!
84BF4   statPTR@
84C04   solvePTR!
84C14   solvePTR@
84C24   otherPTR!
84C34   otherPTR@
84C44   TopicVar1!
84C54   TopicVar1@
84C64   TopicVar2!
84C74   TopicVar2@
84C84   TopicVar3!
84C94   TopicVar3@
84CA4   TopicVar4!
84CB4   TopicVar4@
84CC4   TopicVar5!
84CD4   TopicVar5@
84CE4   TopicVar6!
84CF4   TopicVar6@
84D04   TopicVar7!
84D14   TopicVar7@
84D24   TopicVar8!
84D34   TopicVar8@
84D44   TopicVar9!
84D54   TopicVar9@
84D64   TopicVar10!
84D74   TopicVar10@
84D84   TopicVar11!
84D94   TopicVar11@
84DA4   TopicVar12!
84DB4   TopicVar12@
84DC4   TopicVar13!
84DD4   TopicVar13@
84DE4   TopicVar14!
84DF4   TopicVar14@
84E04   TopicVar15!
84E14   TopicVar15@
84E24   TopicVar16!
84E34   TopicVar16@
84E44   TopicVar17!
84E54   TopicVar17@
84E64   TopicVar18!
84E74   TopicVar18@
84E84   TopicVar19!
```

84E94 TopicVar19@
84EA4 TopicVar20!
84EB4 TopicVar20@
84EC4 TopicVar21!
84ED4 TopicVar21@
84EE4 TopicVar22!
84EF4 TopicVar22@
84F04 TopicVar23!
84F14 TopicVar23@
84F24 TopicVar24!
84F34 TopicVar24@
84F44 TopicVar25!
84F54 TopicVar25@
84F64 TopicVar26!
84F74 TopicVar26@
84F84 TopicVar27!
84F94 TopicVar27@
84FA4 TopicVar28!
84FB4 TopicVar28@
84FC4 TopicVar29!
84FD4 TopicVar29@
84FE4 TopicVar30!
84FF4 TopicVar30@
85004 TopicVar31!
85014 TopicVar31@
85024 TopicVar32!
85034 TopicVar32@
85044 TopicVar33!
85054 TopicVar33@
85064 TopicVar34!
85074 TopicVar34@
85084 TopicVar35!
85094 TopicVar35@
850A4 TopicVar36!
850B4 TopicVar36@
850C4 TopicVar37!
850D4 TopicVar37@
850E4 TopicVar38!
850F4 TopicVar38@
85104 TopicVar39!
85114 TopicVar39@
85124 TopicVar40!
85134 TopicVar40@
85144 TopicVar41!
85154 TopicVar41@
85164 TopicVar42!
85174 TopicVar42@
85184 TopicVar43!
85194 TopicVar43@
851A4 TopicVar44!
851B4 TopicVar44@
851C4 TopicVar45!
851D4 TopicVar45@
851E4 TopicVar46!
851F4 TopicVar46@
85204 TopicVar47!
85214 TopicVar47@
85224 TopicVar48!
85234 TopicVar48@
85244 TopicVar49!
85254 TopicVar49@
85264 TopicVar50!
85274 TopicVar50@
85284 TopicVar51!
85294 TopicVar51@
852A4 TopicVar52@
852B4 TopicVar52!
852C4 TopicVar53@
852D0 doptr@
852E0 TopicVar53!
852EC doptr!
85307 TopicVar54@
85317 TopicVar54!
85327 TopicVar55@
85337 TopicVar55!
85347 TopicVar56@
85357 TopicVar56!
85367 TopicVar57@
85377 TopicVar57!
85387 TopicVar58@
85397 TopicVar58!
853A7 TopicVar59@
853B7 TopicVar59!
853C7 TopicVar60@
853D7 TopicVar60!
853E7 TopicVar61@
853F7 TopicVar61!
85407 TopicVar62@
85417 TopicVar62!
85427 TopicVar63@
85437 TopicVar63!
85447 TopicVar64@
85457 TopicVar64!
85467 TopicVar65@
85477 TopicVar65!
85487 TopicVar66@
85497 TopicVar66!
854A7 TopicVar67@
854B7 TopicVar67!
854C7 TopicVar68@
854D7 TopicVar68!
854E7 TopicVar69@
854F7 TopicVar69!
85507 TopicVar70@
85517 TopicVar70!
85527 TopicVar71@
85537 TopicVar71!
85547 TopicVar72@
85557 TopicVar72!
85567 TopicVar73@
85577 TopicVar73!
85587 TopicVar74@
85597 TopicVar74!
855A7 TopicVar75@

855B7 TopicVar75!
855C7 TopicVar76@
855D7 TopicVar76!
855E7 TopicVar77@
855F7 TopicVar77!
85607 TopicVar78@
85617 TopicVar78!
85627 TopicVar79@
85637 TopicVar79!
85647 TopicVar80@
85657 TopicVar80!
85667 TopicVar81@
85677 TopicVar81!
85687 TopicVar82@
85697 TopicVar82!
856A7 TopicVar83@
856B7 TopicVar83!
856C7 TopicVar84@
856D7 TopicVar84!
856E7 TopicVar85@
856F7 TopicVar85!
85707 TopicVar86@
85717 TopicVar86!
85727 TopicVar87@
85737 TopicVar87!
85747 TopicVar88@
85757 TopicVar88!
85767 TopicVar89@
85777 TopicVar89!
85787 TopicVar90@
85797 TopicVar90!
857A7 TopicVar91!
857B7 TopicVar91@
857C7 TOLVar1!
857D7 TOLVar1@
857E7 TOLVar2!
857F7 TOLVar2@
85807 TOLVar3!
85817 TOLVar3@
85827 TOLVar4!
85837 TOLVar4@
85847 TOLVar5!
85857 TOLVar5@
85867 TOLVar6!
85877 TOLVar6@
85887 TOLVar7!
85897 TOLVar7@
858A7 TOLVar8!
858B7 TOLVar8@
858C7 TOLVar9!
858D7 TOLVar9@
858E7 TOLVar10!
858F7 TOLVar10@
85907 TOLVar11!
85917 TOLVar11@
85927 TOLVar12!
85937 TOLVar12@
85947 TOLVar13!
85957 TOLVar13@
85967 TOLVar14!
85977 TOLVar14@
85987 TOLVar15!
85997 TOLVar15@
859A7 TOLVar16!
859B7 TOLVar16@
859C7 TOLVar17!
859D7 TOLVar17@
859E7 TOLVar18!
859F7 TOLVar18@
85A07 TOLVar19!
85A17 TOLVar19@
85A27 TOLVar20!
85A37 TOLVar20@
85A47 TOLVar21!
85A57 TOLVar21@
85A67 TOLVar22!
85A77 TOLVar22@
85A87 TOLVar23!
85A97 TOLVar23@
85AA7 TOLVar24!
85AB7 TOLVar24@
85AC7 TOLVar25!
85AD7 TOLVar25@
85AE9 TOLVar26!
85AFB TOLVar26@
85B0D TOLVar27!
85B1F TOLVar27@
85B31 TOLVar28!
85B43 TOLVar28@
85B55 TOLVar29!
85B67 TOLVar29@
85B79 TOLVar30!
85B8B TOLVar30@
85B9D TOLVar31!
85BAF TOLVar31@
85BC1 TOLVar32!
85BD3 TOLVar32@
85BE5 TOLVar33!
85BF7 TOLVar33@
85C09 TOLVar34!
85C1B TOLVar34@
85C2D TOLVar35!
85C3F TOLVar35@
85C51 TOLVar36!
85C63 TOLVar36@
85C75 TOLVar37!
85C87 TOLVar37@
85C99 TOLVar38!
85CAB TOLVar38@
85CBD TOLVar39!
85CCF TOLVar39@
85CE1 TOLVar40!
85CF3 TOLVar40@
85D05 TOLVar41!

```
85D17   TOLVar41@       85FC3 TOLVar60@       8626F TOLVar79@
85D29   TOLVar42!       85FD5 TOLVar61!       86281 TOLVar80!
85D3B   TOLVar42@       85FE7 TOLVar61@       86293 TOLVar80@
85D4D   TOLVar43!       85FF9 TOLVar62!       862A5 TOLVar81!
85D5F   TOLVar43@       8600B TOLVar62@       862B7 TOLVar81@
85D71   TOLVar44!       8601D TOLVar63!       862C9 TOLVar82!
85D83   TOLVar44@       8602F TOLVar63@       862DB TOLVar82@
85D95   TOLVar45!       86041 TOLVar64!       862ED TOLVar83!
85DA7   TOLVar45@       86053 TOLVar64@       862FF TOLVar83@
85DB9   TOLVar46!       86065 TOLVar65!       86311 TOLVar84!
85DCB   TOLVar46@       86077 TOLVar65@       86323 TOLVar84@
85DDD   TOLVar47!       86089 TOLVar66!       86335 TOLVar85!
85DEF   TOLVar47@       8609B TOLVar66@       86347 TOLVar85@
85E01   TOLVar48!       860AD TOLVar67!       86359 TOLVar86!
85E13   TOLVar48@       860BF TOLVar67@       8636B TOLVar86@
85E25   TOLVar49!       860D1 TOLVar68!       8637D TOLVar87!
85E37   TOLVar49@       860E3 TOLVar68@       8638F TOLVar87@
85E49   TOLVar50!       860F5 TOLVar69!       863A1 TOLVar88!
85E5B   TOLVar50@       86107 TOLVar69@       863B3 TOLVar88@
85E6D   TOLVar51!       86119 TOLVar70!       863C5 TOLVar89!
85E7F   TOLVar51@       8612B TOLVar70@       863D7 TOLVar89@
85E91   TOLVar52!       8613D TOLVar71!       863E9 TOLVar90!
85EA3   TOLVar52@       8614F TOLVar71@       863FB TOLVar90@
85EB5   TOLVar53!       86161 TOLVar72!       8640D TOLVar91!
85EC7   TOLVar53@       86173 TOLVar72@       8641F TOLVar91@
85ED9   TOLVar54!       86185 TOLVar73!       86431 TOLVar92!
85EEB   TOLVar54@       86197 TOLVar73@       86443 TOLVar92@
85EFD   TOLVar55!       861A9 TOLVar74!       86455 TOLVar93!
85F0F   TOLVar55@       861BB TOLVar74@       86467 TOLVar93@
85F21   TOLVar56!       861CD TOLVar75!       86479 TOLVar94!
85F33   TOLVar56@       861DF TOLVar75@       8648B TOLVar94@
85F45   TOLVar57!       861F1 TOLVar76!       8649D TOLVar95!
85F57   TOLVar57@       86203 TOLVar76@       864AF TOLVar95@
85F69   TOLVar58!       86215 TOLVar77!       864C1 TOLVar96!
85F7B   TOLVar58@       86227 TOLVar77@       864D3 TOLVar96@
85F8D   TOLVar59!       86239 TOLVar78!       864E5 TOLVar97!
85F9F   TOLVar59@       8624B TOLVar78@       864F7 TOLVar97@
85FB1   TOLVar60!       8625D TOLVar79!       86509 TOLVar98!
```

8651B TOLVar98@
8652D TOLVar99!
8653F TOLVar99@
86551 TOLVar100!
86563 TOLVar100@
86575 TOLVar101!
86587 TOLVar101@
86599 TOLVar102!
865AB TOLVar102@
865BD TOLVar103!
865CF TOLVar103@
865E1 TOLVar104!
865F3 TOLVar104@
86605 TOLVar105!
86617 TOLVar105@
86629 TOLVar106!
8663B TOLVar106@
8664D TOLVar107!
8665F TOLVar107@
86671 TOLVar108!
86683 TOLVar108@
86695 TOLVar109!
866A7 TOLVar109@
866B9 TOLVar110!
866CB TOLVar110@
866DD TOLVar111!
866EF TOLVar111@
86701 TOLVar112!
86713 TOLVar112@
86725 TOLVar113!
86737 TOLVar113@
86749 TOLVar114!
8675B TOLVar114@
8676D TOLVar115!
8677F TOLVar115@
86791 TOLVar116!
867A3 TOLVar116@
867B5 TOLVar117!
867C7 TOLVar117@
867D9 TOLVar118!
867EB TOLVar118@
867FD TOLVar119!
8680F TOLVar119@
86821 TOLVar120!
86833 TOLVar120@
86845 TOLVar121!
86857 TOLVar121@
86869 TOLVar122!
8687B TOLVar122@
8688D TOLVar123!
8689F TOLVar123@
868B1 TOLVar124!
868C3 TOLVar124@
868D5 TOLVar125!
868E7 TOLVar125@
868F9 TOLVar126!
8690B TOLVar126@
8691D TOLVar127!
8692F TOLVar127@
86941 TOLVar128!
86953 TOLVar128@
86965 TOLVar129!
86977 TOLVar129@
86989 TOLVar130!
8699B TOLVar130@
869AD TOLVar131!
869BF TOLVar131@
869D1 TOLVar132!
869E3 TOLVar132@
869F5 TOLVar133!
86A07 TOLVar133@
86A19 TOLVar134!
86A2B TOLVar134@
86A3D TOLVar135!
86A4F TOLVar135@
86A61 TOLVar136!
86A73 TOLVar136@
86A85 TOLVar137!
86A97 TOLVar137@
86AA9 TOLVar138!
86ABB TOLVar138@
86ACD TOLVar139!
86ADF TOLVar139@
86AF1 TOLVar140!
86B03 TOLVar140@
86B15 TOLVar141!
86B27 TOLVar141@
86B39 TOLVar142!
86B4B TOLVar142@
86B5D TOLVar143!
86B6F TOLVar143@
86B81 TOLVar144!
86B93 TOLVar144@
86BA5 TOLVar145!
86BB7 TOLVar145@
86BC9 TOLVar146!
86BDB TOLVar146@
86BED TOLVar147!
86BFF TOLVar147@
86C11 TOLVar148!
86C23 TOLVar148@
86C35 TOLVar149!
86C47 TOLVar149@
86C59 TOLVar150!
86C6B TOLVar150@
86C7D TOLVar151!
86C8F TOLVar151@
86CA1 TOLVar152!
86CB3 TOLVar152@
86CC5 TOLVar153!
86CD7 TOLVar153@
86CE9 TOLVar154!
86CFB TOLVar154@
86D0D TOLVar155!

```
86D1F   TOLVar155@      86FCB TOLVar174@      87277 TOLVar193@
86D31   TOLVar156!      86FDD TOLVar175!      87289 TOLVar194!
86D43   TOLVar156@      86FEF TOLVar175@      8729B TOLVar194@
86D55   TOLVar157!      87001 TOLVar176!      872AD TOLVar195!
86D67   TOLVar157@      87013 TOLVar176@      872BF TOLVar195@
86D79   TOLVar158!      87025 TOLVar177!      872D1 TOLVar196!
86D8B   TOLVar158@      87037 TOLVar177@      872E3 TOLVar196@
86D9D   TOLVar159!      87049 TOLVar178!      872F5 TOLVar197!
86DAF   TOLVar159@      8705B TOLVar178@      87307 TOLVar197@
86DC1   TOLVar160!      8706D TOLVar179!      87319 TOLVar198!
86DD3   TOLVar160@      8707F TOLVar179@      8732B TOLVar198@
86DE5   TOLVar161!      87091 TOLVar180!      8733D TOLVar199!
86DF7   TOLVar161@      870A3 TOLVar180@      8734F TOLVar199@
86E09   TOLVar162!      870B5 TOLVar181!      87361 TOLVar200!
86E1B   TOLVar162@      870C7 TOLVar181@      87373 TOLVar200@
86E2D   TOLVar163!      870D9 TOLVar182!      87385 TOLVar201!
86E3F   TOLVar163@      870EB TOLVar182@      87397 TOLVar201@
86E51   TOLVar164!      870FD TOLVar183!      873A9 TOLVar202!
86E63   TOLVar164@      8710F TOLVar183@      873BB TOLVar202@
86E75   TOLVar165!      87121 TOLVar184!      873CD TOLVar203!
86E87   TOLVar165@      87133 TOLVar184@      873DF TOLVar203@
86E99   TOLVar166!      87145 TOLVar185!      873F1 TOLVar204!
86EAB   TOLVar166@      87157 TOLVar185@      87403 TOLVar204@
86EBD   TOLVar167!      87169 TOLVar186!      87415 TOLVar205!
86ECF   TOLVar167@      8717B TOLVar186@      87427 TOLVar205@
86EE1   TOLVar168!      8718D TOLVar187!      87439 TOLVar206!
86EF3   TOLVar168@      8719F TOLVar187@      8744B TOLVar206@
86F05   TOLVar169!      871B1 TOLVar188!      8745D TOLVar207!
86F17   TOLVar169@      871C3 TOLVar188@      8746F TOLVar207@
86F29   TOLVar170!      871D5 TOLVar189!      87481 TOLVar208!
86F3B   TOLVar170@      871E7 TOLVar189@      87493 TOLVar208@
86F4D   TOLVar171!      871F9 TOLVar190!      874A5 TOLVar209!
86F5F   TOLVar171@      8720B TOLVar190@      874B7 TOLVar209@
86F71   TOLVar172!      8721D TOLVar191!      874C9 TOLVar210!
86F83   TOLVar172@      8722F TOLVar191@      874DB TOLVar210@
86F95   TOLVar173!      87241 TOLVar192!      874ED TOLVar211!
86FA7   TOLVar173@      87253 TOLVar192@      874FF TOLVar211@
86FB9   TOLVar174!      87265 TOLVar193!      87511 TOLVar212!
```

87523 TOLVar212@
87535 TOLVar213!
87547 TOLVar213@
87559 TOLVar214!
8756B TOLVar214@
8757D TOLVar215!
8758F TOLVar215@
875A1 TOLVar216!
875B3 TOLVar216@
875C5 TOLVarN!
875E8 TOLVarN@
8760B ClrAllTVars
87641 ClrAllTOLVs
8765D %0AllTopicVs
87698 %0AllTOLVars
876D3 TOLVarSet!
877A0 %0TOLVarSet
877F0 1getcxt!
87804 DoInCxt
8785E DoInCalcCxt
87877 DoInAppCxt
87890 DoInFuncCxt
878A9 DoInPolarCxt
878C2 DoInParamCxt
878DB DoInSeqCxt
878F4 DoInStatCxt
8790D DoInSolveCxt
87926 DoInOtherCxt
879F3 otherNG?
87A26 GET@tTYPER
88527 ?DispMenu
9165A DispMsgBox
9216B TBFuncDecomp
97C29 STErrorGrob
99D95 STTableInit
99E30 STInitCols
99EF3 STArryList
99FFC STTableExit
9A024 STTableDisp
9A03D STDoSmall
9A7B8 STDoMedium
9AEBB STTableHKeys
9B5E8 STJump
9B6BA STJumpN
9BFA8 STEditKeyDef
9BFD8 STInsKeyDef
9C0B9 STBigKeyDef
9C1FA STStatsKeyDef
9C2CC SWAPStatFlag
9C4B2 STSortCol
A4CEF %%-1
BA700 #+#2-
BD0B7 STO_tTYPE
BD10C Xmin!
BD120 Xmin@
BD14D Xmax!
BD161 Xmax@
BD1A2 Ymin@
BD1E3 Ymax@
BD224 Xmin2@
BD265 Xmax2@
BD2A6 Ymin2@
BD2E7 Ymax2@
BD328 HTick@
BD369 VTick@
BD3AA HZoom@
BD3EB VZoom@
BD42C Angle@
BD46D LastX@
BD4AE LastY@
BD4EF LastIndep@
BD530 LastEq@
BD571 PlotFlag@
BD5B2 Plot2Flg@
BD5F3 PlotCKSUM@
BD634 Split1CKSUM@
BD675 Split2CKSUM@
BD6B6 TStart@
BD6F7 TStep@
BD738 TZoom@
BD779 TFlags@
BD7BA Trow@
BD7FB Tcol@
BD83C TCol1@
BD87D SplitRow@
BD8BE BTRow1@
BD8FF Format@
BD940 Digits@
BDEA3 Root@
BDEE9 Slope@
BDF2F Isect@
BDF75 Area@
BDFBB Extremum@
BE001 ListOfEqs@
BE03D funcCache@
C0298 StatType!
C02B1 StatType@
C02F7 SVarType@
C033D StatPlot@
C0383 HisWidth@
C03C9 Hmin@
C040F Hmax@
C0455 StatMark@
C049B StatModel@
C04E1 Stat2Flag@
C0527 ReCalcFlag@
C056D StatFont@
C0586 StatMisc[]@
C061C StatFit@
C6B6B Seq_eval0
C6BC5 Seq_eval1
C6E45 Seq_eval2
C6FEE Seq_evaln
DDCFE 4PICK

DE46C EQcase
DE622 2'RCOLARPITE
DEBF2 GPPushTLoop
DEC0B GPPushFLoop
DF0F3 #8+
DF133 #3-
E03A1 DemoFrames
F02B8 uart_buffer
085002 ~xxSIZE
086002 ~xxPOS
0A6002 ~xERASEA
0B6002 ~xDISPLAY>
0B7002 ~x>DISPLAY
0B8002 ~xPLOT>
0B9002 ~x>PLOT
0BA002 ~xBLANKGROB
0CE002 ~rpnDER
0D1002 ~rpnINTG
0D4002 ~rpnWHERE
0D7002 ~rpnAPPLY
0DA002 ~COMPLEXDUMM
0DB002 ~POLARDUMMY
0000A1 ~DoMenuKey1N
0010A1 ~DoMenuKey2N
0020A1 ~DoMenuKey3N
0030A1 ~DoMenuKey4N
0040A1 ~DoMenuKey5N
0050A1 ~DoMenuKey6N
0060A1 ~PlotViewKey
0070A1 ~SymbViewKey
0080A1 ~TableViewKe
0090A1 ~MissingKey1
00A0A1 ~UpArrow
00B0A1 ~MissingKey2
00C0A1 ~TopicLibKey
00D0A1 ~NSKey3.2
00E0A1 ~NSKey3.3
00F0A1 ~LArrow
0100A1 ~DArrow
0110A1 ~RArrow
0120A1 ~NSKey4.1
0130A1 ~NSKey4.2
0140A1 ~NSKey4.3
0150A1 ~NSKey4.4
0160A1 ~NSKey4.5
0170A1 ~NSKey4.6
0180A1 ~Enter/Again
0190A1 ~NSKey5.2
01A0A1 ~NSKey5.3
01B0A1 ~NSKey5.4
01C0A1 ~NSKey5.5
01D0A1 ~NSKey6.1
01E0A1 ~NSKey6.2
01F0A1 ~NSKey6.3
0200A1 ~NSKey6.4
0210A1 ~NSKey6.5
0220A1 ~NSKey7.1
0230A1 ~NSKey7.2
0240A1 ~NSKey7.3
0250A1 ~NSKey7.4
0260A1 ~NSKey7.5
0270A1 ~NSKey8.1
0280A1 ~NSKey8.2
0290A1 ~NSKey8.3
02A0A1 ~NSKey8.4
02B0A1 ~NSKey8.5
02C0A1 ~AttentionKe
02D0A1 ~NSKey9.2
02E0A1 ~NSKey9.3
02F0A1 ~NSKey9.4
0300A1 ~NSKey9.5
0000A2 ~LSKey1.1
0010A2 ~LSKey1.2
0020A2 ~LSKey1.3
0030A2 ~LSKey1.4
0040A2 ~LSKey1.5
0050A2 ~LSKey1.6
0060A2 ~LSKey2.1
0070A2 ~LSKey2.2
0080A2 ~LSKey2.3
0090A2 ~MissingKey3
00A0A2 ~FarUArrow
00B0A2 ~MissingKey4
00C0A2 ~LSKey3.1
00D0A2 ~LSKey3.2
00E0A2 ~LSKey3.3
00F0A2 ~FarLArrow
0100A2 ~FarDArrow
0110A2 ~FarRArrow
0120A2 ~LSKey4.1
0130A2 ~LSKey4.2
0140A2 ~LSKey4.3
0150A2 ~LSKey4.4
0160A2 ~LSKey4.5
0170A2 ~LSKey4.6
0180A2 ~LSKey5.1
0190A2 ~LSKey5.2
01A0A2 ~DoExponent
01B0A2 ~LSKey5.4
01C0A2 ~LSKey5.5
01D0A2 ~LSKey6.1
01E0A2 ~LSKey6.2
01F0A2 ~LSKey6.3
0200A2 ~LSKey6.4
0210A2 ~LSKey6.5
0220A2 ~LSKey7.1
0230A2 ~LSKey7.2
0240A2 ~LSKey7.3
0250A2 ~LSKey7.4
0260A2 ~LSKey7.5
0270A2 ~LSKey8.1
0280A2 ~LSKey8.2
0290A2 ~LSKey8.3
02A0A2 ~LSKey8.4

02B0A2 ~LSKey8.5
02C0A2 ~LSKey9.1
02D0A2 ~LSKey9.2
02E0A2 ~LSKey9.3
02F0A2 ~LSKey9.4
0300A2 ~LSKey9.5
0000A4 ~ANSKey1.1
0010A4 ~ANSKey1.2
0020A4 ~ANSKey1.3
0030A4 ~ANSKey1.4
0040A4 ~ANSKey1.5
0050A4 ~ANSKey1.6
0060A4 ~ANSKey2.1
0070A4 ~ANSKey2.2
0080A4 ~ANSKey2.3
0090A4 ~ANSKey2.4
00A0A4 ~ANSKey2.5
00B0A4 ~ANSKey2.6
00C0A4 ~ANSKey3.1
00D0A4 ~ANSKey3.2
00E0A4 ~ANSKey3.3
00F0A4 ~ANSKey3.4
0100A4 ~ANSKey3.5
0110A4 ~ANSKey3.6
0120A4 ~ANSKey4.1
0130A4 ~ANSKey4.2
0140A4 ~ANSKey4.3
0150A4 ~ANSKey4.4
0160A4 ~ANSKey4.5
0170A4 ~ANSKey4.6
0180A4 ~ANSKey5.1
0190A4 ~ANSKey5.2
01A0A4 ~ANSKey5.3
01B0A4 ~ANSKey5.4
01C0A4 ~ANSKey5.5
01D0A4 ~ANSKey6.1
01E0A4 ~ANSKey6.2
01F0A4 ~ANSKey6.3
0200A4 ~ANSKey6.4
0210A4 ~ANSKey6.5
0220A4 ~ANSKey7.1
0230A4 ~ANSKey7.2
0240A4 ~ANSKey7.3
0250A4 ~ANSKey7.4
0260A4 ~ANSKey7.5
0270A4 ~ANSKey8.1
0280A4 ~ANSKey8.2
0290A4 ~ANSKey8.3
02A0A4 ~ANSKey8.4
02B0A4 ~ANSKey8.5
02C0A4 ~ANSKey9.1
02D0A4 ~ANSKey9.2
02E0A4 ~ANSKey9.3
02F0A4 ~ANSKey9.4
0300A4 ~ANSKey9.5
0000A5 ~ALSKey1.1
0010A5 ~ALSKey1.2
0020A5 ~ALSKey1.3
0030A5 ~ALSKey1.4
0040A5 ~ALSKey1.5
0050A5 ~ALSKey1.6
0060A5 ~ALSKey2.1
0070A5 ~ALSKey2.2
0080A5 ~ALSKey2.3
0090A5 ~ALSKey2.4
00A0A5 ~ALSKey2.5
00B0A5 ~ALSKey2.6
00C0A5 ~ALSKey3.1
00D0A5 ~ALSKey3.2
00E0A5 ~ALSKey3.3
00F0A5 ~ALSKey3.4
0100A5 ~ALSKey3.5
0110A5 ~ALSKey3.6
0120A5 ~ALSKey4.1
0130A5 ~ALSKey4.2
0140A5 ~ALSKey4.3
0150A5 ~ALSKey4.4
0160A5 ~ALSKey4.5
0170A5 ~ALSKey4.6
0180A5 ~ALSKey5.1
0190A5 ~ALSKey5.2
01A0A5 ~ALSKey5.3
01B0A5 ~ALSKey5.4
01C0A5 ~ALSKey5.5
01D0A5 ~ALSKey6.1
01E0A5 ~ALSKey6.2
01F0A5 ~ALSKey6.3
0200A5 ~ALSKey6.4
0210A5 ~ALSKey6.5
0220A5 ~ALSKey7.1
0230A5 ~ALSKey7.2
0240A5 ~ALSKey7.3
0250A5 ~ALSKey7.4
0260A5 ~ALSKey7.5
0270A5 ~ALSKey8.1
0280A5 ~ALSKey8.2
0290A5 ~ALSKey8.3
02A0A5 ~ALSKey8.4
02B0A5 ~ALSKey8.5
02C0A5 ~ALSKey9.1
02D0A5 ~ALSKey9.2
02E0A5 ~ALSKey9.3
02F0A5 ~ALSKey9.4
0300A5 ~ALSKey9.5
0000AB ~xVERSION
0010AB ~xLININ
0020AB ~XEQSYMLIN
0030AB ~xCOND
0040AB ~xTRACE
0050AB ~xSRAD
0060AB ~xSNRM
0070AB ~xRANK
0080AB ~xLSQ
0090AB ~xEGV

00A0AB ~xEGVL
00B0AB ~xSVD
00C0AB ~xSVL
00D0AB ~xLU
00E0AB ~xQR
00F0AB ~xLQ
0100AB ~xSCHUR
0110AB ~xRREF
0120AB ~xRANM
0130AB ~x>ROW
0140AB ~xROW>
0150AB ~x>COL
0160AB ~xCOL>
0170AB ~x>DIAG
0180AB ~xDIAG>
0190AB ~xROW-
01A0AB ~xROW+
01B0AB ~xCOL-
01C0AB ~xCOL+
01D0AB ~xRSWP
01E0AB ~xCSWP
01F0AB ~xRCI
0200AB ~xRCIJ
0210AB ~XEQDIAG>L
0220AB ~XEQDIAG>R
0230AB ~XEQRANM
0240AB ~xPROOT
0250AB ~xPCOEF
0260AB ~xPEVAL
0270AB ~xCHOOSE
0280AB ~xMSGBOX
0290AB ~xXSEND
02A0AB ~xXRECV
02B0AB ~xHEAD
02C0AB ~xTAIL
02D0AB ~xSEQ
02E0AB ~xDOSUBS
02F0AB ~x\9BLIST
0300AB ~xNSUB
0310AB ~xENDSUB
0320AB ~xSTREAM
0330AB ~x\85LIST
0340AB ~ChkDaList
0350AB ~x\9CLIST
0360AB ~xDOLIST
0370AB ~xCONCAT
0380AB ~xREVLIST
0390AB ~xSORT
03A0AB ~xFmList
03B0AB ~xFmMat
03C0AB ~xxDEG
03D0AB ~xxRAD
03E0AB ~xxGRAD
0430AB ~xFRACTION
0440AB ~xSTAIRSTEP
0450AB ~xCOBWEB
0460AB ~xHIST
0470AB ~xBOXW
04B0AB ~xPOWERFIT
04C0AB ~xQUADFIT
04D0AB ~xCUBICFIT
04E0AB ~xLOGISFIT
04F0AB ~xUSERFIT
0500AB ~xStat1Var
0510AB ~xStat2Var
0520AB ~xxITERATE
0530AB ~xMKMAT
0540AB ~xCOT
0550AB ~xSEC
0560AB ~xCSC
0570AB ~xACOT
0580AB ~xACSC
0590AB ~xASEC
05A0AB ~xRECURSE
05B0AB ~xPOLYFORM
05C0AB ~xPoly
05D0AB ~dopolyz
05E0AB ~dopolydiv
05F0AB ~dopcoeff
0600AB ~metapolyz
0610AB ~polyprep
0620AB ~poly+
0630AB ~polyneg
0640AB ~poly*
0660AB ~{StatVars}
0670AB ~sn*spec
0680AB ~ns*spec
0690AB ~ss*spec
06A0AB ~poly^
06B0AB ~bad^
06C0AB ~poly^#
06D0AB ~dopval
06E0AB ~pdiv
06F0AB ~resymb
0700AB ~poly/
0000B9 ~MiscIFMsg
0000BB ~StatIFMsg
0000BE ~PlotIFMsg
0000BF ~SolveIFMsg
0000C0 ~proot_c
0010C0 ~proot
0020C0 ~proot_r
0030C0 ~peval
0040C0 ~pcoef
0050C0 ~pcoefacc1
0060C0 ~pcoefacc2
0070C0 ~PolyNSymbP
0080C0 ~PolyNSymbF
0000C2 ~laSRAD
0010C2 ~laVMAX%%
0020C2 ~laEGVL
0030C2 ~laEGVL%%
0040C2 ~laEGV
0050C2 ~laSCHUR

0060C2 ~laEgHF
0070C2 ~laECQhQAQh
0080C2 ~laEgQkHA
0090C2 ~laEgRSchur
00A0C2 ~laEgIsoVal
00B0C2 ~laEgRQRI
00C0C2 ~laEgQRIk0
00D0C2 ~laEgRQRIk1
00E0C2 ~laEgRWilk3
00F0C2 ~laEgM*RG3
0100C2 ~laEgWilk2
0110C2 ~laEgM*G2
0120C2 ~laEgValr
0130C2 ~laEgRotR
0140C2 ~laSchur2
0150C2 ~laEgVecR
0160C2 ~laEgVcSngl
0170C2 ~laEgVcUrhs
0180C2 ~laEgVcPair
0190C2 ~laEgSclCls
01A0C2 ~laEgCSchur
01B0C2 ~laEgCQRI
01C0C2 ~laEgCQRIk1
01D0C2 ~laEgVecC
01E0C2 ~laEgPrep
01F0C2 ~laFPMUTE
0200C2 ~laBPMUTE
0210C2 ~laFSCALE
0220C2 ~laLSQ
0230C2 ~laUserQR
0240C2 ~laUserLQ
0250C2 ~lauserQR
0260C2 ~laQRF
0270C2 ~laQhA
0280C2 ~laQhB
0290C2 ~laSETDIAG
02A0C2 ~laRQF
02B0C2 ~laQ2hX
02C0C2 ~laRSVF
02D0C2 ~laQRrank
02E0C2 ~laQRSVecUp
02F0C2 ~laQRminSV
0300C2 ~laQRmaxSV
0310C2 ~rMAKEPCOPY
0320C2 ~rPACKARRYD
0330C2 ~MAKEEPIDN
0340C2 ~laSNORM
0350C2 ~laSNORM%%
0360C2 ~laRANK
0370C2 ~laSVL
0380C2 ~laSVD
0390C2 ~laSvdUBD
03A0C2 ~laSvdLtUBD
03B0C2 ~laSvdUQhQA
03C0C2 ~laSvdAPPhV
03D0C2 ~laSvdAPk
03E0C2 ~laSvdGPROT
03F0C2 ~laSvdBDQR
0400C2 ~laSvdQR2x2
0410C2 ~laSvdFDirC
0420C2 ~laSvdBDirC
0430C2 ~laSvdGShft
0440C2 ~laSvdQRSF
0450C2 ~laSvdQRSB
0460C2 ~laSvdQRF
0470C2 ~laSvdQRB
0480C2 ~laSvdCROTR
0490C2 ~laSvdCROTL
04A0C2 ~laSvdPSort
04B0C2 ~laSvdPrep
04C0C2 ~laTRACE
04D0C2 ~laCOND
04E0C2 ~laCONDdone
04F0C2 ~laVMAXJRP
0500C2 ~laUserLU
0510C2 ~laDT
0520C2 ~laRefineDT
0530C2 ~laSV
0540C2 ~laSVc
0550C2 ~laIV
0560C2 ~laIVc
0570C2 ~laIVF
0580C2 ~laULHSVF
0590C2 ~laLsdScale
05A0C2 ~laScIntRnd
05B0C2 ~laRREF
05C0C2 ~laRedRow
05D0C2 ~laRedHere?
05E0C2 ~laEGetTiny
0000C3 ~laRANM
0010C3 ~laRanInt
0020C3 ~laRSWP
0030C3 ~laRSWP2
0040C3 ~laCSWP
0050C3 ~laRCI
0060C3 ~laRCIJ
0070C3 ~la-ROW
0080C3 ~laVec-
0090C3 ~la-COL
00A0C3 ~la+ROW
00B0C3 ~la+ROWs
00C0C3 ~la+RCsLP
00D0C3 ~la+COL
00E0C3 ~la+COLs
00F0C3 ~la+ELEMr
0100C3 ~la+ELEMc
0110C3 ~la+ELEM
0120C3 ~la>ROW
0130C3 ~la>ELEM
0140C3 ~la>COL
0150C3 ~laROW>
0160C3 ~laCOL>
0170C3 ~la>DIAG
0180C3 ~laDIAG>

```
0000E8  ~doseq
0010E8  ~dosecntuple
0020E8  ~dontuple
0030E8  ~dontuple#
0040E8  ~doidseqn
0050E8  ~seqid
0060E8  ~::args
0070E8  ~ptrargs
0080E8  ~dosecseqn
0090E8  ~udfargs
00A0E8  ~doptrseqn
00B0E8  ~doseqn
00C0E8  ~doseqn#
00D0E8  ~docmdlist
00E0E8  ~seqnargs
00F0E8  ~dolatorre
0100E8  ~elsielists?
0110E8  ~dolatorre+
0120E8  ~dolatorre2
0130E8  ~?NULLSETDIM
0140E8  ~sllatorre
0150E8  ~lslatorre
0160E8  ~lolatorre
0170E8  ~ollatorre
0180E8  ~ollatorre+
0190E8  ~dolist+
01A0E8  ~dosort
01B0E8  ~{id}>{$}
01C0E8  ~{lam}>{$}
01D0E8  ~{$}>{id}
01E0E8  ~{$}>{lam}
01F0E8  ~DoNumeric:
0200E8  ~UseHidden{}
0210E8  ~NotHidden
0220E8  ~INTEMPOB?
0230E8  ~moresub
0240E8  ~morerepl
0250E8  ~mrepln
0260E8  ~mrepll
0270E8  ~mrepll+
0280E8  ~msubln
0290E8  ~msubnl
02A0E8  ~msubll
02B0E8  ~msubll+
02C0E8  ~msubnn
02D0E8  ~copysub
02E0E8  ~arryspec
02F0E8  ~etorc
0300E8  ~LIXRecv
0310E8  ~LIXSend
0000F0  ~INTGSIN
0010F0  ~I:-InvSin
0020F0  ~INTGCOS
0030F0  ~I:LnTan
0040F0  ~INTGTAN
0050F0  ~INTGASIN
0060F0  ~INTGACOS
0070F0  ~INTGATAN
0080F0  ~INTGSINH
0090F0  ~I:-InvSinh
00A0F0  ~I:LnTanh
00B0F0  ~INTGCOSH
00C0F0  ~I:Tanh
00D0F0  ~INTGTANH
00E0F0  ~INTGEXPM
00F0F0  ~INTGALOG
0100F0  ~INTGLN
0110F0  ~INTGLOG
0120F0  ~INTGINV
0130F0  ~I:Atan
0140F0  ~INTGSQ
0150F0  ~INTGSQRT
0160F0  ~I:Asinh
0170F0  ~I:Acosh
0180F0  ~INTGSIGN
0190F0  ~INTGDER
01A0F0  ~mT->=
01B0F0  ~m<-T=
01C0F0  ~mAFlq
01D0F0  ~mAFqq
01E0F0  ~mAFrq
01F0F0  ~m<->+
0200F0  ~m<->-
0210F0  ~m<->*
0220F0  ~m<->/
0230F0  ~m<-A-+
0240F0  ~m<-A--
0250F0  ~m<-A/*
0260F0  ~m<-A//
0270F0  ~m<-A^*
0280F0  ~mA->+-
0290F0  ~mA->--
02A0F0  ~mA->*/
02B0F0  ~mA->//
02C0F0  ~mA->^^
02D0F0  ~mD->/+
02E0F0  ~mD->/-
02F0F0  ~mD->^+
0300F0  ~mD->^-
0310F0  ~mD->E+
0320F0  ~mD->E-
0330F0  ~mD->L*
0340F0  ~mD->L/
0350F0  ~m[]CHS*
0360F0  ~m[]CHS/
0370F0  ~m[]CHSL
0380F0  ~m[]INV^
0390F0  ~m[]INVE
03A0F0  ~m1/[]*
03B0F0  ~m1/[]/
03C0F0  ~m1/[]^
03D0F0  ~m1/[]E
03E0F0  ~m-[]L
03F0F0  ~m-[]*
```

0400F0 ~m-[]/
0410F0 ~m-[]+
0420F0 ~m-[]-
0430F0 ~mE^*
0440F0 ~mE^/
0450F0 ~mE[]^
0460F0 ~mL*^
0470F0 ~mL[]*
0480F0 ~mL[]/
0490F0 ~m<-M+*
04A0F0 ~m<-M-*
04B0F0 ~adjdivsign
04C0F0 ~adjsign
04D0F0 ~adjdiv
04E0F0 ~m<-M*^
04F0F0 ~m<-M/^
0500F0 ~m<-M*E
0510F0 ~m<-M/E
0520F0 ~m<-M+L
0530F0 ~m<-M-L
0540F0 ~mM->op
0550F0 ~m<T>+
0560F0 ~m<T>*
0570F0 ~m<-T+-
0580F0 ~m<-T*/
0590F0 ~m<-[+-
05A0F0 ~m<-[*/
05B0F0 ~m]->+-
05C0F0 ~m]->*/
05D0F0 ~m->[]<-+-
05E0F0 ~m->[]<-*/
05F0F0 ~mCONJ[]
0600F0 ~mRE[]
0610F0 ~mIM[]
0620F0 ~REIM[]*
0630F0 ~m->TRG
0640F0 ~m->DEFSIN
0650F0 ~m->DEFCOS
0660F0 ~m->DEFTAN
0670F0 ~m->DEFASIN
0680F0 ~m->DEFACOS
0690F0 ~m->DEFATAN
06A0F0 ~m->DEFSINH
06B0F0 ~m->DEFCOSH
06C0F0 ~m->DEFTANH
06D0F0 ~m->DEFASINH
06E0F0 ~m->DEFACOSH
06F0F0 ~m->DEFATANH
0700F0 ~mSIN+
0710F0 ~mCOS+
0720F0 ~mTAN+
0730F0 ~mSINH+
0740F0 ~mCOSH+
0750F0 ~mTANH+
0760F0 ~covmanCOL
0770F0 ~WHEREFCNAPP
0780F0 ~WHEREDER
0790F0 ~WHEREIFTE
07A0F0 ~WHEREWHERE
07B0F0 ~covWSPLIT
07C0F0 ~WHEREINTG
07D0F0 ~WHERESUM
07E0F0 ~XSTOCHECK
07F0F0 ~XSTOCHECK10
0800F0 ~covLBSTO
0810F0 ~XEQXDPTCH
0820F0 ~Xcont
0830F0 ~CHECKEXISTS
0840F0 ~covmetaLIBS
0850F0 ~XRCLp?
0860F0 ~XRCLpNL
0870F0 ~XRCLpL
0880F0 ~XRCLp*
0890F0 ~XEVALp?
08A0F0 ~XEVALp*
08B0F0 ~XPURGEp?
08C0F0 ~XPURGEp*
08D0F0 ~convertaddr
08E0F0 ~XRCLp?acc>
08F0F0 ~COLCTDER
0900F0 ~COLCTINTG
0910F0 ~COLCTSUM
0920F0 ~COLCTIFTE
0930F0 ~COLCTQUOTE
0940F0 ~COLCTFCNAP
0960F0 ~covD/DCROSS
0970F0 ~covD/DDOT
0B90F0 ~covD/DINTG
0BC0F0 ~covMANMENU+
0BD0F0 ~covMANMENU*
0BF0F0 ~covMANEXP
0C00F0 ~covMANMENUL
0C10F0 ~covMANCSIV
0C20F0 ~covMANMENUE
0C30F0 ~covMANMENUC
0C40F0 ~covMANTRG
0C50F0 ~covMANATG
0C60F0 ~covINV+
0C70F0 ~covINV-
0C80F0 ~covINV=
0C90F0 ~covINV*
0CA0F0 ~covINV/
0CB0F0 ~covINV^
0CC0F0 ~covINV^X
0CD0F0 ~covINVEXP
0CE0F0 ~covINVSIN
0CF0F0 ~covINVCOS
0D00F0 ~covINVTAN
0D10F0 ~covINVSINH
0D20F0 ~covINVCOSH
0D30F0 ~covINVTANH
0D40F0 ~covINVALOG
0D50F0 ~covINVEXPM1
0000F1 ~nFUNCTION

0010F1 ~nSOLVE
0020F1 ~nPOLAR
0030F1 ~nPARAMETRIC
0040F1 ~nSCATTER
0050F1 ~nHISTOGRAM
0060F1 ~nSEQUENCE
0070F1 ~nBOXWHISKER
0080F1 ~xFUNCTAB
0090F1 ~xPOLARTAB
00A0F1 ~xPARAMTAB
00B0F1 ~xSEQTAB
00C0F1 ~xSTATTAB
00D0F1 ~xSTAT2TAB
00E0F1 ~xSOLVETAB
00F0F1 ~nFUNCTOPIC
0100F1 ~nPOLARTOPIC
0110F1 ~nPARAMTOPIC
0120F1 ~nSEQTOPIC
0130F1 ~nSTATTOPIC
0140F1 ~nSOLVETOPIC
0150F1 ~GetTypeText
0160F1 ~DefauStatTy
0170F1 ~DefauStat2T
0180F1 ~nPTYPE>PINF
0190F1 ~StdApEntry
01A0F1 ~SolveApEntr
01B0F1 ~SETTOPICLAM
01C0F1 ~CLRTOPICLAM
01D0F1 ~GETPLTLABLS
01E0F1 ~POINTERR
01F0F1 ~POINTEXIT
0200F1 ~runalias?
0210F1 ~xFUNCSYMB
0220F1 ~xPOLARSYMB
0230F1 ~xPARAMSYMB
0240F1 ~xSEQSYMB
0250F1 ~xSTATSYMB
0260F1 ~xSTAT2SYMB
0270F1 ~xSOLVESYMB
0280F1 ~xDFLTNOTE
0290F1 ~xDFLTPICT
02A0F1 ~topic_NONE
02B0F1 ~view_NONE
02C0F1 ~view01_CAPL
02D0F1 ~view23_CAPL
02E0F1 ~view45_CAPL
02F0F1 ~view6_CAPLE
0300F1 ~view7_CAPLE
0310F1 ~topic_CAPLE
0320F1 ~xREADNOTE
0330F1 ~xREADPICT
0340F1 ~xUndefined
0000F2 ~xa
0010F2 ~xb
0020F2 ~xc
0030F2 ~xd
0040F2 ~xE
0050F2 ~xf
0060F2 ~xg
0070F2 ~xh
0080F2 ~xI
0090F2 ~xj
00A0F2 ~xk
00B0F2 ~xl
00C0F2 ~xm
00D0F2 ~xn
00E0F2 ~xo
00F0F2 ~xp
0100F2 ~xq
0110F2 ~xr
0120F2 ~xs
0130F2 ~xt
0140F2 ~xu
0150F2 ~xv
0160F2 ~xw
0170F2 ~xx
0180F2 ~xy
0190F2 ~xz
01A0F2 ~xtheta
01B0F2 ~xMEANS
01C0F2 ~xTOTS
01D0F2 ~xSVARS
01F0F2 ~xSSDEV
0200F2 ~xPSDEV
0210F2 ~xNS
0220F2 ~xMINS
0230F2 ~xMAXS
0240F2 ~xMEDIAN
0250F2 ~xQ1
0260F2 ~xQ3
0270F2 ~xMEANX
0280F2 ~xSX
0290F2 ~xSX2
02A0F2 ~xMEANY
02B0F2 ~xSY
02C0F2 ~xSY2
02D0F2 ~xSXY
0300F2 ~xRELERR
0310F2 ~xz0
0320F2 ~xz1
0330F2 ~xz2
0340F2 ~xz3
0350F2 ~xz4
0360F2 ~xz5
0370F2 ~xz6
0380F2 ~xz7
0390F2 ~xz8
03A0F2 ~xz9
03B0F2 ~xm0
03C0F2 ~xm1
03D0F2 ~xm2
03E0F2 ~xm3
03F0F2 ~xm4
0400F2 ~xm5

0410F2 ~xm6
0420F2 ~xm7
0430F2 ~xm8
0440F2 ~xm9
0450F2 ~xl0
0460F2 ~xl1
0470F2 ~xl2
0480F2 ~xl3
0490F2 ~xl4
04A0F2 ~xl5
04B0F2 ~xl6
04C0F2 ~xl7
04D0F2 ~xl8
04E0F2 ~xl9
04F0F2 ~xg0
0500F2 ~xg1
0510F2 ~xg2
0520F2 ~xg3
0530F2 ~xg4
0540F2 ~xg5
0550F2 ~xg6
0560F2 ~xg7
0570F2 ~xg8
0580F2 ~xg9
0590F2 ~xAns
05A0F2 ~xFIT
05B0F2 ~xHAngle
05C0F2 ~xHFormat
05D0F2 ~xHDigits
05E0F2 ~xRadixMark
05F0F2 ~xIerr
0600F2 ~xTime
0610F2 ~xDate
0620F2 ~xAngle
0630F2 ~xAxes
0640F2 ~xGrid
0650F2 ~xConnect
0660F2 ~xHighRes
0670F2 ~xSimult
0680F2 ~xRecenter
0690F2 ~xInvCursor
06A0F2 ~xLabels
06B0F2 ~xTracing
06C0F2 ~xCoord
06D0F2 ~xXmin
06E0F2 ~xXmax
06F0F2 ~xYmin
0700F2 ~xYmax
0710F2 ~xIndep
0720F2 ~xXcross
0730F2 ~xYcross
0740F2 ~xHTick
0750F2 ~xVTick
0760F2 ~xHzoom
0770F2 ~xVzoom
0780F2 ~xNumStart
0790F2 ~xNumStep
07A0F2 ~xNumType
07B0F2 ~xNumIndep
07C0F2 ~xNumZoom
07D0F2 ~xNumRow
07E0F2 ~xNumCol
07F0F2 ~xNumFont
0800F2 ~xFormat
0810F2 ~xDigits
0820F2 ~xNoteText
0830F2 ~xPage
0840F2 ~xPageNum
0850F2 ~idE1
0860F2 ~idE2
0870F2 ~idE3
0880F2 ~idE4
0890F2 ~idE5
08A0F2 ~idE6
08B0F2 ~idE7
08C0F2 ~idE8
08D0F2 ~idE9
08E0F2 ~idE0
08F0F2 ~xRoot
0900F2 ~xIsect
0910F2 ~xExtremum
0920F2 ~xArea
0930F2 ~xSlope
0940F2 ~xTmin
0950F2 ~xTmax
0960F2 ~xTStep
0970F2 ~xThetaMin
0980F2 ~xThetaMax
0990F2 ~xThetaStep
09A0F2 ~xNmin
09B0F2 ~xNmax
09C0F2 ~xSeqPlot
09D0F2 ~xStatMode
09E0F2 ~xStatPlot
09F0F2 ~xHisWidth
0A00F2 ~xHmin
0A10F2 ~xHmax
0A20F2 ~xS1mark
0A30F2 ~xS2mark
0A40F2 ~xS3mark
0A50F2 ~xS4mark
0A60F2 ~xS5mark
0A70F2 ~xS1fit
0A80F2 ~xS2fit
0A90F2 ~xS3fit
0AA0F2 ~xS4fit
0AB0F2 ~xS5fit
0AC0F2 ~xU1
0AD0F2 ~idU1
0AE0F2 ~xU2
0AF0F2 ~idU2
0B00F2 ~xU3
0B10F2 ~idU3
0B20F2 ~xU4

0B30F2 ~idU4
0B40F2 ~xU5
0B50F2 ~idU5
0B60F2 ~xU6
0B70F2 ~idU6
0B80F2 ~xU7
0B90F2 ~idU7
0BA0F2 ~xU8
0BB0F2 ~idU8
0BC0F2 ~xU9
0BD0F2 ~idU9
0BE0F2 ~xU0
0BF0F2 ~idU0
0C00F2 ~xF1
0C10F2 ~idF1
0C20F2 ~xF2
0C30F2 ~idF2
0C40F2 ~xF3
0C50F2 ~idF3
0C60F2 ~xF4
0C70F2 ~idF4
0C80F2 ~xF5
0C90F2 ~idF5
0CA0F2 ~xF6
0CB0F2 ~idF6
0CC0F2 ~xF7
0CD0F2 ~idF7
0CE0F2 ~xF8
0CF0F2 ~idF8
0D00F2 ~xF9
0D10F2 ~idF9
0D20F2 ~xF0
0D30F2 ~idF0
0D40F2 ~xX1
0D50F2 ~idX1
0D60F2 ~xY1
0D70F2 ~idY1
0D80F2 ~xX2
0D90F2 ~idX2
0DA0F2 ~xY2
0DB0F2 ~idY2
0DC0F2 ~xX3
0DD0F2 ~idX3
0DE0F2 ~xY3
0DF0F2 ~idY3
0E00F2 ~xX4
0E10F2 ~idX4
0E20F2 ~xY4
0E30F2 ~idY4
0E40F2 ~xX5
0E50F2 ~idX5
0E60F2 ~xY5
0E70F2 ~idY5
0E80F2 ~xX6
0E90F2 ~idX6
0EA0F2 ~xY6
0EB0F2 ~idY6
0EC0F2 ~xX7
0ED0F2 ~idX7
0EE0F2 ~xY7
0EF0F2 ~idY7
0F00F2 ~xX8
0F10F2 ~idX8
0F20F2 ~xY8
0F30F2 ~idY8
0F40F2 ~xX9
0F50F2 ~idX9
0F60F2 ~xY9
0F70F2 ~idY9
0F80F2 ~xX0
0F90F2 ~idX0
0FA0F2 ~xY0
0FB0F2 ~idY0
0FC0F2 ~xR1
0FD0F2 ~idR1
0FE0F2 ~xR2
0FF0F2 ~idR2
1000F2 ~xR3
1010F2 ~idR3
1020F2 ~xR4
1030F2 ~idR4
1040F2 ~xR5
1050F2 ~idR5
1060F2 ~xR6
1070F2 ~idR6
1080F2 ~xR7
1090F2 ~idR7
10A0F2 ~xR8
10B0F2 ~idR8
10C0F2 ~xR9
10D0F2 ~idR9
10E0F2 ~xR0
10F0F2 ~idR0
1100F2 ~xD1
1110F2 ~xD2
1120F2 ~xD3
1130F2 ~xD4
1140F2 ~xD5
1150F2 ~xD6
1160F2 ~xD7
1170F2 ~xD8
1180F2 ~xD9
1190F2 ~xD0
11A0F2 ~xH1
11B0F2 ~xH2
11C0F2 ~xH3
11D0F2 ~xH4
11E0F2 ~xH5
11F0F2 ~xS1
1200F2 ~xS2
1210F2 ~xS3
1220F2 ~xS4
1230F2 ~xS5
1240F2 ~xs1

1250F2	~xs2	010701	~xxGOR	029701	~xxRUNPGM
1260F2	~xs3	011701	~xxGXOR	02A701	~xxMATEDIT
1270F2	~xs4	012701	~xxGROBNOT	02B701	~xxMKGROB
1280F2	~xs5	013701	~xxDISPLAY>	02C701	~xxZEROGROB
1290F2	~xn1	014701	~xx>DISPLAY	02D701	~xxLIBEVAL
12A0F2	~xn2	015701	~xxPLOT>	02E701	~xxSYSEVAL
12B0F2	~xn3	016701	~xx>PLOT	02F701	~xxSETSAMPLE
12C0F2	~xn4	017701	~xx>GROB	030701	~xxSETFREQ
12D0F2	~xn5	018701	~xxARC	031701	~xxDO1VSTATS
000701	~xxWSLOG	019701	~xxPRSTC	032701	~xxSETINDEP
001701	~xxTSTR	01A701	~xxPRVAR	033701	~xxSETDEPEND
002701	~xxDISP	01B701	~xxPRDISPLAY	034701	~xxDO2VSTATS
003701	~xxBEEP	01C701	~xxINPUT	035701	~xxSELECT
004701	~xxWAIT	01D701	~xxBREAK	036701	~xxRANM
005701	~xxRDZ	01E701	~xxSTOP	037701	~xxVERSION
006701	~xxSUB	01F701	~xxFREEZE	038701	~xxDEMO
007701	~xxREPL	020701	~xxROW-	039701	~xxRULES
008701	~xxRDM	021701	~xxROW+	03A701	~xxSETVIEWS
009701	~xxERASE	022701	~xxCOL-	03B701	~xCHECK
00A701	~xxERASEPLOT	023701	~xxCOL+	03C701	~xUNCHECK
00B701	~xxPIXON	024701	~xxRSWP	03D701	~xPINIT
00C701	~xxPIXOFF	025701	~xxCSWP	03E701	~xxMSGBOX
00D701	~xxLINE	026701	~xxRCI	03F701	~xxCHOOSE
00E701	~xxTLINE	027701	~xxRCIJ	040701	~xxGETKEY
00F701	~xxBOX	028701	~xxTO	041701	~xxHELP

Entry Index

!

!!append$ 27
!*triand 27
!>ARRAY 118
!append$ 27
!append$SWAP 27
!MATTRNnc 158
!REDIMTEMP 158
!REDIMUSER 158

#

#* 14
#*OVF 14
#- 14
#-#2/ 14
#-OVER 14
#-PICK 39
#-ROLL 37
#-SWAP 14
#-UNROLL 38
#/ 14
#= 15
#=?SKIP 46
#=case 46
#=casedrop 46
#=casedrpfls 47
#=ITE 46
#=Lookup 118
#=POSCOMP 30
#_102 11
#_123 11
#_124 11
#_205 12
#_258_d 11
#_291_d 11
#_292_d 11
#_517_d 12
#+ 14
#+#2- 118
#+DUP 14
#+OVER 14
#+PICK 39
#+ROLL 37
#+SWAP 14
#+UNROLL 38
#> 15
#>$ 25
#>= 15
#>?SKIP 46
#>1 16
#>2case 47
#>case 47
#>CHR 25
#>HXS 28
#>ITE 46
#>ROMPTR 34
#< 15
#<= 15
#<> 15
#<>case 47
#<3 16
#<case 47
#<ITE 46
#0= 15
#0=?SEMI 47
#0=?SKIP 47
#0=case 47
#0=ITE 47
#0=UNTIL 52
#0<> 15
#1- 14
#1-{}N 32
#1-1SWAP 14
#1-ROT 14
#1-SUB$ 26
#1-SWAP 33
#1= 16
#1=?SKIP 47
#1=case 47
#1+ 14
#1+' 51
#1+_ONE_DO 52
#1+LAST$ 26
#1+NDROP 32, 36
#1+PICK 39
#1+ROLL 37
#1+SWAP 14
#1+UNROLL 38
#1<> 15
#2* 14
#2- 14
#2/ 14
#2= 16
#2+ 14
#2+PICK 39
#2+ROLL 37
#2+UNROLL 38
#2<> 16
#3- 14
#3= 16
#3+ 14
#3+PICK 39
#4+ 14

#4+PICK 39
#5= 16
#5+ 14
#8+ 14
#AND 15
#CAlarmErr 13
#DIV 118
#Error: 118
#EXITERR 13
#MAX 15
#MIN 15
#MOD 118
#NEG 118
#NoRoomForSt 11
#NOT 118
#ObTypeBase 119
#ODD 118
#OR 118
#SyntaxErr 11
#THREESEVEN 7
#Warning:NL 119
#XOR 119

$

$_'' 23
$_:: 24
$_{} 23
$_<<>> 23
$_2DQ 24
$_ECHO 25
$_EXIT 25
$_GRAD 25
$_LRParens 23
$_R<< 25
$_R<Z 25
$_RAD 25
$_Undefined 25
$_XYZ 25
$>BIGGROB 69
$>grob 69
$>GROB 69
$>ID 39
$DER 24
$jGPOvrWrFLp 150
$jGPOvrWrTLp 150
$jOvrWrF/TLp 150
$jOvrWrFLoop 150
$jOvrWrT/FLp 150
$jOvrWrTLoop 150
$jPshF/TLoop 150
$jPshT/FLoop 150
$jSKIPBODY 149

%

%%-1 119
%%.1 17
%%.5 17
%%/>% 19
%%>% 18
%%0 17
%%1 17
%%10 17
%%2 17
%%3 17
%%4 17
%%5 17
%%PI 17
%* 18
%- 18
%-.5 17
%-1 16
%-2 16
%-3 16
%-4 16
%-5 16
%-6 16
%-7 16
%-8 16
%-9 16
%-MAXREAL 16
%-MINREAL 17
%.5 17
%/ 18
%= 20
%+ 18
%> 20
%>%% 18
%>%%SWAP 18
%>= 20
%>C% 20
%>HMS 55
%^ 18
%< 20
%<= 20
%<> 20
%0 17
%0= 20
%0> 20
%0>= 20
%0< 20
%0<> 20, 43
%0AllTOLVars 88

%0AllTopicVs ... 88
%0TOLVarSet ... 88
%1 ... 17
%10 ... 17
%15 ... 17
%180 ... 17
%2 ... 17
%200 ... 17
%25 ... 17
%3 ... 17
%360 ... 17
%4 ... 17
%400 ... 17
%5 ... 17
%6 ... 17
%7 ... 17
%8 ... 17
%9 ... 17
%ABS ... 18
%ABSCOERCE ... 14
%ACOS ... 18
%ACOSH ... 18
%ALOG ... 18
%ANGLE ... 19
%ASIN ... 18
%ASINH ... 18
%ATAN ... 18
%ATANH ... 18
%CEIL ... 19
%CH ... 19
%CHS ... 18
%COMB ... 19
%COS ... 18
%COSH ... 18
%D>R ... 19
%e ... 17
%EXP ... 18
%EXPM1 ... 18
%EXPONENT ... 19
%FACT ... 19
%FLOOR ... 19
%FP ... 19
%HMS- ... 55
%HMS+ ... 55
%HMS> ... 55
%IP ... 19
%LN ... 18
%LNP1 ... 18
%LOG ... 18
%MANTISSA ... 19
%MAX ... 19
%MAXorder ... 19
%MAXREAL ... 17
%MIN ... 19
%MINREAL ... 17
%MOD ... 19
%NFACT ... 19
%NROOT ... 19
%OF ... 19
%PERM ... 19
%PI ... 17
%POL>%REC ... 19
%R>D ... 19
%RAN ... 19
%RANDOMIZE ... 19
%REC>%POL ... 19
%SGN ... 18
%SIN ... 18
%SINH ... 18
%SPH>%REC ... 19
%SQRT ... 18
%T ... 19
%TAN ... 18
%TANH ... 18

&

&$ ... 26
&$SWAP ... 27
&& ... 119
&COMP ... 29

’

’ ... 50
’DoBadKey ... 51
’DoBadKeyT ... 51
’DROPFALSE ... 51
’ERRJMP ... 51
’LAMLNAMESTO ... 53
’NOP ... 51
’R ... 49
’R’R ... 49
’Rapndit ... 51
’REVAL ... 49
’RRDROP ... 49
’RSWP1+ ... 15
’xDER ... 51
’xDEREQ ... 51

:

::args (~::args) 133
::N 31
::NEVAL 32

?

?>ROMPTR 34
?AdjFocusPos 119
?ATTN_QUIT 61
?ATTNQUIT 61
?CARCOMP 29
?CaseKeyDef 47
?CaseRomptr@ 47
?DispMenu 62
?DispMoreU/D 119
?ExitThisTop 71
?FixFieldKeys 119
?GetFObTypes 119
?GetMsg 42
?NoTaskSwDef 119
?NULLSETDIM (~?NULLSETDIM) 133
?Ob>Seco 32
?ROMPTR> 34
?SEMI 44
?SEMIDROP 44
?SKIP 45
?SKIPSWAP 44
?SWAP 44
?SWAPDROP 44

@

@ 53
@LAM 40

{

{$}>{id} (~{$}>{id}) 139
{$}>{lam} (~{$}>{lam}) 139
{}N 31
{id}>{$} (~{id}>{$}) 139
{lam}>{$} (~{lam}>{$}) 139
{NoteText} 133
{NumVars} 133
{SketchSet} 133
{StatVars} (~{StatVars}) 133

+

+LOOP 52

>

>H$ 27
>HCOMP 29
>R 49
>T$ 27
>TCOMP 29

0

0LASTOWDOB! 58
0LastRomWrd! 58

1

1_#1-SUB 26
1_#1-SUB$ 26
10GETLAM 40
10PICK 39
10PUTLAM 41
10UNROLL 38
11GETLAM 40
11PUTLAM 41
12GETLAM 40
12PUTLAM 41
13GETLAM 40
13PUTLAM 41
14GETLAM 40
14PUTLAM 41
14SPACES$ 23
15GETLAM 40
15PUTLAM 41
16GETLAM 40
16PUTLAM 41
17GETLAM 40
17PUTLAM 41
18GETLAM 40
18PUTLAM 41
19GETLAM 40
19PUTLAM 41
1ABNDSWAP 41
1GETABND 41
1GETapndcpl 119
1getcxt! 88
1GETLAM 40
1GETLAM#0= 119
1GETSWAP 41
1LAMBIND 39
1NULLLAM{} 41
1PUTLAM 40

2

2#0=OR ... 16
2'RCOLARPITE ... 45
20GETLAM ... 40
20PUTLAM ... 41
21GETLAM ... 40
21PUTLAM ... 41
22GETLAM ... 40
22PUTLAM ... 41
2ARRY ... 8
2CDispList ... 119
2CKeyOK ... 119
2Col?Case2Col ... 119
2ColChoose ... 119
2DROP ... 36
2DROP0 ... 13
2DROPFALSE ... 43
2DUP ... 36
2DUP#= ... 16
2DUP#+ ... 15
2DUP#> ... 16
2DUP#< ... 16
2DUP5ROLL ... 36
2DUPEQ ... 44
2EXT ... 11
2GETEVAL ... 41
2GETLAM ... 40
2GROB ... 11
2HXS ... 11
2LIST ... 9
2Ob>Seco ... 32
2OVER ... 38
2PUTLAM ... 40
2RDROP ... 50
2REAL ... 6
2STR ... 119
2SWAP ... 37

3

3ARRY ... 12
3DROP ... 36
3GETLAM ... 40
3PICK ... 38
3PICK#+ ... 15
3PICK3PICK ... 38
3PICKOVER ... 38
3PICKSWAP ... 38
3PUTLAM ... 41
3RDROP ... 50
3REAL ... 11
3SYM ... 12
3UNROLL ... 37, 38

4

4DROP ... 36
4GETLAM ... 40
4PICK ... 38
4PICK#+ ... 15
4PICK#+SWAP ... 15
4PICK+SWAP ... 15
4PICKOVER ... 38
4PICKSWAP ... 38
4PUTLAM ... 41
4ROLL ... 37
4ROLLOVER ... 37
4ROLLROT ... 37
4ROLLSWAP ... 37
4UNROLL ... 38
4UNROLL3DROP ... 38
4UNROLLDUP ... 38
4UNROLLROT ... 38

5

5DROP ... 36
5GETLAM ... 40
5PICK ... 38
5PUTLAM ... 41
5ROLL ... 37
5UNROLL ... 38

6

6DROP ... 36
6GETLAM ... 40
6PICK ... 39
6PUTLAM ... 41
6ROLL ... 37
6UNROLL ... 38

7

7DROP ... 36
7GETLAM ... 40
7PICK ... 39
7PUTLAM ... 41
7ROLL ... 37
7UNROLL ... 38

8

8GETLAM ... 40
8PICK ... 39
8PUTLAM ... 41
8ROLL ... 37
8UNROLL ... 38

9

9GETLAM ... 40
9PICK ... 39
9PUTLAM ... 41
9ROLL ... 37

A

ABND ... 39
ABORT ... 42
ABSCOERCE ... 119
ABUFF ... 63
AddEq$ ... 119
adjdiv (~adjdiv) ... 136
adjdivsign (~adjdivsign) ... 136
adjsign (~adjsign) ... 136
AGAIN ... 52
AlDrawMenu ... 119
alg= ... 130
AllowPRLCD ... 119
AllowPrlcdCl ... 56
AlowPrlcdCl ... 139
ALSKey1.1 (~ALSKey1.1) ... 109
ALSKey1.2 (~ALSKey1.2) ... 109
ALSKey1.3 (~ALSKey1.3) ... 109
ALSKey1.4 (~ALSKey1.4) ... 109
ALSKey1.5 (~ALSKey1.5) ... 109
ALSKey1.6 (~ALSKey1.6) ... 109
ALSKey2.1 (~ALSKey2.1) ... 109
ALSKey2.2 (~ALSKey2.2) ... 109
ALSKey2.3 (~ALSKey2.3) ... 109
ALSKey2.4 (~ALSKey2.4) ... 109
ALSKey2.5 (~ALSKey2.5) ... 109
ALSKey2.6 (~ALSKey2.6) ... 109
ALSKey3.1 (~ALSKey3.1) ... 109
ALSKey3.2 (~ALSKey3.2) ... 109
ALSKey3.3 (~ALSKey3.3) ... 110
ALSKey3.4 (~ALSKey3.4) ... 110
ALSKey3.5 (~ALSKey3.5) ... 110
ALSKey3.6 (~ALSKey3.6) ... 110
ALSKey4.1 (~ALSKey4.1) ... 110
ALSKey4.2 (~ALSKey4.2) ... 110
ALSKey4.3 (~ALSKey4.3) ... 110
ALSKey4.4 (~ALSKey4.4) ... 110
ALSKey4.5 (~ALSKey4.5) ... 110
ALSKey4.6 (~ALSKey4.6) ... 109
ALSKey5.1 (~ALSKey5.1) ... 110
ALSKey5.2 (~ALSKey5.2) ... 110
ALSKey5.3 (~ALSKey5.3) ... 110
ALSKey5.4 (~ALSKey5.4) ... 110
ALSKey5.5 (~ALSKey5.5) ... 110
ALSKey6.1 (~ALSKey6.1) ... 110
ALSKey6.2 (~ALSKey6.2) ... 110
ALSKey6.3 (~ALSKey6.3) ... 110
ALSKey6.4 (~ALSKey6.4) ... 110
ALSKey6.5 (~ALSKey6.5) ... 110
ALSKey7.1 (~ALSKey7.1) ... 110
ALSKey7.2 (~ALSKey7.2) ... 110
ALSKey7.3 (~ALSKey7.3) ... 110
ALSKey7.4 (~ALSKey7.4) ... 110
ALSKey7.5 (~ALSKey7.5) ... 111
ALSKey8.1 (~ALSKey8.1) ... 111
ALSKey8.2 (~ALSKey8.2) ... 111
ALSKey8.3 (~ALSKey8.3) ... 111
ALSKey8.4 (~ALSKey8.4) ... 111
ALSKey8.5 (~ALSKey8.5) ... 111
ALSKey9.1 (~ALSKey9.1) ... 111
ALSKey9.2 (~ALSKey9.2) ... 111
ALSKey9.3 (~ALSKey9.3) ... 111
ALSKey9.4 (~ALSKey9.4) ... 111
ALSKey9.5 (~ALSKey9.5) ... 111
AND ... 43
ANDcase ... 45
ANDITE ... 45
ANDNOTcase ... 45
Angle@ ... 119
AngleField ... 119
AngleLabel ... 119
ANSKey1.1 (~ANSKey1.1) ... 107
ANSKey1.2 (~ANSKey1.2) ... 107
ANSKey1.3 (~ANSKey1.3) ... 107
ANSKey1.4 (~ANSKey1.4) ... 107
ANSKey1.5 (~ANSKey1.5) ... 107
ANSKey1.6 (~ANSKey1.6) ... 107
ANSKey2.1 (~ANSKey2.1) ... 107
ANSKey2.2 (~ANSKey2.2) ... 107
ANSKey2.3 (~ANSKey2.3) ... 107
ANSKey2.4 (~ANSKey2.4) ... 107
ANSKey2.5 (~ANSKey2.5) ... 107
ANSKey2.6 (~ANSKey2.6) ... 107
ANSKey3.1 (~ANSKey3.1) ... 107
ANSKey3.2 (~ANSKey3.2) ... 107
ANSKey3.3 (~ANSKey3.3) ... 107
ANSKey3.4 (~ANSKey3.4) ... 107
ANSKey3.5 (~ANSKey3.5) ... 107
ANSKey3.6 (~ANSKey3.6) ... 107

ANSKey4.1 (~ANSKey4.1) 108
ANSKey4.2 (~ANSKey4.2) 108
ANSKey4.3 (~ANSKey4.3) 108
ANSKey4.4 (~ANSKey4.4) 108
ANSKey4.5 (~ANSKey4.5) 108
ANSKey4.6 (~ANSKey4.6) 108
ANSKey5.1 (~ANSKey5.1) 108
ANSKey5.2 (~ANSKey5.2) 108
ANSKey5.3 (~ANSKey5.3) 108
ANSKey5.4 (~ANSKey5.4) 108
ANSKey5.5 (~ANSKey5.5) 108
ANSKey6.1 (~ANSKey6.1) 108
ANSKey6.2 (~ANSKey6.2) 108
ANSKey6.3 (~ANSKey6.3) 108
ANSKey6.4 (~ANSKey6.4) 108
ANSKey6.5 (~ANSKey6.5) 108
ANSKey7.1 (~ANSKey7.1) 108
ANSKey7.2 (~ANSKey7.2) 108
ANSKey7.3 (~ANSKey7.3) 108
ANSKey7.4 (~ANSKey7.4) 108
ANSKey7.5 (~ANSKey7.5) 108
ANSKey8.1 (~ANSKey8.1) 108
ANSKey8.2 (~ANSKey8.2) 108
ANSKey8.3 (~ANSKey8.3) 109
ANSKey8.4 (~ANSKey8.4) 109
ANSKey8.5 (~ANSKey8.5) 109
ANSKey9.1 (~ANSKey9.1) 109
ANSKey9.2 (~ANSKey9.2) 109
ANSKey9.3 (~ANSKey9.3) 109
ANSKey9.4 (~ANSKey9.4) 109
ANSKey9.5 (~ANSKey9.5) 109
any 5
AnyDABad? 119
apletPTR! 71
apletPTR@ 71
ApName$>Id 119
ApNameId>$ 119
ApNameId>Id 119
apndit 130
AppDir+Offs 119
APPEND_SPACE 27
APPEND_SPC 139
Area@ 119
argswap 130
argswap&& 130
argswapnext 131
arry 5
ARRYCMP 119
ARRYID 8
ARRYLIST 119
ARRYLISTCMP 12
ARRYLISTREAL 12
ARRYREAL 8
ARRYREALCMP 12
ARRYREALREAL 12
arryspec (~arryspec) 136
ARRYSYM 119
ARSIZE 28
AttentionKe (~AttentionKe) 133
ATTN? 61
ATTNERR 12
ATTNFLGCLR 61
AttnPOSCOMP 119

B

backup 10
bad^ (~bad^) 136
BadIfEdit 119
BAK>HOME 119
BAK>OB 35
BAKNAME 35
BEGIN 51
BIGDISPN 67
BIGDISPROW1 67
BIGDISPROW2 67
BIGDISPROW3 67
BIGDISPROW4 67
BIND 39
BinLookup 120
BINT_114 10
BINT_115d 10
BINT_116d 10
BINT_117d 10
BINT_122d 10
BINT_128d 10
BINT_130d 10
BINT_131d 10
BINT_263d 11
BINT_305d 11
BINT_306d 11
BINT_307d 11
BINT_65d 8
BINT_91d 9
BINT_96d 9
BINT0 5
BINT1 5
BINT10 5
BINT100 10
BINT11 5
BINT111 10
BINT115 10
BINT116 10
BINT12 5

BINT122 ... 10
BINT128 ... 10
BINT13 ... 5
BINT130 ... 10
BINT130d ... 10
BINT131 ... 10
BINT131d ... 10
BINT14 ... 5
BINT15 ... 5
BINT16 ... 5
BINT17 ... 6
BINT18 ... 6
BINT19 ... 6
BINT2 ... 5
BINT20 ... 6
BINT21 ... 6
BINT22 ... 6
BINT23 ... 6
BINT24 ... 6
BINT25 ... 6
BINT253 ... 11
BINT255d ... 11
BINT26 ... 6
BINT27 ... 6
BINT28 ... 6
BINT29 ... 6
BINT3 ... 5
BINT30 ... 6
BINT31 ... 6
BINT32 ... 6
BINT33 ... 6
BINT34 ... 6
BINT35 ... 6
BINT37 ... 6
BINT38 ... 7
BINT39 ... 7
BINT3Fh ... 8
BINT4 ... 5
BINT40 ... 7
BINT40h ... 8
BINT41 ... 7
BINT42 ... 7
BINT43 ... 7
BINT44 ... 7
BINT45 ... 7
BINT46 ... 7
BINT47 ... 7
BINT48 ... 7
BINT49 ... 7
BINT5 ... 5
BINT50 ... 7
BINT51 ... 7
BINT52 ... 7
BINT53 ... 7
BINT54 ... 7
BINT55 ... 7
BINT56 ... 7
BINT57 ... 8
BINT58 ... 8
BINT59 ... 8
BINT6 ... 5
BINT60 ... 8
BINT61 ... 8
BINT62 ... 8
BINT63 ... 8
BINT64 ... 8
BINT65 ... 8
BINT66 ... 8
BINT67 ... 8
BINT68 ... 8
BINT69 ... 8
BINT7 ... 5
BINT70 ... 8
BINT74 ... 8
BINT79 ... 9
BINT8 ... 5
BINT80 ... 9
BINT80h ... 10
BINT81 ... 9
BINT82 ... 9
BINT83 ... 9
BINT84 ... 9
BINT85 ... 9
BINT86 ... 9
BINT87 ... 9
BINT9 ... 5
BINT91 ... 9
BINT96 ... 9
BINT97 ... 9
BINTC0h ... 11
blackbox ... 131
BlankClient ... 120
BlankHelp ... 120
BLANKIT ... 65
Box/StdLabel ... 69
BREAK ... 119
BTRow1@ ... 119
Bubble ... 120

C

C%>% ... 18
CACHE ... 40
CALCCXT! ... 71
CALCCXT@ ... 71
CalcDir+Offs ... 120
CAND ... 120
CAR$ ... 26
CARCOMP ... 29
case ... 45
case2drop ... 45
case2DROP ... 46
case2drpfls ... 46
caseDEADKEY ... 48
caseDoBadKey ... 48
casedrop ... 45
caseDROP ... 45
caseDrpBadKy ... 49
casedrpfls ... 46
casedrptru ... 46
caseERRJMP ... 49
caseFALSE ... 46
caseSIZEERR ... 49
caseTRUE ... 46
CatNot ... 120
CatPgm ... 120
CatThisCxt ... 120
CDR$ ... 26
CDRCOMP ... 30
CHANGETYPE ... 56
char ... 10
check_xrange ... 131
check_yrange ... 131
CHECKEXISTS (~CHECKEXISTS) ... 133
CHECKHEIGHT ... 67
CHECKKEY ... 59
CHECKPICT ... 69
ChkDaList (~ChkDaList) ... 133
Choose&DoTask ... 120
chooselst ... 131
ChooseVEntry ... 120
ChooseVExit ... 120
ChooseViewUI ... 120
CHR_# ... 20
CHR_' ... 23
CHR_* ... 21
CHR_, ... 21
CHR_- ... 21
CHR_-> ... 23
CHR_. ... 21
CHR_. ... 20
CHR_/ ... 21
CHR_: ... 21
CHR_; ... 21
CHR_= ... 21
CHR_[... 22
CHR_] ... 22
CHR_{ ... 23
CHR_} ... 23
CHR_+ ... 21
CHR_> ... 21
CHR_>= ... 23
CHR_>> ... 23
CHR_< ... 21
CHR_<= ... 23
CHR_<> ... 23
CHR_<< ... 23
CHR_0 ... 21
CHR_00 ... 20
CHR_1 ... 21
CHR_2 ... 21
CHR_3 ... 21
CHR_4 ... 21
CHR_5 ... 21
CHR_6 ... 21
CHR_7 ... 21
CHR_8 ... 21
CHR_9 ... 21
CHR_a ... 22
CHR_A ... 21
CHR_Angle ... 23
CHR_b ... 22
CHR_B ... 21
CHR_c ... 22
CHR_C ... 21
CHR_d ... 22
CHR_D ... 21
CHR_DblQuote ... 20
CHR_Deriv ... 23
CHR_e ... 22
CHR_E ... 21
CHR_f ... 22
CHR_F ... 21
CHR_g ... 22
CHR_G ... 21
CHR_h ... 22
CHR_H ... 21
CHR_i ... 22
CHR_I ... 21
CHR_Integral ... 23
CHR_j ... 22
CHR_J ... 21
CHR_k ... 22
CHR_K ... 21

CHR_l ... 22
CHR_L ... 21
CHR_LeftPar ... 20
CHR_m ... 22
CHR_M ... 21
CHR_n ... 22
CHR_N ... 21
CHR_Newline ... 20
CHR_o ... 22
CHR_O ... 21
CHR_p ... 22
CHR_P ... 21
CHR_Pi ... 23
CHR_q ... 22
CHR_Q ... 22
CHR_r ... 22
CHR_R ... 22
CHR_RightPar ... 21
CHR_s ... 22
CHR_S ... 22
CHR_Sigma ... 23
CHR_Space ... 20
CHR_t ... 22
CHR_T ... 22
CHR_u ... 22
CHR_U ... 22
CHR_UndScore ... 22
CHR_v ... 22
CHR_V ... 22
CHR_w ... 22
CHR_W ... 22
CHR_x ... 22
CHR_X ... 22
CHR_y ... 22
CHR_Y ... 22
CHR_z ... 23
CHR_Z ... 22
CHR># ... 14
CHR>$ ... 25
Ck&DecKeyLoc ... 59
CK&DISPATCH0 ... 57
CK&DISPATCH1 ... 57
CK&DISPATCH2 ... 57
CK0 ... 57
CK1&Dispatch ... 57
CK2&Dispatch ... 57
CK3&Dispatch ... 57
CK4&Dispatch ... 57
CK5&Dispatch ... 58
CKGROBFITS ... 67
CKREAL ... 58
CKREF ... 54
CLCD10 ... 65
ClearList0 ... 92
ClearList1 ... 92
ClearList2 ... 92
ClearList3 ... 92
ClearList4 ... 92
ClearList5 ... 92
ClearList6 ... 92
ClearList7 ... 92
ClearList8 ... 92
ClearList9 ... 92
ClearLists ... 92
CLKTICKS ... 55
CLOSEUART ... 56
ClrAllTOLVs ... 88
ClrAllTVars ... 88
ClrDA1Bad ... 64
ClrDA1OK ... 64
ClrDA2aBad ... 64
ClrDA2aOK ... 64
ClrDA2bBad ... 65
ClrDA2bNoCh ... 65
ClrDA2bOK ... 64
ClrDA2OK ... 64
ClrDA3OK ... 64
ClrInAplet ... 92
ClrListUtil ... 92
ClrSysFlag ... 55
CLRTOPICLAM (~CLRTOPICLAM) ... 120
ClrUserFlag ... 55
cmp ... 5
CMPOBOB ... 12
CodePl>%rc.p ... 59
COERCE ... 14
COERCEDUP ... 14
COERCESWAP ... 14
COLA ... 51
COLA_EVAL ... 51
COLAcase ... 46
COLACOLA ... 51
COLARPITE ... 45
COLASKIP ... 51
COLCTDER (~COLCTDER) ... 133
COLCTFCNAP (~COLCTFCNAP) ... 133
COLCTIFTE (~COLCTIFTE) ... 133
COLCTINTG (~COLCTINTG) ... 133
COLCTQUOTE (~COLCTQUOTE) ... 133
COLCTSUM (~COLCTSUM) ... 133
COMPEVAL ... 50
COMPILEID ... 34
completed ... 131
COMPLEXDUMM (~COMPLEXDUMM) ... 133

COMPROMID 120
Connecting 13
CONTEXT! 54
CONTEXT@ 54
Contxt+Offs 120
convertaddr (~convertaddr) 136
CopyRegCOb 120
copysub (~copysub) 136
COR 120
covD/DCROSS (~covD/DCROSS) 136
covD/DDOT (~covD/DDOT) 136
covD/DINTG (~covD/DINTG) 136
covINV* (~covINV*) 136
covINV- (~covINV-) 136
covINV/ (~covINV/) 136
covINV= (~covINV=) 136
covINV+ (~covINV+) 136
covINV^ (~covINV^) 136
covINV^X (~covINV^X) 136
covINVALOG (~covINVALOG) 136
covINVCOS (~covINVCOS) 136
covINVCOSH (~covINVCOSH) 136
covINVEXP (~covINVEXP) 136
covINVEXPM1 (~covINVEXPM1) 136
covINVSIN (~covINVSIN) 136
covINVSINH (~covINVSINH) 136
covINVTAN (~covINVTAN) 136
covINVTANH (~covINVTANH) 136
covLBSTO (~covLBSTO) 136
covMANATG (~covMANATG) 136
covmanCOL (~covmanCOL) 137
covMANCSIV (~covMANCSIV) 136
covMANEXP (~covMANEXP) 136
covMANMENU* (~covMANMENU*) 136
covMANMENU+ (~covMANMENU+) 136
covMANMENUC (~covMANMENUC) 136
covMANMENUE (~covMANMENUE) 136
covMANMENUL (~covMANMENUL) 136
covMANTRG (~covMANTRG) 137
covmetaLIBS (~covmetaLIBS) 137
covWSPLIT (~covWSPLIT) 137
CREATE 53
CREATEDIR 54
CRLF$ 23

D

d* 131
d> 131
d>% 131
d>= 131
d< 131
d<= 131
DA1Bad? 64
DA1OK? 64
DA2aBad? 64
DA2aLess1OK? 64
DA2aOK? 64
DA2bNoCh? 65
DA2bOK? 64
DA2OK? 64
DA3OK? 64
DA3OK?NOTIT 64
DArrow (~DArrow) 133
dARRYcase 48
DAsOK? 64
dDIV 131
DECOMP$ 27
Decomp%Short 27
DecompNoNL 120
DecompOb 120
DefaultHint 120
DefauPtXit 120
DefauStat2T (~DefauStat2T) 133
DefauStatTy (~DefauStatTy) 133
DefauTrcInit 120
DemoFrames 120
DEPTH 36
dIDNTNcase 48
Digits@ 120
DIMLIMITS 28
dirstrucchk 131
DisableIntr 149
DISP@01 67
DISP@09 67
DISP@17 67
DISP@25 67
DispMenu 62
DispMenu.1 62
DispMsgBox 120
DISPN 67
DISPROW1 67
DISPROW2 67
DISPROW3 67
DISPROW4 67
DISPROW5 67
DISPROW6 67
DISPROW7 67
DISPROW8 67
DispXFunc 120
DispYFunc 120
dLISTcase 48
dMOD 131
dmuldiv 131

DO 52
DO#EXIT 42
DO$EXIT 42
DO>STR 27
DOACPTR 153
DoAlert&Query 120
DoApletLib 120
DOARRY 150
DoAs2Col 120
DoBadKey 61
DOBAK 151
DOBIND 39
DOBINT 151
DoCApNoteV 120
DoCApPlotSV 121
DoCApPlotV 121
DoCApSketchV 121
DoCApSymbSV 121
DoCApSymbV 121
DoCApTableSV 121
DoCApTableV 121
DOCHAR 151
DOCLLCD 65
docmdlist (~docmdlist) 137
DOCMP 151
DOCODE 151
DOCOL 151
docr 56
Docrunchc 122
DOCSTR 151
DoCurrAplet 121
DoDemo 121
DODISP 67
DoDispBorder 121
DoDispField 121
DoDispList 121
DoDispPrompt 121
DOECMP 151
DoEditLCancel 121
DoEditLine 121
DoEditLOK 121
DOERASE 64
DOEREL 151
DoExponent (~DoExponent) 133
DOEXT 151
DOEXT0 153
DOEXT1 153
DOEXT2 153
DOEXT3 153
DOEXT4 153
DOFINISH 56
DoGetObFrSto 121
DOGROB 152
DOHSTR 152
DOHXS 152
DOIDNT 152
doidseqn (~doidseqn) 137
DoInApLbCxt 121
DoInAppCxt 88
DoInCalcCxt 88
DoInCxt 88
DOINDIR 120
DoInFuncCxt 88
DoInNotCxt 121
DoInOtherCxt 88
DoInParamCxt 88
DoInPgmCxt 121
DoInPolarCxt 88
DoInputForm 62
DoInSeqCxt 88
DoInSolveCxt 88
DoInStatCxt 88
DoIOErrAlert 121
DoIOStatusBox 121
DoKeyCheck 121
DoKeyChoos/Ck 121
DoKeyChoose 121
DOLAM 152
dolatorre (~dolatorre) 137
dolatorre+ (~dolatorre+) 137
dolatorre2 (~dolatorre2) 137
DOLCD> 69
DOLCD>g0 120
DOLIB 152
DOLIST 152
dolist+ (~dolist+) 137
DOLNKARRY 152
DoMatEdit 121
DoMenuKey1N (~DoMenuKey1N) 133
DoMenuKey2N (~DoMenuKey2N) 133
DoMenuKey3N (~DoMenuKey3N) 133
DoMenuKey4N (~DoMenuKey4N) 133
DoMenuKey5N (~DoMenuKey5N) 133
DoMenuKey6N (~DoMenuKey6N) 133
Done?CkNoNul: 122
dontuple (~dontuple) 137
dontuple# (~dontuple#) 137
DoNumeric: (~DoNumeric:) 133
dopcoeff (~dopcoeff) 137
dopolydiv (~dopolydiv) 137
dopolyz (~dopolyz) 137
doptr! 131
doptr@ 131
doptrseqn (~doptrseqn) 137

dopval (~dopval) 137
DoQueryBox 121
DOREAL 152
DoRecv/GetOb 121
DoRecvObFrEls 121
DoRestCovWin 121
DoResultTab 121
DOROMP 152
DoRomPtrKey 121
DOROOT 120
DORRP 152
DoSaveCovWin 121
dosecntuple (~dosecntuple) 137
dosecseqn (~dosecseqn) 137
DoSendOb 121
DoSendObToCDi 121
DoSendObToDir 122
DoSendObToEl 139
DoSendObToSto 122
doseq (~doseq) 137
doseqn (~doseqn) 137
doseqn# (~doseqn#) 137
DOSHOWIT1 120
DOSHOWIT1C 120
dosort (~dosort) 137
DoSpecAlert 122
DOSYMB 153
DOTAG 153
dowait 55
DOWAIT 120
dREALNcase 48
DROP 36
DROP#1- 15
DROP' 50
DROPDUP 36
DROPFALSE 43
DropJunk 122
DROPLOOP 52
DROPNDROP 32, 36
DROPNULL$ 25
DROPONE 13
DROPOVER 36
DROPRDROP 50
DROPROT 36
DROPSWAP 36
DROPSWAPDROP 37
DropSysObs 158
DROPTRUE 43
DROPZERO 13
DTYPEARRY? 58
DTYPECOL? 59
DTYPECSTR? 58
DTYPELIST? 58
DTYPEREAL? 58
DummyMenuErr 122
DUMP 40
DUP 36
DUP#<7 16
DUP#0= 16
DUP#0=case 47
DUP#0=csDROP 47
DUP#0=csedrp 47
DUP#0=IT 47
DUP#0=ITE 47
DUP#0_DO 52
DUP#0<> 16
DUP#0<>WHILE 52
DUP#1= 16
DUP#1+ 15
DUP$>ID 39
DUP%0= 20
DUP' 50
DUP@ 53
DUP1LAMBIND 39
DUP3PICK#+ 15
DUPDUP 36
DUPINCOMP 32
DUPINDEX@ 52
DUPLEN$ 25
DUPLENCOMP 30
DUPNULL$? 28
DUPNULL{}? 32
DUPNULLCOMP? 30
DUPONE 13
DUPPICK 36
DUPROLL 36
DUPROMPTR@ 34
DUPROT 36
DUPTWO 13
DUPTYPEARRY? 58
DUPTYPEBINT? 59
DUPTYPECHAR? 59
DUPTYPECMP? 58
DUPTYPECOL? 59
DUPTYPECSTR? 58
DUPTYPEEXT? 59
DUPTYPEGROB? 59
DUPTYPEHSTR? 59
DUPTYPEIDNT? 58
DUPTYPELAM? 58
DUPTYPELIST? 58
DUPTYPEREAL? 58
DUPTYPEROMP? 59
DUPTYPERRP? 59

DUPTYPESYMB? 58
DUPTYPETAG? 59
DUPUNROT 36
DUPZERO 13
dvarlsBIND 39
dvbind 131

E

EDITDECOMP$ 27
EditExstCase 49
EIGHT 5
EIGHTEEN 6
EIGHTROLL 37
EIGHTY 9
EIGHTYEIGHT 9
EIGHTYNINE 9
EIGHTYONE 9
ELEVEN 5
ElsieGet 122
elsielists? (~elsielists?) 137
elsiename 131
ElsiePkt 122
ElsieSend 122
Embedded? 30
EmptyList? 122
EmptyRList? 122
EnsureMenuOff 122
Enter/Again (~Enter/Again) 133
EnterGraphView 122
EnterTextView 122
EQ 44
EQcase 48
EQcasedrop 48
EQIT 48
EQITE 48
EQLookup 31
EQOR 44
EQOVER 44
EQUAL 44
EQUALcase 48
EQUALcasedrp 48
EQUALNOT 44
EQUALNOTcase 48
EQUALOR 44
EQUALPOSCMP 30
EQUALPOSCOMP 30
EraseGraph 122
EraseGrob 122
Err#Chr00 122
Err#Cont 11
Err#Kill 11
Err#NoLstArg 12
Err#NoLstStk 11
ERRBEEP 41
ERRJMP 42
ERROR@ 42
ERRORCLR 42
ERROROUT 42
ERRORSTO 42
ERRSET 42
ERRTRAP 42
etorc (~etorc) 137
EVAL 50
EVALCRUNCH 158
EvalPart1 122
EvalPart2 122
EvalPart3 122
ExitAtLOOP 53
EXITMSGSTO 42
EXPAND 26, 28
EXT 5
EXTN 29, 31
EXTOBOB 13
EXTREAL 11
Extremum@ 122
EXTSYM 11

F

failed 43
FALSE 43
FALSE' 50
FalseFalse 43
FalseTrue 43
FALSETRUE 43
FarDArrow (~FarDArrow) 134
FAreaBad? 122
FarLArrow (~FarLArrow) 134
FarRArrow (~FarRArrow) 134
FarUArrow (~FarUArrow) 134
FIFTEEN 5
FIFTY 7
FIFTYEIGHT 8
FIFTYFIVE 7
FIFTYFOUR 7
FIFTYNINE 8
FIFTYONE 7
FIFTYSEVEN 8
FIFTYSIX 7
FIFTYTHREE 7
FIFTYTWO 7
filename 131
FitLeftSmF 122

FitRightSmF 122
FIVE 5
FIVEFOUR 9
FIVEROLL 37
FIVESIX 9
FIVETHREE 9
FIVEUNROLL 38
FLUSH 59
FLUSHKEYS 59
Format@ 122
FORTY 7
FORTYEIGHT 7
FORTYFIVE 7
FORTYFOUR 7
FORTYNINE 7
FORTYONE 7
FORTYSEVEN 7
FORTYSIX 7
FORTYTHREE 7
FORTYTWO 7
FOUR 5
FOURFIVE 8
FOURpsh 122
FOURROLL 37
FOURROLLROT 37
FOURTEEN 5
FOURTHREE 8
FOURTWO 8
FOURTY 7
FOURUNROLL 38
FSTFLOATROM# 122
FSTMACROROM# 12
FTypeCheck? 122
FTypeFixedL? 122
FTypeList? 122
FTypeText? 122
funcCache@ 131
FuncPLoop 122
FUNCPLOT 122
FuncPSetup1 122
funcPTR! 71
funcPTR@ 71
FuncSplitViewers 122

G

GARBAGE 56
GBUFF 63
GDISP? 122
GDISPCENTER 70
GET@tTYPER 88
get1 33
GetApDirLst 139
GETATELN 28
GetBVars.1 123
GetChoiceFmt 123
GetChoiceList 123
GetDASpecFlag 123
GetElNoRomp 123
GETEXITMSG 42
GETKEY 60
GETLAM 40
GETLAMPAIR 41
GetLastNotThis 123
GetNextFId 123
GetNextToken 27
GetObType$ 123
GetObTypePr$ 123
GetPart1 123
GetPart2 123
GetPart3 123
GETPLTLABLS (~GETPLTLABLS) 134
GetPrevFId 123
GETPTRLOOP 149
GETSERIAL 56
GETTHEMESG 42
GETTOUCH 60
GetTypeText (~GetTypeText) 134
GETXMAX 70
GETXMIN 69
GETYMAX 70
GETYMIN 70
GETYPOS 70
GPPushFLoop 150
GPPushTLoop 150
GraphTableUI 123
GraphZoomUI 123
grob 5
GROB! 67
GROB!ZERO 68
GROB!ZERODRP 68
GROB+# 67
GROB>GDISP 68
GROBBUFF! 122
grobCheck 131
grobCheckX 131
GROBDIM 67
GROBDIMw 67
grobInvChk 131
grobInvChkX 131
grobInvNoChk 131
grobInvUnChkX 131
grobMoreDown 131
grobMoreUp 131

grobNoMore 131
grobPOBox2 131
grobPOBox3 131
grobPOBox4 131
grobPOBox5 131
grobPOBoxP2 131
grobPOBoxP3 131
grobPOBoxP4 131
grobQueryIcon 132
grobTitleBar 132
grobUnCheckX 132
GROBVIEW 123
GtoField 123

H

HARDBUFF 63
HARDBUFF2 63
HARDHEIGHT 63
HEIGHTENGROB 63
HisWidth@ 123
Hmax@ 123
Hmin@ 123
HOME>BAK 123
HOMEDIR 54
HTick@ 123
hxs 5
HXSREAL 11
HZoom@ 123

I

I:-InvSin (~I:-InvSin) 134
I:-InvSinh (~I:-InvSinh) 134
I:Acosh (~I:Acosh) 134
I:Asinh (~I:Asinh) 134
I:Atan (~I:Atan) 134
I:LnTan (~I:LnTan) 134
I:LnTanh (~I:LnTanh) 134
I:Tanh (~I:Tanh) 134
id 5
ID>$ 25
Id>ApNameId 123
IDARRY 10
IDCMP 9
idE0 (~idE0) 99
idE1 (~idE1) 99
idE2 (~idE2) 99
idE3 (~idE3) 99
idE4 (~idE4) 99
idE5 (~idE5) 99
idE6 (~idE6) 99
idE7 (~idE7) 99
idE8 (~idE8) 99
idE9 (~idE9) 99
idF0 (~idF0) 93
idF1 (~idF1) 93
idF2 (~idF2) 93
idF3 (~idF3) 93
idF4 (~idF4) 93
idF5 (~idF5) 93
idF6 (~idF6) 93
idF7 (~idF7) 93
idF8 (~idF8) 93
idF9 (~idF9) 94
IDLIST 10
IDLISTOB 12
idnt 5
idntany 132
idR0 (~idR0) 97
idR1 (~idR1) 97
idR2 (~idR2) 97
idR3 (~idR3) 97
idR4 (~idR4) 97
idR5 (~idR5) 97
idR6 (~idR6) 97
idR7 (~idR7) 97
idR8 (~idR8) 97
idR9 (~idR9) 97
IDREAL 9
IDREALOB 12
idU0 (~idU0) 98
idU1 (~idU1) 98
idU2 (~idU2) 98
idU3 (~idU3) 98
idU4 (~idU4) 98
idU5 (~idU5) 98
idU6 (~idU6) 99
idU7 (~idU7) 99
idU8 (~idU8) 99
idU9 (~idU9) 99
idX0 (~idX0) 95
idX1 (~idX1) 95
idX2 (~idX2) 95
idX3 (~idX3) 95
idX4 (~idX4) 95
idX5 (~idX5) 95
idX6 (~idX6) 95
idX7 (~idX7) 95
idX8 (~idX8) 95
idX9 (~idX9) 95
idY0 (~idY0) 96
idY1 (~idY1) 96
idY2 (~idY2) 96

idY3 (~idY3) ... 96
idY4 (~idY4) ... 96
idY5 (~idY5) ... 96
idY6 (~idY6) ... 96
idY7 (~idY7) ... 96
idY8 (~idY8) ... 96
idY9 (~idY9) ... 96
IFECheck ... 123
IFEChoosByChr ... 123
IFEChooseNext ... 123
IFEDispClient ... 123
IFEDispHelp ... 123
IFEDispLabel ... 123
IFEDispTitle ... 123
IFEdLineMenu ... 123
IFEUnShowSel ... 123
IFMenu ... 123
illnameerr ... 132
InAplet? ... 123
InApletF? ... 123
INCOMPDROP ... 32
INDEX@ ... 52
INDEX@#- ... 52
INDEXSTO ... 52
INHARDROM? ... 56
Init_window ... 124
Init2ColMets ... 123
InitEnab ... 158
InitIndep ... 123
InitListMets ... 124
InitMenu ... 61
INNER#1= ... 32
INNERCOMP ... 31
INNERDUP ... 32
InpFormVEntry ... 124
InpFormVExit ... 124
InpFormViewUI ... 124
INT_00 ... 111
INT_01 ... 111
INT_02 ... 111
INT_03 ... 111
INT_04 ... 111
INT_05 ... 111
INT_06 ... 111
INT_07 ... 111
INT_08 ... 111
INT_09 ... 111
INT_0A ... 111
INT_0B ... 111
INT_0C ... 112
INT_0D ... 112
INT_0E ... 112
INT_0F ... 112
INTEGER337 ... 11
INTEMNOTREF? ... 54
INTEMPOB? (~INTEMPOB?) ... 54
INTGACOS (~INTGACOS) ... 134
INTGALOG (~INTGALOG) ... 134
INTGASIN (~INTGASIN) ... 134
INTGATAN (~INTGATAN) ... 134
INTGCOS (~INTGCOS) ... 134
INTGCOSH (~INTGCOSH) ... 134
INTGDER (~INTGDER) ... 134
INTGEXPM (~INTGEXPM) ... 134
INTGINV (~INTGINV) ... 134
INTGLN (~INTGLN) ... 134
INTGLOG (~INTGLOG) ... 134
INTGSIGN (~INTGSIGN) ... 134
INTGSIN (~INTGSIN) ... 134
INTGSINH (~INTGSINH) ... 134
INTGSQ (~INTGSQ) ... 134
INTGSQRT (~INTGSQRT) ... 134
INTGTAN (~INTGTAN) ... 134
INTGTANH (~INTGTANH) ... 134
InvalServCmd ... 12
InvertField ... 124
INVGROB ... 68
Isect@ ... 124
IsIFMenu? ... 124
IsNullField? ... 124
IsTaskSwKey? ... 124
ISTOP@ ... 53
ISTOPSTO ... 53
IT ... 45
ITE ... 45
ITE_DROP ... 45

J

j%0=case ... 48
jEQcase ... 48
JINDEX@ ... 53
JINDEXSTO ... 53
JstGetTHEMESG ... 42
JstGETTHEMSG ... 42
JSTOP@ ... 53
JSTOPSTO ... 53
JUMPBOT ... 66
JUMPLEFT ... 66
JUMPRIGHT ... 66
JUMPTOP ... 66

K

Key>StdKeyOb 61
KeyFace 124
KEYINBUFFER? 60
KILLGDISP 63

L

la-COL (~la-COL) 155
la-ROW (~la-ROW) 155
la+COL (~la+COL) 155
la+COLs (~la+COLs) 155
la+ELEM (~la+ELEM) 155
la+ELEMc (~la+ELEMc) 155
la+ELEMr (~la+ELEMr) 155
la+RCsLP (~la+RCsLP) 155
la+ROW (~la+ROW) 155
la+ROWs (~la+ROWs) 155
la>COL (~la>COL) 155
la>DIAG (~la>DIAG) 155
la>ELEM (~la>ELEM) 155
la>ROW (~la>ROW) 155
laBPMUTE (~laBPMUTE) 155
laCOL> (~laCOL>) 155
laCOND (~laCOND) 155
laCONDdone (~laCONDdone) 155
laCSWP (~laCSWP) 155
laDIAG> (~laDIAG>) 155
laDT (~laDT) 155
laECQhQAQh (~laECQhQAQh) 155
laEgCQRI (~laEgCQRI) 155
laEgCQRIk1 (~laEgCQRIk1) 155
laEgCSchur (~laEgCSchur) 155
laEGetTiny (~laEGetTiny) 155
laEgHF (~laEgHF) 155
laEgIsoVal (~laEgIsoVal) 155
laEgM*G2 (~laEgM*G2) 155
laEgM*RG3 (~laEgM*RG3) 155
laEgPrep (~laEgPrep) 155
laEgQkHA (~laEgQkHA) 156
laEgQRIk0 (~laEgQRIk0) 156
laEgRotR (~laEgRotR) 156
laEgRQRI (~laEgRQRI) 156
laEgRQRIk1 (~laEgRQRIk1) 156
laEgRSchur (~laEgRSchur) 156
laEgRWilk3 (~laEgRWilk3) 156
laEgSclCls (~laEgSclCls) 156
laEGV (~laEGV) 155
laEgValr (~laEgValr) 156
laEgVcPair (~laEgVcPair) 156
laEgVcSngl (~laEgVcSngl) 156
laEgVcUrhs (~laEgVcUrhs) 156
laEgVecC (~laEgVecC) 156
laEgVecR (~laEgVecR) 156
laEGVL (~laEGVL) 155
laEGVL%% (~laEGVL%%) 155
laEgWilk2 (~laEgWilk2) 156
laFPMUTE (~laFPMUTE) 156
laFSCALE (~laFSCALE) 156
laIV (~laIV) 156
laIVc (~laIVc) 156
laIVF (~laIVF) 156
laLsdScale (~laLsdScale) 156
laLSQ (~laLSQ) 156
lam 5
lamany 132
LAMANYANY 12
LAMLIST 10
LAMREAL 10
laQ2hX (~laQ2hX) 156
laQhA (~laQhA) 156
laQhB (~laQhB) 156
laQRF (~laQRF) 156
laQRmaxSV (~laQRmaxSV) 156
laQRminSV (~laQRminSV) 156
laQRrank (~laQRrank) 156
laQRSVecUp (~laQRSVecUp) 156
laRanInt (~laRanInt) 157
laRANK (~laRANK) 156
laRANM (~laRANM) 156
laRCI (~laRCI) 156
laRCIJ (~laRCIJ) 156
laRedHere? (~laRedHere?) 157
laRedRow (~laRedRow) 157
laRefineDT (~laRefineDT) 157
laROW> (~laROW>) 156
laRQF (~laRQF) 156
laRREF (~laRREF) 156
LArrow (~LArrow) 134
laRSVF (~laRSVF) 156
laRSWP (~laRSWP) 157
laRSWP2 (~laRSWP2) 157
laSCHUR (~laSCHUR) 157
laSchur2 (~laSchur2) 157
laScIntRnd (~laScIntRnd) 157
laSETDIAG (~laSETDIAG) 157
laSNORM (~laSNORM) 157
laSNORM%% (~laSNORM%%) 157
laSRAD (~laSRAD) 157
LAST$ 26
LastBut0 112
LastBut1 112
LastBut10 112
LastBut11 112

LastBut12 ... 112
LastBut13 ... 112
LastBut14 ... 112
LastBut15 ... 112
LastBut16 ... 112
LastBut17 ... 112
LastBut18 ... 112
LastBut19 ... 112
LastBut2 ... 112
LastBut20 ... 112
LastBut21 ... 112
LastBut22 ... 112
LastBut23 ... 112
LastBut24 ... 112
LastBut25 ... 112
LastBut26 ... 112
LastBut27 ... 112
LastBut28 ... 112
LastBut29 ... 112
LastBut3 ... 112
LastBut30 ... 112
LastBut31 ... 113
LastBut32 ... 113
LastBut4 ... 112
LastBut5 ... 112
LastBut6 ... 112
LastBut7 ... 112
LastBut8 ... 112
LastBut9 ... 112
LASTBUTN ... 124
LastEq@ ... 124
LastIndep@ ... 124
LASTRAM-WORD ... 54
LastX@ ... 124
LastY@ ... 124
laSV (~laSV) ... 157
laSVc (~laSVc) ... 157
laSVD (~laSVD) ... 157
laSvdAPk (~laSvdAPk) ... 157
laSvdAPPhV (~laSvdAPPhV) ... 157
laSvdBDirC (~laSvdBDirC) ... 157
laSvdBDQR (~laSvdBDQR) ... 157
laSvdCROTL (~laSvdCROTL) ... 157
laSvdCROTR (~laSvdCROTR) ... 157
laSvdFDirC (~laSvdFDirC) ... 157
laSvdGPROT (~laSvdGPROT) ... 157
laSvdGShft (~laSvdGShft) ... 157
laSvdLtUBD (~laSvdLtUBD) ... 157
laSvdPrep (~laSvdPrep) ... 157
laSvdPSort (~laSvdPSort) ... 157
laSvdQR2x2 (~laSvdQR2x2) ... 157
laSvdQRB (~laSvdQRB) ... 157
laSvdQRF (~laSvdQRF) ... 157
laSvdQRSB (~laSvdQRSB) ... 157
laSvdQRSF (~laSvdQRSF) ... 157
laSvdUBD (~laSvdUBD) ... 157
laSvdUQhQA (~laSvdUQhQA) ... 157
laSVL (~laSVL) ... 157
laTRACE (~laTRACE) ... 157
laULHSVF (~laULHSVF) ... 157
laUserLQ (~laUserLQ) ... 158
laUserLU (~laUserLU) ... 158
lauserQR (~lauserQR) ... 137
laUserQR (~laUserQR) ... 158
laVec- (~laVec-) ... 158
laVMAX%% (~laVMAX%%) ... 158
laVMAXJRP (~laVMAXJRP) ... 158
lbrac ... 158
LeaveGraphView ... 124
LeaveTextView ... 124
LEDispBorder ... 124
LEN$ ... 25
LENCOMP ... 30
LESetIDecomp ... 124
LESetItem ... 124
LESetRowWidth ... 124
LF$ ... 124
LHighlight ... 124
library ... 132
LINECHANGE ... 158
LINEOFF ... 68
LINEOFF3 ... 68
LINEON ... 68
LINEON3 ... 68
list ... 5
ListBar ... 124
LISTCMP ... 9
LISTID ... 9
LISTLAM ... 9
LISTLISTOB ... 12
ListNames ... 124
LISTOB ... 9
ListOfEqs@ ... 124
LISTREAL ... 9
LISTREALOB ... 12
LISTREALREAL ... 12
LIXRecv (~LIXRecv) ... 134
LIXSend (~LIXSend) ... 134
LockAlpha ... 65
lolatorre (~lolatorre) ... 137
Lookup ... 31
Lookup.1 ... 31
LOOP ... 52
loopdirck ... 132

LSKey1.1 (~LSKey1.1) 105
LSKey1.2 (~LSKey1.2) 105
LSKey1.3 (~LSKey1.3) 105
LSKey1.4 (~LSKey1.4) 105
LSKey1.5 (~LSKey1.5) 105
LSKey1.6 (~LSKey1.6) 105
LSKey2.1 (~LSKey2.1) 105
LSKey2.2 (~LSKey2.2) 105
LSKey2.3 (~LSKey2.3) 105
LSKey3.1 (~LSKey3.1) 105
LSKey3.2 (~LSKey3.2) 105
LSKey3.3 (~LSKey3.3) 105
LSKey4.1 (~LSKey4.1) 105
LSKey4.2 (~LSKey4.2) 105
LSKey4.3 (~LSKey4.3) 106
LSKey4.4 (~LSKey4.4) 106
LSKey4.5 (~LSKey4.5) 106
LSKey4.6 (~LSKey4.6) 106
LSKey5.1 (~LSKey5.1) 106
LSKey5.2 (~LSKey5.2) 106
LSKey5.4 (~LSKey5.4) 106
LSKey5.5 (~LSKey5.5) 106
LSKey6.1 (~LSKey6.1) 106
LSKey6.2 (~LSKey6.2) 106
LSKey6.3 (~LSKey6.3) 106
LSKey6.4 (~LSKey6.4) 106
LSKey6.5 (~LSKey6.5) 106
LSKey7.1 (~LSKey7.1) 106
LSKey7.2 (~LSKey7.2) 106
LSKey7.3 (~LSKey7.3) 106
LSKey7.4 (~LSKey7.4) 106
LSKey7.5 (~LSKey7.5) 106
LSKey8.1 (~LSKey8.1) 106
LSKey8.2 (~LSKey8.2) 106
LSKey8.3 (~LSKey8.3) 106
LSKey8.4 (~LSKey8.4) 106
LSKey8.5 (~LSKey8.5) 106
LSKey9.1 (~LSKey9.1) 107
LSKey9.2 (~LSKey9.2) 107
LSKey9.3 (~LSKey9.3) 107
LSKey9.4 (~LSKey9.4) 107
LSKey9.5 (~LSKey9.5) 107
lslatorre (~lslatorre) 137
LSTBIMACROM# 124
LUnHighlight 124

M

m-[]* (~m-[]*) 102
m-[]- (~m-[]-) 102
m-[]/ (~m-[]/) 102
m-[]+ (~m-[]+) 102
m-[]L (~m-[]L) 102
m->[]<-*/ (~m->[]<-*/) 102
m->[]<-+- (~m->[]<-+-) 102
m->DEFACOS (~m->DEFACOS) 101
m->DEFACOSH (~m->DEFACOSH) 101
m->DEFASIN (~m->DEFASIN) 101
m->DEFASINH (~m->DEFASINH) 101
m->DEFATAN (~m->DEFATAN) 101
m->DEFATANH (~m->DEFATANH) 101
m->DEFCOS (~m->DEFCOS) 101
m->DEFCOSH (~m->DEFCOSH) 101
m->DEFSIN (~m->DEFSIN) 101
m->DEFSINH (~m->DEFSINH) 101
m->DEFTAN (~m->DEFTAN) 101
m->DEFTANH (~m->DEFTANH) 101
m->TRG (~m->TRG) 101
m[]CHS* (~m[]CHS*) 103
m[]CHS/ (~m[]CHS/) 103
m[]CHSL (~m[]CHSL) 103
m[]INV^ (~m[]INV^) 103
m[]INVE (~m[]INVE) 103
m]->*/ (~m]->*/) 103
m]->+- (~m]->+-) 103
M+prep 124
m<-[*/ (~m<-[*/) 102
m<-[+- (~m<-[+-) 102
m<->* (~m<->*) 102
m<->- (~m<->-) 102
m<->/ (~m<->/) 102
m<->+ (~m<->+) 102
m<-A-- (~m<-A--) 102
m<-A-+ (~m<-A-+) 102
m<-A/* (~m<-A/*) 102
m<-A// (~m<-A//) 102
m<-A^* (~m<-A^*) 102
m<-M*^ (~m<-M*^) 102
m<-M*E (~m<-M*E) 102
m<-M-* (~m<-M-*) 102
m<-M-L (~m<-M-L) 102
m<-M/^ (~m<-M/^) 102
m<-M/E (~m<-M/E) 102
m<-M+* (~m<-M+*) 102
m<-M+L (~m<-M+L) 102
m<-T*/ (~m<-T*/) 102
m<-T= (~m<-T=) 102
m<-T+- (~m<-T+-) 102
m<T>* (~m<T>*) 102
m<T>+ (~m<T>+) 102
m1/[]* (~m1/[]*) 102
m1/[]/ (~m1/[]/) 102
m1/[]^ (~m1/[]^) 102
m1/[]E (~m1/[]E) 102

mA->*/ (~mA->*/) 102
mA->-- (~mA->--) 102
mA->// (~mA->//) 103
mA->+- (~mA->+-) 102
mA->^^ (~mA->^^) 103
mAFlq (~mAFlq) 103
mAFqq (~mAFqq) 103
mAFrq (~mAFrq) 103
Make1stAplet 124
MAKEARRY 29
MakeBoxLabel 69
MakeDirLabel 69
MAKEEPIDN (~MAKEEPIDN) 134
MAKEGROB 68
MakeInvLabel 69
MakeNoteVTtl 124
MakeNumSVTtl 124
MakeNumVTtl 124
MakePlotSVTtl 124
MakePlotVTtl 124
MAKERRP 54
MakeSketVTtl 124
MakeStdLabel 69
MakeSymbSVTtl 124
MakeSymbVTtl 125
MakeTitleBar 125
MakeViewTitle 125
MATCON 28
MATREDIM 29
MATTRN 29
mCONJ[] (~mCONJ[]) 103
mCOS+ (~mCOS+) 103
mCOSH+ (~mCOSH+) 103
mD->/- (~mD->/-) 103
mD->/+ (~mD->/+) 103
mD->^- (~mD->^-) 103
mD->^+ (~mD->^+) 103
mD->E- (~mD->E-) 103
mD->E+ (~mD->E+) 103
mD->L* (~mD->L*) 103
mD->L/ (~mD->L/) 103
MDIMS 28
MDIMSDROP 29
mE[]^ (~mE[]^) 103
mE^* (~mE^*) 103
mE^/ (~mE^/) 103
MEM 56
MEMERR 5
MemStoAns 125
MENUOFF? 63
metaDUP 132
metainsert 132
metapolyz (~metapolyz) 137
metaROTDUP 33
mIM[] (~mIM[]) 103
MiniVar 125
MINUSFIVE 13
MINUSFOUR 13
MINUSONE 13
MINUSTHREE 13
MINUSTWO 13
MiscIFMsg (~MiscIFMsg) 134
MissingKey1 (~MissingKey1) 111
MissingKey2 (~MissingKey2) 111
MissingKey3 (~MissingKey3) 111
MissingKey4 (~MissingKey4) 111
mL*^ (~mL*^) 103
mL[]* (~mL[]*) 103
mL[]/ (~mL[]/) 103
mM->op (~mM->op) 103
ModifierKey? 59
MoreDown? 125
morerepl (~morerepl) 137
moresub (~moresub) 137
MoreU/D? 125
MoreUp? 125
mRE[] (~mRE[]) 103
mrepll (~mrepll) 137
mrepll+ (~mrepll+) 137
mrepln (~mrepln) 137
mSIN+ (~mSIN+) 103
mSINH+ (~mSINH+) 103
msubll (~msubll) 137
msubll+ (~msubll+) 137
msubln (~msubln) 138
msubnl (~msubnl) 138
msubnn (~msubnn) 138
mT->= (~mT->=) 103
mTAN+ (~mTAN+) 103
mTANH+ (~mTANH+) 103

N

N+1DROP 32, 36
nBOXWHISKER (~nBOXWHISKER) 138
NcaseSIZEERR 49
NcaseTYPEERR 49
NDROP 32, 36
NDUP 36
NDUPN 36
NEWINDEP 158
NEWLINE$ 23
NEWLINE$&$ 25
NEWLINE&$ 25

newsymbPA 132
NextApOfType 125
NEXTCOMPOB 31
NextTextLine 125
nFUNCTION (~nFUNCTION) 138
nFUNCTOPIC (~nFUNCTOPIC) 138
nHISTOGRAM (~nHISTOGRAM) 138
NINE 5
NINETEEN 6
NINETY 9
NINETYEIGHT 9
NINETYFIVE 9
NINETYFOUR 9
NINETYNINE 10
NINETYTHREE 9
NINETYTWO 9
NoExitAction 61
NOP 49
NOT 43
NOT?SEMI 44
NOT?SWAPDROP 44
NOT_IT 45
NOT_UNTIL 52
NOT_WHILE 52
NOTAND 44
NotAndbitmap 125
NOTcase 45
NOTcase2drop 45
NOTcase2DROP 46
NOTcasedrop 45
NOTcaseDROP 45
NOTcaseFALSE 46
NOTcaseTRUE 46
NOTcsdrpfls 46
NOTESCXT! 71
NOTESCXT@ 71
NotHidden (~NotHidden) 134
nPARAMETRIC (~nPARAMETRIC) 138
nPARAMTOPIC (~nPARAMTOPIC) 138
nPOLAR (~nPOLAR) 138
nPOLARTOPIC (~nPOLARTOPIC) 138
nPTYPE>PINF (~nPTYPE>PINF) 138
ns*spec (~ns*spec) 138
nSCATTER (~nSCATTER) 138
nSEQTOPIC (~nSEQTOPIC) 138
nSEQUENCE (~nSEQUENCE) 138
NSKey3.2 (~NSKey3.2) 104
NSKey3.3 (~NSKey3.3) 104
NSKey4.1 (~NSKey4.1) 104
NSKey4.2 (~NSKey4.2) 104
NSKey4.3 (~NSKey4.3) 104
NSKey4.4 (~NSKey4.4) 104
NSKey4.5 (~NSKey4.5) 104
NSKey4.6 (~NSKey4.6) 104
NSKey5.2 (~NSKey5.2) 104
NSKey5.3 (~NSKey5.3) 104
NSKey5.4 (~NSKey5.4) 104
NSKey5.5 (~NSKey5.5) 104
NSKey6.1 (~NSKey6.1) 104
NSKey6.2 (~NSKey6.2) 104
NSKey6.3 (~NSKey6.3) 104
NSKey6.4 (~NSKey6.4) 104
NSKey6.5 (~NSKey6.5) 104
NSKey7.1 (~NSKey7.1) 104
NSKey7.2 (~NSKey7.2) 104
NSKey7.3 (~NSKey7.3) 104
NSKey7.4 (~NSKey7.4) 104
NSKey7.5 (~NSKey7.5) 104
NSKey8.1 (~NSKey8.1) 105
NSKey8.2 (~NSKey8.2) 105
NSKey8.3 (~NSKey8.3) 105
NSKey8.4 (~NSKey8.4) 105
NSKey8.5 (~NSKey8.5) 105
NSKey9.2 (~NSKey9.2) 105
NSKey9.3 (~NSKey9.3) 105
NSKey9.4 (~NSKey9.4) 105
NSKey9.5 (~NSKey9.5) 105
nSOLVE (~nSOLVE) 138
nSOLVETOPIC (~nSOLVETOPIC) 138
nSTATTOPIC (~nSTATTOPIC) 138
NTHCOMDDUP 30
NTHCOMPDROP 30
NTHELCOMP 30
NTHOF 30
NULL$ 23
NULL$? 28
NULL$SWAP 25
NULL:: 32
NULL{} 32
NULLargcase 125
NULLCOMP? 30
NULLHXS 28
NULLID 39
NULLLAM 39
NULLSYMB 34
nultrior 27
numargs 132
NUMEVAL1 125

O

OB>BAK ... 125
Ob>Seco ... 32
OCRC ... 56
OFFSRRP ... 35
ollatorre (~ollatorre) ... 138
ollatorre+ (~ollatorre+) ... 138
ONE ... 5
ONE#> ... 16
ONE_DO ... 52
ONE_EQ ... 16
ONECOLA ... 51
ONEDUP ... 13
oneexpr ... 132
ONEFALSE ... 14
ONEFALSE' ... 51
ONEHUNDRED ... 10
ONEONE ... 13
onestring ... 132
ONESWAP ... 13
ONSRRP? ... 35
OpenIO ... 56
OpenUart?Clr ... 56
optfilename ... 132
OR ... 43
Orbitmap ... 125
ORcase ... 45
ORNOT ... 44
OSIZE ... 56
otherNG? ... 88
otherPTR! ... 71
otherPTR@ ... 71
OVER ... 38
OVER#- ... 15
OVER#= ... 16
OVER#=case ... 46
OVER#+ ... 15
OVER#> ... 16
OVER#< ... 16
OVER#0= ... 16
OVER#1- ... 15
OVER' ... 50
OVER5PICK ... 38
OVERARSIZE ... 29
OVERDUP ... 38
OVEREQcase ... 125
OVERINDEX@ ... 52
OVERSWAP ... 38
OVERUNROT ... 38

P

P::N ... 31
PageDnNGrob ... 125
PageDnYGrob ... 125
PageUpNGrob ... 125
PageUpYGrob ... 125
paramPTR! ... 71
paramPTR@ ... 71
ParOuterLoop ... 62
ParseExpr ... 125
pcoef (~pcoef) ... 138
pcoefacc1 (~pcoefacc1) ... 138
pcoefacc2 (~pcoefacc2) ... 138
pdiv (~pdiv) ... 138
peval (~peval) ... 138
PGMCXT! ... 71
PGMCXT@ ... 71
PICK ... 39
PickedEqs@ ... 125
PIXOFF ... 68
PIXOFF3 ... 68
PIXON ... 68
PIXON? ... 68
PIXON?3 ... 68
PIXON3 ... 68
PlaceFVals ... 125
plDRPpZparg ... 34
Plot2Flg@ ... 125
PlotCKSUM@ ... 125
PlotFlag@ ... 125
PlotIFMsg (~PlotIFMsg) ... 135
PlotOvViewUI ... 125
PlotViewKey (~PlotViewKey) ... 135
PlotViewUI ... 125
POINTERR (~POINTERR) ... 135
POINTEXIT (~POINTEXIT) ... 135
POLARDUMMY (~POLARDUMMY) ... 135
polarPTR! ... 71
polarPTR@ ... 71
POLErrorTrap ... 158
POLKeyUI ... 62
POLRestoreUI ... 63
POLResUI&Err ... 63
POLSaveUI ... 62
POLSetUI ... 62
POLSetUIExt ... 125
poly* (~poly*) ... 138
poly/ (~poly/) ... 138
poly+ (~poly+) ... 138
poly^ (~poly^) ... 138
poly^# (~poly^#) ... 138
polyneg (~polyneg) ... 138

PolyNSymbF (~PolyNSymbF) ... 135
PolyNSymbP (~PolyNSymbP) ... 135
polyprep (~polyprep) ... 138
POP# ... 150
PORT0ADDR ... 125
Port0Ids ... 125
POS$ ... 26
POS$REV ... 26
POSCHR ... 26
POSCHRREV ... 26
POSCOMP ... 30
PrepCurrAplet ... 125
PrepEdLKeyOb ... 125
PREVRAM-WORD ... 54
PRINT ... 56
PrintHist ... 125
PrintLcd ... 125
PrintVar ... 125
PrintVarOb ... 125
PRLG ... 158
PROGIDCMP ... 12
PROGIDEXT ... 12
PROGIDLIST ... 12
PROGIDREAL ... 12
proot (~proot) ... 138
proot_c (~proot_c) ... 138
proot_r (~proot_r) ... 138
PROTERR ... 12
prx1 ... 132
psh ... 32
psh& ... 33
psh1 ... 132
psh1& ... 33
psh1&rev ... 33
psh1top& ... 33
psharg ... 132
pshmonop ... 132
pshtop& ... 33
pshzer ... 33
ptrargs (~ptrargs) ... 138
PTYPE>PINFO ... 158
pull ... 33
pullpsh1& ... 33
pullrev ... 33
PURGE ... 53
PurgeAplet ... 125
PurgeAppletOb ... 126
PUSH%LOOP ... 150
PUSHA ... 150
Put3x5 ... 126
Put5x7 ... 126
Putbitmap ... 126
PutDASpecFlag ... 126
PUTEL ... 29
PUTLAM ... 40
PUTLIST ... 32
PUTSERIAL ... 56
PUTXMAX ... 70
PUTXMIN ... 69
PUTYMAX ... 70
PUTYMIN ... 70
pZpargSWAPUn ... 34

R

R@ ... 49
R> ... 49
RAM-WORDNAME ... 54
RArrow (~RArrow) ... 135
rbrac ... 132
RclAplet ... 126
RclAplet?Err ... 126
RclFieldVal ... 126
RclResetVal ... 126
RDROP ... 50
RDROPCOLA ... 50
RDUP ... 50
real ... 5
REALcase ... 48
REALEXT ... 6
REALLISTREAL ... 126
REALOB ... 5
REALOBOB ... 11
realPA ... 132
REALREAL ... 6
REALREALOB ... 11
REALSTRID ... 126
REALSTRSTR ... 11
REALSYM ... 6
ReCalcFlag@ ... 126
RECLAIMDISP ... 63
REDIMPREP ... 126
REIM[]* (~REIM[]*) ... 135
REPEAT ... 52
REPEATER ... 60
REPEATERCH ... 60
REPKEY? ... 60
REPLACE ... 53
Replace_List ... 126
resolved ... 132
RESOROMP ... 34
resymb (~resymb) ... 139
Retry ... 13
reversym ... 36

rMAKEPCOPY (~rMAKEPCOPY) ... 138
RNDXY ... 19
ROLL ... 37
roll2ND ... 33
roll2top& ... 33
roll3RD ... 132
roll4TH ... 132
ROLLDROP ... 37
rollNTH ... 132
ROLLSWAP ... 37
rolltwotop& ... 33
ROM-WORD? ... 35
ROMPANY ... 11
rompointer ... 5
ROMPTR@ ... 34
ROMPTR># ... 34
Root@ ... 126
ROT ... 37
ROT#- ... 15
ROT#+ ... 15
ROT#+SWAP ... 15
ROT#1+ ... 15
ROT#1+UNROT ... 15
ROT+SWAP ... 15
ROT2DROP ... 37
ROT2DUP ... 37
ROTAND ... 44
ROTDROP ... 37
ROTDROPSWAP ... 37
ROTDUP ... 37
ROTOVER ... 37
ROTROT2DROP ... 37
ROTSWAP ... 37
ROTUntop& ... 33
rPACKARRYD (~rPACKARRYD) ... 139
RPICK ... 126
RPIT ... 45
RPITE ... 45
rpnAPPLY (~rpnAPPLY) ... 139
rpnDER (~rpnDER) ... 139
rpnINTG (~rpnINTG) ... 139
rpnWHERE (~rpnWHERE) ... 139
RROLL ... 50
rrp ... 132
RSKIP ... 50
RSWAP ... 50
runalias? (~runalias?) ... 139

S

s1> ... 132
SafeCrunch% ... 127
SafeDecomp ... 127
SaveListMets ... 127
SAVPTR ... 149
SCROLLDOWN ... 66
SCROLLLEFT ... 66
SCROLLRIGHT ... 66
SCROLLUP ... 66
seco ... 5
SEFINISH ... 126
Sel&DispNextF ... 127
SelectAplet ... 127
SelNextField ... 127
SelPrevField ... 127
SEMI ... 50
Seq_eval0 ... 127
Seq_eval1 ... 127
Seq_eval2 ... 127
Seq_evaln ... 127
seqid (~seqid) ... 139
seqnargs (~seqnargs) ... 139
seqPTR! ... 71
seqPTR@ ... 71
Set_window ... 128
setbeep ... 56
SetDA12a3NCh ... 65
SetDA12a3NoCh ... 65
SetDA12NoCh ... 65
SetDA12Temp ... 64
SetDA13NoCh ... 65
SetDA1Bad ... 64
SetDA1IsStat ... 65
SetDA1NoCh ... 65
SetDA1Temp ... 64
SetDA1Valid ... 64
SetDA23NoCh ... 65
SetDA2aBad ... 64
SetDA2aEcho ... 65
SetDA2aNoCh ... 65
SetDA2aTemp ... 64
SetDA2aValid ... 64
SetDA2bBad ... 64
SetDA2bNoCh ... 65
SetDA2bValid ... 64
SetDA2NoCh ... 65
SetDA2Temp ... 127
SetDA2Valid ... 64
SetDA3Bad ... 65
SetDA3NoCh ... 65
SetDA3Temp ... 64

SetDA3Valid 64
SetDA3ValidF 64
SetDAsBad 127
SetDAsNoCh 65
SetDAsTemp 64
SetEcma94 56
SetFAreaBad 127
SetFAreaOK 127
SetFAreasBad 128
SetFAreasOK 128
SetInAplet 128
SETLBERR 43
SETMEMERR 43
SETNONEXTERR 43
SetNoRollDA2 65
SETPLOTENV 126
SetRedrawFlag 128
SETROMPERR 43
SETSIZEERR 43
SETSTACKERR 43
SetSysFlag 55
SETTOPICLAM (~SETTOPICLAM) 135
SETTYPEERR 43
SetUserFlag 55
SEVEN 5
SEVENROLL 37
SEVENTEEN 6
SEVENTY 8
SEVENTYEIGHT 9
SEVENTYFIVE 9
SEVENTYFOUR 8
SEVENTYNINE 9
SEVENTYONE 8
SEVENTYSEVEN 9
SEVENTYSIX 9
SEVENTYTHREE 8
SEVENTYTWO 8
SIX 5
SIXFIVE 10
SIXROLL 37
SIXTEEN 5
SIXTY 8
SIXTYEIGHT 8
SIXTYFIVE 8
SIXTYFOUR 8
SIXTYONE 8
SIXTYSIX 8
SIXTYTHREE 8
SIXTYTWO 8
SIXUNROLL 38
SKIP 51
SKIPOB 149
sllatorre (~sllatorre) 139
Slope@ 128
SLOW 55
sn*spec (~sn*spec) 139
SolveApEntr (~SolveApEntr) 135
SolveIFMsg (~SolveIFMsg) 135
solvePTR! 71
solvePTR@ 71
solverTTT 132
SPACE$ 23
Split1CKSUM@ 128
Split2CKSUM@ 128
SplitRow@ 128
SplitTraceInit 128
ss*spec (~ss*spec) 139
STArryList 126
startSQFORM 132
Stat2Flag@ 128
StatFit@ 128
StatFont@ 128
StatIFMsg (~StatIFMsg) 135
StatMark@ 128
StatMisc[]@ 128
StatModel@ 128
StatPlot@ 128
statPTR! 71
statPTR@ 71
StatType! 128
StatType@ 128
STBigKeyDef 126
Std/BoxLabel 69
StdApEntry (~StdApEntry) 128
StdDecompNoNL 128
StdIOProc 128
STDoMedium 126
STDoSmall 126
StdTableViewUI 128
STEditKeyDef 126
STErrorGrob 126
STInitCols 126
STInsKeyDef 126
STJump 126
STJumpN 126
StndXYCoord? 128
STO 53
STO' 50
STO_tTYPE 126
StoAns@ 128
StoAns@Drp 128
StoAplet 128
STOLAM 40
StoVar 88

str 5
StripTicks 128
STRLIST 7
STRREALREAL 12
STSortCol 126
STStatsKeyDef 126
STTableDisp 126
STTableExit 126
STTableHKeys 126
STTableInit 126
STypeAnyChr 126
STypeDirChr 126
STypeLibChr 126
STypeLstChr 127
STypeMatChr 127
STypeNteChr 127
STypePgmChr 127
STypeTgtChr 127
STypeVarChr 127
STypeVecChr 127
STypeZapChr 127
SUB$ 26
SUB$1# 26
SUB$SWAP 26
SUBCOMP 30
SUBGROB 68
SV_?defined 127
SV_actual 127
SV_calledit 127
SV_getbody 127
SV_keycancel 127
SV_keycheck 127
SV_keyedit 127
SV_keyeval 127
SV_keyok 127
SV_keyshow 127
SV_setgrob19 127
SV_setitem0 127
SVarType@ 127
SWAP 36
SWAP#- 15
SWAP#1- 15
SWAP#1+ 15, 33
SWAP%%/ 19
SWAP%>C% 20
SWAP&$ 27
SWAP' 50
SWAP2DUP 36
SWAP3PICK 37
SWAP4PICK 38
SWAP4ROLL 37
SWAPCKREF 54
SWAPCOLA 51
SWAPcompSWAP 34
SWAPDROP 36
SWAPDROPDUP 36
SWAPDROPSWAP 38
SWAPDUP 36
SWAPINCOMP 32
SWAPINDEX@ 52
SwapL/RMets 128
SWAPLOOP 52
SWAPONE 13
SWAPOVER 36
SWAPOVER#- 15
SWAPROT 37
SWAPStatFlag 127
SWAPUnDROP 33
SWAPUnNDROP 33
SWP1+ 15, 33
sym 5
SYMARRY 10
symb 5
SYMBCMP 10
SYMBN 31, 33
SYMBNUMSOLVE 158
SYMBREAL 10
SYMBSYM 10
SYMBUNIT 10
SymbViewKey (~SymbViewKey) 135
SymbViewUI 128
SYMCMP 10
SYMCMPCMP 12
SYMCMPREAL 12
SYMCMPSYM 12
symcomp 34
SYMEXT 11
SYMID 10
SYMIDCMP 12
SYMIDEXT 12
SYMIDLIST 12
SYMIDREAL 12
syminner& 132
syminner&N 132
syminnertwo 132
SYMLAM 10
SYMLIST 10
SYMOB 10
SYMREAL 10
SYMREALCMP 12
SYMREALREAL 12
SYMREALSYM 12
SYMSTR 127
SYMSYM 11

SYMSYMB 11
SYMSYMCMP 12
SYMSYMREAL 12
SYSCONTEXT 54
SysITE 48
SYSRRP? 54
SysTime 55

T

TableViewKe (~TableViewKe) 135
TablSetViewUI 129
TAGGED 5
TAGGEDANY 11
TakeOver 61
TBColL3x5 128
TBColL5x7 128
TBColR3x5 128
TBColR5x7 128
TBDrawF3x5 128
TBDrawF5x7 128
TBEdSfKeys 128
TBErrorGrob 128
TBFormat 129
TBFuncDecomp 129
TBInv3x5C0 129
TBInv3x5C1 129
TBInv3x5C2 129
TBInv3x5C3 129
TBInv5x7C0 129
TBInv5x7C1 129
TBInv5x7C2 129
TBRollD3x5 129
TBRollD5x7 129
TBRollU3x5 129
TBRollU5x7 129
TBStdZooms 129
TBStndSplitInfo 129
Tcol@ 129
TCol1@ 129
TDDat3x5C1 129
TDDat3x5C2 129
TDDat3x5C3 129
TDDat3x5C4 129
TDDat3x5C5 129
TDDataF3x5 129
TDDatD3x5 129
TDDatL3x5 129
TDDatR3x5 129
TDDatU3x5 129
TempMenuBuff 129
TEN 5
TestSysFlag 55
TestUserFlag 55
TFlags@ 129
THIRTEEN 5
THIRTY 6
THIRTYEIGHT 7
THIRTYFIVE 6
THIRTYFOUR 6
THIRTYNINE 7
THIRTYONE 6
THIRTYSEVEN 6
THIRTYSIX 129
THIRTYTHREE 6
THIRTYTWO 6
THREE 5
THREE{}N 32
threeexprs 132
THREEFIVE 7
THREEFOUR 129
ticR 49
TOADISP 63
TOGDISP 63
TOGLINE 68
TOGLINE3 68
tok$ 24
tok& 24
tok' 24
tok* 24
tok, ... 24
tok- 24
tok. 24
tok/ 24
tok: 25
tok; 24
tok;triand 132
tok= 24
tok[..... 23
tok] 23
tok_ 23
tok{ 23
tok} 23
tok+ 24
tok>> 23
tok^ 24
tok<< 23
tok0 24
tok1 24
tok2 24
tok3 24
tok4 24
tok5 24
tok6 24

tok7 ... 24
tok8 ... 24
tok8cktrior ... 27
tok8trior ... 27
tok9 ... 24
tokanglesign ... 24
tokCTGROB ... 25
tokCTSTR ... 25
tokDER ... 24
tokESC ... 24
tokexponent ... 24
toklparen ... 23
tokquote ... 24
tokrparen ... 23
toksharp ... 24
tokSIGMA ... 24
tokSQRT ... 24
toktriand ... 132
tokUNKNOWN ... 25
tokuscore ... 24
tokWHERE ... 24
toLEN_DO ... 52
TOLErrorTrap ... 71
TOLKeyUI ... 71
TOLRestoreUI ... 71
TOLResUI&Err ... 71
TOLSaveUI ... 71
TOLSetTopicUI ... 71
TOLSetViewUI ... 71
TOLVar1! ... 76
TOLVar1@ ... 76
TOLVar10! ... 77
TOLVar10@ ... 77
TOLVar100! ... 82
TOLVar100@ ... 82
TOLVar101! ... 82
TOLVar101@ ... 82
TOLVar102! ... 82
TOLVar102@ ... 82
TOLVar103! ... 82
TOLVar103@ ... 82
TOLVar104! ... 82
TOLVar104@ ... 82
TOLVar105! ... 82
TOLVar105@ ... 82
TOLVar106! ... 82
TOLVar106@ ... 82
TOLVar107! ... 82
TOLVar107@ ... 82
TOLVar108! ... 82
TOLVar108@ ... 82
TOLVar109! ... 82
TOLVar109@ ... 82
TOLVar11! ... 77
TOLVar11@ ... 77
TOLVar110! ... 82
TOLVar110@ ... 82
TOLVar111! ... 82
TOLVar111@ ... 82
TOLVar112! ... 82
TOLVar112@ ... 82
TOLVar113! ... 82
TOLVar113@ ... 82
TOLVar114! ... 82
TOLVar114@ ... 82
TOLVar115! ... 82
TOLVar115@ ... 82
TOLVar116! ... 82
TOLVar116@ ... 82
TOLVar117! ... 82
TOLVar117@ ... 82
TOLVar118! ... 83
TOLVar118@ ... 83
TOLVar119! ... 83
TOLVar119@ ... 83
TOLVar12! ... 77
TOLVar12@ ... 77
TOLVar120! ... 83
TOLVar120@ ... 83
TOLVar121! ... 83
TOLVar121@ ... 83
TOLVar122! ... 83
TOLVar122@ ... 83
TOLVar123! ... 83
TOLVar123@ ... 83
TOLVar124! ... 83
TOLVar124@ ... 83
TOLVar125! ... 83
TOLVar125@ ... 83
TOLVar126! ... 83
TOLVar126@ ... 83
TOLVar127! ... 83
TOLVar127@ ... 83
TOLVar128! ... 83
TOLVar128@ ... 83
TOLVar129! ... 83
TOLVar129@ ... 83
TOLVar13! ... 77
TOLVar13@ ... 77
TOLVar130! ... 83
TOLVar130@ ... 83
TOLVar131! ... 83
TOLVar131@ ... 83
TOLVar132! ... 83

TOLVar132@ 83
TOLVar133! 83
TOLVar133@ 83
TOLVar134! 83
TOLVar134@ 83
TOLVar135! 83
TOLVar135@ 83
TOLVar136! 83
TOLVar136@ 83
TOLVar137! 84
TOLVar137@ 84
TOLVar138! 84
TOLVar138@ 84
TOLVar139! 84
TOLVar139@ 84
TOLVar14! 77
TOLVar14@ 77
TOLVar140! 84
TOLVar140@ 84
TOLVar141! 84
TOLVar141@ 84
TOLVar142! 84
TOLVar142@ 84
TOLVar143! 84
TOLVar143@ 84
TOLVar144! 84
TOLVar144@ 84
TOLVar145! 84
TOLVar145@ 84
TOLVar146! 84
TOLVar146@ 84
TOLVar147! 84
TOLVar147@ 84
TOLVar148! 84
TOLVar148@ 84
TOLVar149! 84
TOLVar149@ 84
TOLVar15! 77
TOLVar15@ 77
TOLVar150! 84
TOLVar150@ 84
TOLVar151! 84
TOLVar151@ 84
TOLVar152! 84
TOLVar152@ 84
TOLVar153! 84
TOLVar153@ 84
TOLVar154! 84
TOLVar154@ 84
TOLVar155! 84
TOLVar155@ 84
TOLVar156! 85
TOLVar156@ 85
TOLVar157! 85
TOLVar157@ 85
TOLVar158! 85
TOLVar158@ 85
TOLVar159! 85
TOLVar159@ 85
TOLVar16! 77
TOLVar16@ 77
TOLVar160! 85
TOLVar160@ 85
TOLVar161! 85
TOLVar161@ 85
TOLVar162! 85
TOLVar162@ 85
TOLVar163! 85
TOLVar163@ 85
TOLVar164! 85
TOLVar164@ 85
TOLVar165! 85
TOLVar165@ 85
TOLVar166! 85
TOLVar166@ 85
TOLVar167! 85
TOLVar167@ 85
TOLVar168! 85
TOLVar168@ 85
TOLVar169! 85
TOLVar169@ 85
TOLVar17! 77
TOLVar17@ 77
TOLVar170! 85
TOLVar170@ 85
TOLVar171! 85
TOLVar171@ 85
TOLVar172! 85
TOLVar172@ 85
TOLVar173! 85
TOLVar173@ 85
TOLVar174! 85
TOLVar174@ 85
TOLVar175! 86
TOLVar175@ 86
TOLVar176! 86
TOLVar176@ 86
TOLVar177! 86
TOLVar177@ 86
TOLVar178! 86
TOLVar178@ 86
TOLVar179! 86
TOLVar179@ 86
TOLVar18! 77

TOLVar18@ ... 77
TOLVar180! ... 86
TOLVar180@ ... 86
TOLVar181! ... 86
TOLVar181@ ... 86
TOLVar182! ... 86
TOLVar182@ ... 86
TOLVar183! ... 86
TOLVar183@ ... 86
TOLVar184! ... 86
TOLVar184@ ... 86
TOLVar185! ... 86
TOLVar185@ ... 86
TOLVar186! ... 86
TOLVar186@ ... 86
TOLVar187! ... 86
TOLVar187@ ... 86
TOLVar188! ... 86
TOLVar188@ ... 86
TOLVar189! ... 86
TOLVar189@ ... 86
TOLVar19! ... 77
TOLVar19@ ... 77
TOLVar190! ... 86
TOLVar190@ ... 86
TOLVar191! ... 86
TOLVar191@ ... 86
TOLVar192! ... 86
TOLVar192@ ... 86
TOLVar193! ... 86
TOLVar193@ ... 86
TOLVar194! ... 87
TOLVar194@ ... 87
TOLVar195! ... 87
TOLVar195@ ... 87
TOLVar196! ... 87
TOLVar196@ ... 87
TOLVar197! ... 87
TOLVar197@ ... 87
TOLVar198! ... 87
TOLVar198@ ... 87
TOLVar199! ... 87
TOLVar199@ ... 87
TOLVar2! ... 76
TOLVar2@ ... 76
TOLVar20! ... 77
TOLVar20@ ... 77
TOLVar200! ... 87
TOLVar200@ ... 87
TOLVar201! ... 87
TOLVar201@ ... 87
TOLVar202! ... 87
TOLVar202@ ... 87
TOLVar203! ... 87
TOLVar203@ ... 87
TOLVar204! ... 87
TOLVar204@ ... 87
TOLVar205! ... 87
TOLVar205@ ... 87
TOLVar206! ... 87
TOLVar206@ ... 87
TOLVar207! ... 87
TOLVar207@ ... 87
TOLVar208! ... 87
TOLVar208@ ... 87
TOLVar209! ... 87
TOLVar209@ ... 87
TOLVar21! ... 77
TOLVar21@ ... 77
TOLVar210! ... 87
TOLVar210@ ... 87
TOLVar211! ... 87
TOLVar211@ ... 87
TOLVar212! ... 87
TOLVar212@ ... 87
TOLVar213! ... 88
TOLVar213@ ... 88
TOLVar214! ... 88
TOLVar214@ ... 88
TOLVar215! ... 88
TOLVar215@ ... 88
TOLVar216! ... 88
TOLVar216@ ... 88
TOLVar22! ... 77
TOLVar22@ ... 77
TOLVar23! ... 78
TOLVar23@ ... 78
TOLVar24! ... 78
TOLVar24@ ... 78
TOLVar25! ... 78
TOLVar25@ ... 78
TOLVar26! ... 78
TOLVar26@ ... 78
TOLVar27! ... 78
TOLVar27@ ... 78
TOLVar28! ... 78
TOLVar28@ ... 78
TOLVar29! ... 78
TOLVar29@ ... 78
TOLVar3! ... 76
TOLVar3@ ... 76
TOLVar30! ... 78
TOLVar30@ ... 78
TOLVar31! ... 78

TOLVar31@ ... 78
TOLVar32! ... 78
TOLVar32@ ... 78
TOLVar33! ... 78
TOLVar33@ ... 78
TOLVar34! ... 78
TOLVar34@ ... 78
TOLVar35! ... 78
TOLVar35@ ... 78
TOLVar36! ... 78
TOLVar36@ ... 78
TOLVar37! ... 78
TOLVar37@ ... 78
TOLVar38! ... 78
TOLVar38@ ... 78
TOLVar39! ... 78
TOLVar39@ ... 78
TOLVar4! ... 77
TOLVar4@ ... 77
TOLVar40! ... 78
TOLVar40@ ... 78
TOLVar41! ... 78
TOLVar41@ ... 78
TOLVar42! ... 79
TOLVar42@ ... 79
TOLVar43! ... 79
TOLVar43@ ... 79
TOLVar44! ... 79
TOLVar44@ ... 79
TOLVar45! ... 79
TOLVar45@ ... 79
TOLVar46! ... 79
TOLVar46@ ... 79
TOLVar47! ... 79
TOLVar47@ ... 79
TOLVar48! ... 79
TOLVar48@ ... 79
TOLVar49! ... 79
TOLVar49@ ... 79
TOLVar5! ... 77
TOLVar5@ ... 77
TOLVar50! ... 79
TOLVar50@ ... 79
TOLVar51! ... 79
TOLVar51@ ... 79
TOLVar52! ... 79
TOLVar52@ ... 79
TOLVar53! ... 79
TOLVar53@ ... 79
TOLVar54! ... 79
TOLVar54@ ... 79
TOLVar55! ... 79
TOLVar55@ ... 79
TOLVar56! ... 79
TOLVar56@ ... 79
TOLVar57! ... 79
TOLVar57@ ... 79
TOLVar58! ... 79
TOLVar58@ ... 79
TOLVar59! ... 79
TOLVar59@ ... 79
TOLVar6! ... 77
TOLVar6@ ... 77
TOLVar60! ... 79
TOLVar60@ ... 79
TOLVar61! ... 80
TOLVar61@ ... 80
TOLVar62! ... 80
TOLVar62@ ... 80
TOLVar63! ... 80
TOLVar63@ ... 80
TOLVar64! ... 80
TOLVar64@ ... 80
TOLVar65! ... 80
TOLVar65@ ... 80
TOLVar66! ... 80
TOLVar66@ ... 80
TOLVar67! ... 80
TOLVar67@ ... 80
TOLVar68! ... 80
TOLVar68@ ... 80
TOLVar69! ... 80
TOLVar69@ ... 80
TOLVar7! ... 77
TOLVar7@ ... 77
TOLVar70! ... 80
TOLVar70@ ... 80
TOLVar71! ... 80
TOLVar71@ ... 80
TOLVar72! ... 80
TOLVar72@ ... 80
TOLVar73! ... 80
TOLVar73@ ... 80
TOLVar74! ... 80
TOLVar74@ ... 80
TOLVar75! ... 80
TOLVar75@ ... 80
TOLVar76! ... 80
TOLVar76@ ... 80
TOLVar77! ... 80
TOLVar77@ ... 80
TOLVar78! ... 80
TOLVar78@ ... 80
TOLVar79! ... 80

TOLVar79@ ... 80
TOLVar8! ... 77
TOLVar8@ ... 77
TOLVar80! ... 81
TOLVar80@ ... 81
TOLVar81! ... 81
TOLVar81@ ... 81
TOLVar82! ... 81
TOLVar82@ ... 81
TOLVar83! ... 81
TOLVar83@ ... 81
TOLVar84! ... 81
TOLVar84@ ... 81
TOLVar85! ... 81
TOLVar85@ ... 81
TOLVar86! ... 81
TOLVar86@ ... 81
TOLVar87! ... 81
TOLVar87@ ... 81
TOLVar88! ... 81
TOLVar88@ ... 81
TOLVar89! ... 81
TOLVar89@ ... 81
TOLVar9! ... 77
TOLVar9@ ... 77
TOLVar90! ... 81
TOLVar90@ ... 81
TOLVar91! ... 81
TOLVar91@ ... 81
TOLVar92! ... 81
TOLVar92@ ... 81
TOLVar93! ... 81
TOLVar93@ ... 81
TOLVar94! ... 81
TOLVar94@ ... 81
TOLVar95! ... 81
TOLVar95@ ... 81
TOLVar96! ... 81
TOLVar96@ ... 81
TOLVar97! ... 81
TOLVar97@ ... 81
TOLVar98! ... 81
TOLVar98@ ... 81
TOLVar99! ... 82
TOLVar99@ ... 82
TOLVarN! ... 88
TOLVarN@ ... 88
TOLVarSet! ... 88
top& ... 33
top&Cr ... 31
topic_CAPLE (~topic_CAPLE) ... 139
topic_install ... 132
topic_NONE (~topic_NONE) ... 139
topic_uninstall ... 132
TopicLibKey (~TopicLibKey) ... 135
TopicVar1! ... 72
TopicVar1@ ... 72
TopicVar10! ... 72
TopicVar10@ ... 72
TopicVar11! ... 72
TopicVar11@ ... 72
TopicVar12! ... 72
TopicVar12@ ... 72
TopicVar13! ... 72
TopicVar13@ ... 72
TopicVar14! ... 72
TopicVar14@ ... 72
TopicVar15! ... 72
TopicVar15@ ... 72
TopicVar16! ... 72
TopicVar16@ ... 72
TopicVar17! ... 72
TopicVar17@ ... 72
TopicVar18! ... 72
TopicVar18@ ... 72
TopicVar19! ... 73
TopicVar19@ ... 73
TopicVar2! ... 72
TopicVar2@ ... 72
TopicVar20! ... 73
TopicVar20@ ... 73
TopicVar21! ... 73
TopicVar21@ ... 73
TopicVar22! ... 73
TopicVar22@ ... 73
TopicVar23! ... 73
TopicVar23@ ... 73
TopicVar24! ... 73
TopicVar24@ ... 73
TopicVar25! ... 73
TopicVar25@ ... 73
TopicVar26! ... 73
TopicVar26@ ... 73
TopicVar27! ... 73
TopicVar27@ ... 73
TopicVar28! ... 73
TopicVar28@ ... 73
TopicVar29! ... 73
TopicVar29@ ... 73
TopicVar3! ... 72
TopicVar3@ ... 72
TopicVar30! ... 73
TopicVar30@ ... 73
TopicVar31! ... 73

TopicVar31@ ... 73
TopicVar32! ... 73
TopicVar32@ ... 73
TopicVar33! ... 73
TopicVar33@ ... 73
TopicVar34! ... 73
TopicVar34@ ... 73
TopicVar35! ... 73
TopicVar35@ ... 73
TopicVar36! ... 73
TopicVar36@ ... 73
TopicVar37! ... 73
TopicVar37@ ... 73
TopicVar38! ... 74
TopicVar38@ ... 74
TopicVar39! ... 74
TopicVar39@ ... 74
TopicVar4! ... 72
TopicVar4@ ... 72
TopicVar40! ... 74
TopicVar40@ ... 74
TopicVar41! ... 74
TopicVar41@ ... 74
TopicVar42! ... 74
TopicVar42@ ... 74
TopicVar43! ... 74
TopicVar43@ ... 74
TopicVar44! ... 74
TopicVar44@ ... 74
TopicVar45! ... 74
TopicVar45@ ... 74
TopicVar46! ... 74
TopicVar46@ ... 74
TopicVar47! ... 74
TopicVar47@ ... 74
TopicVar48! ... 74
TopicVar48@ ... 74
TopicVar49! ... 74
TopicVar49@ ... 74
TopicVar5! ... 72
TopicVar5@ ... 72
TopicVar50! ... 74
TopicVar50@ ... 74
TopicVar51! ... 74
TopicVar51@ ... 74
TopicVar52! ... 74
TopicVar52@ ... 74
TopicVar53! ... 74
TopicVar53@ ... 74
TopicVar54! ... 74
TopicVar54@ ... 74
TopicVar55! ... 74
TopicVar55@ ... 74
TopicVar56! ... 74
TopicVar56@ ... 74
TopicVar57! ... 75
TopicVar57@ ... 75
TopicVar58! ... 75
TopicVar58@ ... 75
TopicVar59! ... 75
TopicVar59@ ... 75
TopicVar6! ... 72
TopicVar6@ ... 72
TopicVar60! ... 75
TopicVar60@ ... 75
TopicVar61! ... 75
TopicVar61@ ... 75
TopicVar62! ... 75
TopicVar62@ ... 75
TopicVar63! ... 75
TopicVar63@ ... 75
TopicVar64! ... 75
TopicVar64@ ... 75
TopicVar65! ... 75
TopicVar65@ ... 75
TopicVar66! ... 75
TopicVar66@ ... 75
TopicVar67! ... 75
TopicVar67@ ... 75
TopicVar68! ... 75
TopicVar68@ ... 75
TopicVar69! ... 75
TopicVar69@ ... 75
TopicVar7! ... 72
TopicVar7@ ... 72
TopicVar70! ... 75
TopicVar70@ ... 75
TopicVar71! ... 75
TopicVar71@ ... 75
TopicVar72! ... 75
TopicVar72@ ... 75
TopicVar73! ... 75
TopicVar73@ ... 75
TopicVar74! ... 75
TopicVar74@ ... 75
TopicVar75! ... 75
TopicVar75@ ... 75
TopicVar76! ... 76
TopicVar76@ ... 76
TopicVar77! ... 76
TopicVar77@ ... 76
TopicVar78! ... 76
TopicVar78@ ... 76
TopicVar79! ... 76

TopicVar79@ ... 76
TopicVar8! ... 72
TopicVar8@ ... 72
TopicVar80! ... 76
TopicVar80@ ... 76
TopicVar81! ... 76
TopicVar81@ ... 76
TopicVar82! ... 76
TopicVar82@ ... 76
TopicVar83! ... 76
TopicVar83@ ... 76
TopicVar84! ... 76
TopicVar84@ ... 76
TopicVar85! ... 76
TopicVar85@ ... 76
TopicVar86! ... 76
TopicVar86@ ... 76
TopicVar87! ... 76
TopicVar87@ ... 76
TopicVar88! ... 76
TopicVar88@ ... 76
TopicVar89! ... 76
TopicVar89@ ... 76
TopicVar9! ... 72
TopicVar9@ ... 72
TopicVar90! ... 76
TopicVar90@ ... 76
TopicVar91! ... 76
TopicVar91@ ... 76
TopicVarN! ... 72
TopicVarN@ ... 72
TopOuterLoop ... 71
TOSRRP ... 35
TOTEMPOB ... 54
TOTEMPSWAP ... 54
TraceY ... 129
TRCXY ... 19
Trow@ ... 130
TRUE ... 43
TRUE' ... 50
TrueFalse ... 43
TRUEFALSE ... 43
TrueTrue ... 43
TStart@ ... 129
TStep@ ... 129
tTYPE@ ... 132
TURNMENUOFF ... 63
TURNMENUON ... 63
TurnOff ... 56
TWELVE ... 5
TWENTY ... 6
TWENTYEIGHT ... 6
TWENTYFIVE ... 6
TWENTYFOUR ... 6
TWENTYNINE ... 6
TWENTYONE ... 6
TWENTYSEVEN ... 6
TWENTYSIX ... 6
TWENTYTHREE ... 6
TWENTYTWO ... 6
TWO ... 5
TWO{}N ... 32
TWODROPNULL$ ... 25
twoexprs ... 133
twostrings ... 133
TYPE ... 58
TYPEARRY? ... 58
TYPEBINT? ... 59
TYPECARRY? ... 58
TYPECHAR? ... 59
TYPECMP ... 13
TYPECMP? ... 58
TYPECOL ... 13
TYPECOL? ... 59
TYPECSTR? ... 58
TYPEEREL ... 13
TYPEEXT ... 13
TYPEEXT? ... 59
TYPEGROB? ... 59
TYPEHSTR? ... 59
TYPEIDNT ... 13
TYPEIDNT? ... 58
TYPELAM ... 13
TYPELAM? ... 58
TYPELIST ... 13
TYPELIST? ... 58
TYPERARRY? ... 58
TYPEREAL ... 13
TYPEREAL? ... 58
TYPEROMP? ... 59
TYPERRP ... 13
TYPERRP? ... 59
TYPESYMB ... 13
TYPESYMB? ... 58
TZoom@ ... 129

U

uart_buffer 154
UARTBUFLEN 56
udfargs (~udfargs) 139
UNCOERCE 18
UNCOERCE%% 18
unitob 5
UNITSYM 11
UnLockAlpha 65
UnpackGrob 130
UNROLL 38
unroll2ND 33
unroll3RD 133
unroll4TH 133
unrollNTH 133
UNROT 37, 38
UNROT2DROP 37
UNROTDROP 38
UNROTDUP 38
UNROTOVER 38
UNROTSWAP 37
unsyminner 133
unsymone 133
UNTIL 52
UpArrow (~UpArrow) 135
Update_tTYPE 130
UseHidden{} (~UseHidden{}) 135
UserITE 48
UserSto 130

V

VERYSLOW 55
verysyminner 133
veryunsymin 133
VERYVERYSLOW 55
view_NONE (~view_NONE) 139
view01_CAPL (~view01_CAPL) 139
view23_CAPL (~view23_CAPL) 139
view45_CAPL (~view45_CAPL) 139
view6_CAPLE (~view6_CAPLE) 139
view7_CAPLE (~view7_CAPLE) 139
VLMAlarmMsg 130
VLMcmdlmsg 130
VLMhistmsg 130
VLMlastargs 130
VLMmsg 130
VLMpurgemsg 130
VLMstkmsg 130
VLMundomsg 130
VLMUserKeys 130
VTick@ 130
vunsymfcn 133
VZoom@ 130

W

WaitForKey 60
WHEREDER (~WHEREDER) 135
WHEREFCNAPP (~WHEREFCNAPP) 135
WHEREIFTE (~WHEREIFTE) 135
WHEREINTG (~WHEREINTG) 135
WHERESUM (~WHERESUM) 135
WHEREWHERE (~WHEREWHERE) 135
WHILE 52
WidthSmF 130
WINDOWBOT? 66
WINDOWCORNER 65
WINDOWDOWN 66
WINDOWLEFT 66
WINDOWLEFT? 66
WINDOWRIGHT 66
WINDOWRIGHT? 66
WINDOWTOP? 66
WINDOWUP 66
WINDOWXY 66

X

X@ 158
x>COL (~x>COL) 115
x>DIAG (~x>DIAG) 115
x>DISPLAY (~x>DISPLAY) 115
x>PLOT (~x>PLOT) 115
x>ROW (~x>ROW) 115
x\85LIST (~x\85LIST) 116
x\9BLIST (~x\9BLIST) 116
x\9CLIST (~x\9CLIST) 116
xa (~xa) 89
xACOT (~xACOT) 115
xACSC (~xACSC) 115
xAngle (~xAngle) 113
xAns (~xAns) 113
xArea (~xArea) 113
xASEC (~xASEC) 115
xAxes (~xAxes) 113
xb (~xb) 89
xBLANKGROB (~xBLANKGROB) 115
xBOXW (~xBOXW) 115
xc (~xc) 89
xC1 100
xC2 100
xC3 100
xC4 100

xC5 100
xCHECK (~xCHECK) 115
xCHOOSE (~xCHOOSE) 140
xCOBWEB (~xCOBWEB) 115
xCOL- (~xCOL-) 140
xCOL+ (~xCOL+) 140
xCOL> (~xCOL>) 115
xCONCAT (~xCONCAT) 115
xCOND (~xCOND) 140
xConnect (~xConnect) 113
Xcont (~Xcont) 136
xCoord (~xCoord) 113
xCOT (~xCOT) 115
xCSC (~xCSC) 115
xCSWP (~xCSWP) 115, 140
xCUBICFIT (~xCUBICFIT) 115
xd (~xd) 89
xD0 (~xD0) 100
xD1 (~xD1) 100
xD2 (~xD2) 100
xD3 (~xD3) 100
xD4 (~xD4) 100
xD5 (~xD5) 100
xD6 (~xD6) 100
xD7 (~xD7) 100
xD8 (~xD8) 100
xD9 (~xD9) 100
xDate (~xDate) 113
xDFLTNOTE (~xDFLTNOTE) 115
xDFLTPICT (~xDFLTPICT) 115
xDIAG> (~xDIAG>) 115
xDigits (~xDigits) 113
xDISPLAY> (~xDISPLAY>) 115
xDOLIST (~xDOLIST) 140
xDOSUBS (~xDOSUBS) 141
xE (~xE) 100
xEGV (~xEGV) 141
xEGVL (~xEGVL) 141
xENDSUB (~xENDSUB) 141
XEQDIAG>L (~XEQDIAG>L) 135
XEQDIAG>R (~XEQDIAG>R) 135
XEQRANM (~XEQRANM) 135
XEQSETLIB 35
XEQSYMLIN (~XEQSYMLIN) 135
XEQXDPTCH (~XEQXDPTCH) 135
xERASEA (~xERASEA) 115
xEVAL 142
XEVALp* (~XEVALp*) 135
XEVALp? (~XEVALp?) 135
xExtremum (~xExtremum) 113
xf (~xf) 89
xF0 (~xF0) 92
xF1 (~xF1) 92
xF2 (~xF2) 92
xF3 (~xF3) 93
xF4 (~xF4) 93
xF5 (~xF5) 93
xF6 (~xF6) 93
xF7 (~xF7) 93
xF8 (~xF8) 93
xF9 (~xF9) 93
XFERFAIL 12
xFIT (~xFIT) 113
xFmList (~xFmList) 113
xFmMat (~xFmMat) 113
xFormat (~xFormat) 113
xFRACTION (~xFRACTION) 115
xFUNCSYMB (~xFUNCSYMB) 115
xFUNCTAB (~xFUNCTAB) 115
xg (~xg) 89
xg0 (~xg0) 91
xg1 (~xg1) 91
xg2 (~xg2) 91
xg3 (~xg3) 91
xg4 (~xg4) 91
xg5 (~xg5) 91
xg6 (~xg6) 91
xg7 (~xg7) 91
xg8 (~xg8) 91
xg9 (~xg9) 91
xGrid (~xGrid) 113
xh (~xh) 89
xH1 (~xH1) 100
xH2 (~xH2) 101
xH3 (~xH3) 101
xH4 (~xH4) 101
xH5 (~xH5) 101
xHAngle (~xHAngle) 113
xHDigits (~xHDigits) 113
xHEAD (~xHEAD) 142
xHFormat (~xHFormat) 113
XHI 10
XHI-1 10
xHighRes (~xHighRes) 113
xHIST (~xHIST) 115
xHisWidth (~xHisWidth) 113
xHmax (~xHmax) 113
xHmin (~xHmin) 113
xHTick (~xHTick) 113
xHzoom (~xHzoom) 113
xI (~xI) 101
xIerr (~xIerr) 113
xIndep (~xIndep) 113
xInvCursor (~xInvCursor) 113

xIsect (~xIsect) 113
xj (~xj) 89
xk (~xk) 89
xl (~xl) 89
xl0 (~xl0) 91
xl1 (~xl1) 91
xl2 (~xl2) 91
xl3 (~xl3) 91
xl4 (~xl4) 91
xl5 (~xl5) 92
xl6 (~xl6) 92
xl7 (~xl7) 92
xl8 (~xl8) 92
xl9 (~xl9) 92
xLabels (~xLabels) 113
xLININ (~xLININ) 142
xLOGISFIT (~xLOGISFIT) 115
xLQ (~xLQ) 143
xLSQ (~xLSQ) 143
xLU (~xLU) 143
xm (~xm) 89
xm0 (~xm0) 90
xm1 (~xm1) 90
xm2 (~xm2) 90
xm3 (~xm3) 90
xm4 (~xm4) 90
xm5 (~xm5) 90
xm6 (~xm6) 91
xm7 (~xm7) 91
xm8 (~xm8) 91
xm9 (~xm9) 91
Xmax! 130
Xmax@ 130
Xmax2@ 130
xMAXS (~xMAXS) 113
xMEANS (~xMEANS) 113
xMEANX (~xMEANX) 113
xMEANY (~xMEANY) 113
xMEDIAN (~xMEDIAN) 113
Xmin! 130
Xmin@ 130
Xmin2@ 130
xMINS (~xMINS) 114
xMKMAT (~xMKMAT) 116
xMSGBOX (~xMSGBOX) 143
xn (~xn) 89
xn1 (~xn1) 100
xn2 (~xn2) 100
xn3 (~xn3) 100
xn4 (~xn4) 100
xn5 (~xn5) 100
xNmax (~xNmax) 114
xNmin (~xNmin) 114
xNoteText (~xNoteText) 114
xNS (~xNS) 114
xNSUB (~xNSUB) 143
xNumCol (~xNumCol) 114
xNumFont (~xNumFont) 114
xNumIndep (~xNumIndep) 114
xNumRow (~xNumRow) 114
xNumStart (~xNumStart) 114
xNumStep (~xNumStep) 114
xNumType (~xNumType) 114
xNumZoom (~xNumZoom) 114
xo (~xo) 89
XOR 43
Xorbitmap 130
xp (~xp) 89
xPage (~xPage) 114
xPageNum (~xPageNum) 114
xPARAMSYMB (~xPARAMSYMB) 116
xPARAMTAB (~xPARAMTAB) 116
xPCOEF (~xPCOEF) 143
xPEVAL (~xPEVAL) 144
xPINIT (~xPINIT) 144
xPLOT> (~xPLOT>) 116
xPOLARSYMB (~xPOLARSYMB) 116
xPOLARTAB (~xPOLARTAB) 116
xPoly (~xPoly) 116
xPOLYFORM (~xPOLYFORM) 116
xPOWERFIT (~xPOWERFIT) 116
xPROOT (~xPROOT) 144
xPSDEV (~xPSDEV) 144
XPURGEp 130
XPURGEp* (~XPURGEp*) 135
XPURGEp? (~XPURGEp?) 135
XPURGEp0 130
xq (~xq) 89
xQ1 (~xQ1) 101
xQ3 (~xQ3) 101
xQR (~xQR) 144
xQUADFIT (~xQUADFIT) 116
xr (~xr) 89
xR0 (~xR0) 96
xR1 (~xR1) 96
xR2 (~xR2) 96
xR3 (~xR3) 96
xR4 (~xR4) 96
xR5 (~xR5) 97
xR6 (~xR6) 97
xR7 (~xR7) 97
xR8 (~xR8) 97
xR9 (~xR9) 97
xRadixMark (~xRadixMark) 114

xRANK (~xRANK) 144
xRANM (~xRANM) 145
xRCI (~xRCI) 145
xRCIJ (~xRCIJ) 145
XRCLp 130
XRCLp* (~XRCLp*) 135
XRCLp? (~XRCLp?) 135
XRCLp?acc> (~XRCLp?acc>) 135
XRCLp0 130
XRCLpL (~XRCLpL) 135
XRCLpNL (~XRCLpNL) 135
xREADNOTE (~xREADNOTE) 116
xREADPICT (~xREADPICT) 116
xRecenter (~xRecenter) 114
xRECURSE (~xRECURSE) 116
xRELERR (~xRELERR) 114
xREVLIST (~xREVLIST) 145
xRoot (~xRoot) 114
xROW- (~xROW-) 145
xROW+ (~xROW+) 146
xROW> (~xROW>) 116
xRREF (~xRREF) 146
xRSWP (~xRSWP) 146
xs (~xs) 89
xs1 (~xs1) 100
xS1 (~xS1) 101
xS1fit (~xS1fit) 101
xS1mark (~xS1mark) 101
xs2 (~xs2) 100
xS2 (~xS2) 101
xS2fit (~xS2fit) 101
xS2mark (~xS2mark) 101
xs3 (~xs3) 100
xS3 (~xS3) 101
xS3fit (~xS3fit) 101
xS3mark (~xS3mark) 101
xs4 (~xs4) 100
xS4 (~xS4) 101
xS4fit (~xS4fit) 101
xS4mark (~xS4mark) 101
xs5 (~xs5) 100
xS5 (~xS5) 101
xS5fit (~xS5fit) 101
xS5mark (~xS5mark) 101
xSCHUR (~xSCHUR) 146
xSEC (~xSEC) 116
xSEQ (~xSEQ) 146
xSeqPlot (~xSeqPlot) 114
xSEQSYMB (~xSEQSYMB) 116
xSEQTAB (~xSEQTAB) 116
xSimult (~xSimult) 114
xSlope (~xSlope) 114
xSNRM (~xSNRM) 146
xSOLVESYMB (~xSOLVESYMB) 116
xSOLVETAB (~xSOLVETAB) 116
xSORT (~xSORT) 147
xSRAD (~xSRAD) 147
xSSDEV (~xSSDEV) 114
xSTAIRSTEP (~xSTAIRSTEP) 116
xStat1Var (~xStat1Var) 116
xSTAT2SYMB (~xSTAT2SYMB) 116
xSTAT2TAB (~xSTAT2TAB) 116
xStat2Var (~xStat2Var) 116
xStatMode (~xStatMode) 114
xStatPlot (~xStatPlot) 114
xSTATSYMB (~xSTATSYMB) 116
xSTATTAB (~xSTATTAB) 116
XSTOCHECK (~XSTOCHECK) 136
XSTOCHECK10 (~XSTOCHECK10) 136
XSTOp 130
XSTOp0 130
xSTREAM (~xSTREAM) 147
xSVARS (~xSVARS) 114
xSVD (~xSVD) 147
xSVL (~xSVL) 147
xSX (~xSX) 114
xSX2 (~xSX2) 114
xSXY (~xSXY) 114
xSY (~xSY) 114
xSY2 (~xSY2) 114
xt (~xt) 89
xTAIL (~xTAIL) 148
xtheta (~xtheta) 90
xThetaMax (~xThetaMax) 114
xThetaMin (~xThetaMin) 114
xThetaStep (~xThetaStep) 114
xTime (~xTime) 114
xTmax (~xTmax) 114
xTmin (~xTmin) 115
xTOTS (~xTOTS) 114
xTRACE (~xTRACE) 148
xTracing (~xTracing) 115
xTStep (~xTStep) 114
xu (~xu) 89
xU0 (~xU0) 98
xU1 (~xU1) 98
xU2 (~xU2) 98
xU3 (~xU3) 98
xU4 (~xU4) 98
xU5 (~xU5) 98
xU6 (~xU6) 98
xU7 (~xU7) 98
xU8 (~xU8) 98
xU9 (~xU9) 98

xUNCHECK (~xUNCHECK) 116
xUndefined (~xUndefined) 116
xUSERFIT (~xUSERFIT) 116
xv (~xv) 89
xVERSION (~xVERSION) 148
xVTick (~xVTick) 115
xVzoom (~xVzoom) 115
xw (~xw) 89
xx (~xx) 89
xx>DISPLAY (~xx>DISPLAY) 116
xx>GROB (~xx>GROB) 116
xx>PLOT (~xx>PLOT) 116
xX0 (~xX0) 94
xX1 (~xX1) 94
xX2 (~xX2) 94
xX3 (~xX3) 94
xX4 (~xX4) 94
xX5 (~xX5) 94
xX6 (~xX6) 94
xX7 (~xX7) 94
xX8 (~xX8) 94
xX9 (~xX9) 94
xxARC (~xxARC) 116
xxBEEP (~xxBEEP) 116
xxBOX (~xxBOX) 116
xxBREAK (~xxBREAK) 117
xxCHOOSE (~xxCHOOSE) 117
xxCOL- (~xxCOL-) 117
xxCOL+ (~xxCOL+) 117
xXcross (~xXcross) 115
xxCSWP (~xxCSWP) 117
xxDEG (~xxDEG) 117
xxDEMO (~xxDEMO) 117
xxDISP (~xxDISP) 117
xxDISPLAY> (~xxDISPLAY>) 117
xxDO1VSTATS (~xxDO1VSTATS) 117
xxDO2VSTATS (~xxDO2VSTATS) 117
xxERASE (~xxERASE) 117
xxERASEPLOT (~xxERASEPLOT) 117
xxFREEZE (~xxFREEZE) 117
xxGETKEY (~xxGETKEY) 117
xxGOR (~xxGOR) 117
xxGRAD (~xxGRAD) 117
xxGROBNOT (~xxGROBNOT) 117
xxGXOR (~xxGXOR) 117
xxHELP (~xxHELP) 117
xxINPUT (~xxINPUT) 117
xxITERATE (~xxITERATE) 117
xxLIBEVAL (~xxLIBEVAL) 117
xxLINE (~xxLINE) 117
xxMATEDIT (~xxMATEDIT) 117
xXmax (~xXmax) 115
xXmin (~xXmin) 115
xxMKGROB (~xxMKGROB) 117
xxMSGBOX (~xxMSGBOX) 117
xxPIXOFF (~xxPIXOFF) 117
xxPIXON (~xxPIXON) 117
xxPLOT> (~xxPLOT>) 117
xxPOS (~xxPOS) 117
xxPRDISPLAY (~xxPRDISPLAY) 117
xxPRSTC (~xxPRSTC) 117
xxPRVAR (~xxPRVAR) 117
xxRAD (~xxRAD) 117
xxRANM (~xxRANM) 117
xxRCI (~xxRCI) 117
xxRCIJ (~xxRCIJ) 117
xxRDM (~xxRDM) 118
xxRDZ (~xxRDZ) 118
xXRECV (~xXRECV) 148
xxREPL (~xxREPL) 118
xxROW- (~xxROW-) 118
xxROW+ (~xxROW+) 118
xxRSWP (~xxRSWP) 118
xxRULES (~xxRULES) 118
xxRUNPGM (~xxRUNPGM) 118
xxSELECT (~xxSELECT) 118
xXSEND (~xXSEND) 148
xxSETDEPEND (~xxSETDEPEND) 118
xxSETFREQ (~xxSETFREQ) 118
xxSETINDEP (~xxSETINDEP) 118
xxSETSAMPLE (~xxSETSAMPLE) 118
xxSETVIEWS (~xxSETVIEWS) 118
xxSIZE (~xxSIZE) 118
xxSTOP (~xxSTOP) 118
xxSUB (~xxSUB) 118
xxSYSEVAL (~xxSYSEVAL) 118
xxTLINE (~xxTLINE) 118
xxTO (~xxTO) 118
xxTSTR (~xxTSTR) 118
xxVERSION (~xxVERSION) 118
xxWAIT (~xxWAIT) 118
xxWSLOG (~xxWSLOG) 118
xxZEROGROB (~xxZEROGROB) 118
xy (~xy) 90
XY>Y 36
xY0 (~xY0) 94
xY1 (~xY1) 94
xY2 (~xY2) 94
xY3 (~xY3) 94
xY4 (~xY4) 95
xY5 (~xY5) 95
xY6 (~xY6) 95
xY7 (~xY7) 95
xY8 (~xY8) 95

xY9 (~xY9) 95
xYcross (~xYcross) 115
XYGROBDISP 68
xYmax (~xYmax) 115
xYmin (~xYmin) 115
XYZ> 36
XYZ>Y 37
XYZ>YXZ 37
XYZ>YZ 37
XYZ>Z 37
XYZ>ZCOLA 51
XYZ>ZTRUE 43
XYZ>ZX 38
XYZ>ZXY 37, 38
XYZ>ZY 37
XYZ>ZYX 37
XYZW> 36
XYZW>W 38
XYZW>WXYZ 38
XYZW>YWZX 37
XYZW>YZWX 37
xz (~xz) 90
xz0 (~xz0) 90
xz1 (~xz1) 90
xz2 (~xz2) 90
xz3 (~xz3) 90
xz4 (~xz4) 90
xz5 (~xz5) 90
xz6 (~xz6) 90
xz7 (~xz7) 90
xz8 (~xz8) 90
xz9 (~xz9) 90

Y

YHI 8
Ymax@ 130
Ymax2@ 130
Ymin@ 130
Ymin2@ 130

Z

ZERO 5
ZERO_DO 52
ZEROFALSE 13
ZEROISTOPSTO 53
ZEROOVER 13
ZEROSWAP 13
ZEROZERO 13
ZoomAutoUI 130