

Studies used in constructing BAT

1. Allen JP, Litten RZ, Anton RF, Cross GM. Carbohydrate-deficient transferrin as a measure of immoderate drinking: remaining issues. *Alcohol Clin Exp Res*. 1994 Aug;18(4):799-812.
2. Assy N, Kaita K, Mymin D, Levy C, Rosser B, Minuk G. Fatty infiltration of liver in hyperlipidemic patients. *Dig Dis Sci*. 2000 Oct;45(10):1929-34.
3. Baan CA, Feskens EJ. Disease burden of diabetes mellitus type II in the Netherlands: incidence, prevalence and mortality *Ned Tijdschr Geneeskd*. 2001 Sep 1;145(35):1681-5.
4. Bell H, Tallaksen C, Sjaheim T e.a serum carbohydrate-deficient transferrin as a marker of alcohol consumption in patients with chronic liver diseases. *Alcohol Clin Exp Res* 1993;17:246-252
5. Bellentani S, Tiribelli C, Saccoccio G, Sodde M, Fratti N, De Martin C, Cristianini G. Prevalence of chronic liver disease in the general population of northern Italy: the Dionysos Study. *Hepatology*. 1994 Dec;20(6):1442-9.
6. Bellentani S, Saccioccio G, Costa G et al Drinking habits as cofactors of risk for alcohol induced liver damage. *Gut* 1997;41: 845-850
7. Bellentani S, Tiribelli C. The spectrum of liver disease in the general population: lessons from the dionysos study. *J of Hepatol* 2001;35:531-537.
8. Bird G Can't treat, won't treat? Alcoholic liver disease. *Br J of Add* 1991;86:695-700
9. Bradley KA, Maynard C, Kivlahan DR, McDonell MB, Fihn SD. The relationship between alcohol screening questionnaires and mortality among male veteran outpatients. *J Stud Alcohol*. 2001 Nov;62(6):826-33.
10. Brigden ML Graydon C. Macrocytosis in adult outpatients: a changing spectrum of etiologies. *Lab Hem* 1997;3:104-109
11. Centraal Bureau voor de statistiek. Vademecum gezondheidsstatistiek Nederland. Voorburg Heerlen. 2000
12. Cerlek S, Sivacki J, Brzovic S et al How frequently is a palpable liver to be found during systemic examination of an apparently healthy population. *Acta hepatosplenol* 1971; 18: 397-402
13. Chalmers DM, Chanarin I, Macdermott S, Levi AJ. Sex related differences in the hematological effects of excessive alcohol consumption. *J Clin Path* 1980;33:3-7.
14. Chang WY, Chen CJ, Lu SN, You SL, Chuang WL, Chen SC, Su WP, Wang LY, Hsieh MY, Wu MM, et al. Relationship between fatty liver, alanine aminotransferase, HBsAg and hepatitis C virus. *Gastroenterol Hepatol*. 1992 Sep-Oct;7(5):455-8.
15. Cohen JA, kaplan MM The SGOT/SGPT ratio – an indicator of alcoholic liver disease. *Dig Dis and sciences* 1979;24: 835-838.

16. Conigrave KM, Saunders JB, and Whitfield JB. Diagnostic tests for alcohol consumption. *Alcohol Alcohol* 1995;30:13-26.
17. Daeppen JB, Schoenfeld-Smith K, Smith TL, Schuckit MA Characteristics of alcohol dependent subjects with very elevated levels of Gamma-Glutamyltransferase (GGT). *J Stud Alcohol*. 1999 Sep;60(5):589-94.
18. Daeppen JB, Landry U, Pecoud A, Decrey H, Yersin B. A measure of the intensity of response to alcohol to screen for alcohol use disorders in primary care *Alcohol Alcohol* 2000 Nov-Dec;35(6):625-7
19. Daniel S, Ben-Menachem T, Vasudevan G, Ma CK, Blumenkehl M. Prospective evaluation of unexplained chronic liver transaminase abnormalities in asymptomatic and symptomatic patients. *Am J Gastroenterol*. 1999 Oct;94(10):3010-4.
20. Dimartini A, Day N, Lane T et al carbohydrate-deficient transferrin in abstaining patients with end stage liver disease *Alcohol Clin Exp Res* 2001;25:1729-1733
21. Dufour DR, Lott JA, Nolte FS, Gretch DR, Koff RS, Seeff LB. Diagnosis and monitoring of hepatic injury. I. Performance characteristics of laboratory tests. *Clin Chem*. 2000 Dec;46(12):2027-49.
22. Farrell M, Howes S, Bebbington P, Brugha T, Jenkins R, Lewis G, Marsden J, Taylor C, Meltzer H. Nicotine, alcohol and drug dependence and psychiatric comorbidity. Results of a national household survey. *Br J Psychiatry*. 2001 Nov;179:432-7.
23. Frezza M, Pozzato G, Chiesa L, Terpin M, Barbone F, Di Padova C. Abnormal serum gamma-glutamyltranspeptidase in alcoholics. Clues to its explanation. *Neth J Med*. 1989 Feb;34(1-2):22-28.
24. Gordon T. Factors associated with serum alkaline phosphatase level. *Arch pathol lab med* 1993;117:187-190.
25. Grönbaeck M, Henriksen JH, Becker U. Carbohydrate-deficient transferrin- a valid marker of alcoholism in population studies? Results from the Copenhagen city heart study. *Alcohol Clin Exp Res* 1995;19: 457-461
26. Helander A, Fors M, Zakrisson B. Study of Axis-shield new %CDT immunoassay for quantification of carbohydrate-deficient transferrin (CDT) in serum. *Alcohol Alcohol* 2001;36:406-412.
27. Howdle PD Clinical evaluation of the patient with liver disease in: Grady JG, Lake JR, Howdle PD *Comprehensive Clinical Hepatology* Mosby London 2000
28. Hwang SJ. Hepatitis C virus infection: an overview. *J Microbiol Immunol Infect*. 2001 34(4):227-34.
29. Hwang SJ, Luo JC, Chu CW et al. Hepatic steatosis in chronic hepatitis C virus infection: prevalence and clinical correlation. *J of gastroent and hepat* 2001;16:190-195

30. Kapur A, Wild G, Milford-Ward A, Triger DR. Carbohydrate deficient transferrin: a marker for alcohol abuse. *BMJ*. 1989 Aug 12;299(6696):427-31.
31. Kringle RO, Bogovich M Statistical procedures in: Burtis CA, Ashwood ER (eds). Tietz textbook of clinical chemistry 3 ed. WB Saunders Philadelphia 1999.
32. Lamy J, Baglin MC, Ferrant JP, Weill J. Use of the measurement of gamma-glutamyltranspeptidase activity in serum to determine the success of cures for alcohol detoxification. *Clin Chim Acta*. 1975 Apr 2;60(1):103-7
33. Litten RZ, Allen JP, Fertig JB. Gamma-glutamyltranspeptidase and carbohydrate deficient transferrin: alternative measures of excessive alcohol consumption. *Alcohol Clin Exp Res*. 1995 Dec;19(6):1541-6
34. Leung NWY, Farrant P, Peters TJ. Liver volume measurement by ultrasonography in normal subjects and alcoholic patients. *J of Hepatology* 1986;2:157-164
35. Lonardo A, Trande P. Fatty liver, chronic hepatitis C and hepatocellular carcinoma *J of gastroenterology and hepatology* 2000;15:775-782
36. Meerkerk GJ, Njoo KH, Bongers IM, Trienekens P, van Oers JA. Comparing the diagnostic accuracy of carbohydrate-deficient transferrin, gamma-glutamyltransferase, and mean cell volume in a general practice population. *Alcohol Clin Exp Res*. 1999 Jun;23(6):1052-9
37. Meyer C, Rumpf HJ, Hapke U, Dilling H, John U. Prevalence of alcohol consumption, abuse and dependence in a country with high per capita consumption: findings from the German TACOS study. Transitions in Alcohol Consumption and Smoking. *Soc Psychiatry Psychiatr Epidemiol*. 2000 Dec;35(12):539-47
38. Meltzer AA, Everhart JE Association between diabetes and elevated serum alanine aminotransferase activity among Mexican Americans. *Am J of Epidemiology* 1997;146:565-571
39. Morgan MY, Camilo ME, Luck W, Sherlock S, Hoffbrand AV Macrocytosis in alcohol-related liver disease: its value for screening. *Clin Lab Haematol*. 1981;3(1):35-44.
40. Mundle G, Munkes j, Ackermann K, Mann K sex differences of carbohydrate-deficient transferrin, gamma-glutamyltransferase and mean corpuscular volume in alcohol-dependent patients. *Alcohol Clin Exp Res* 2000;24:1400-1405
41. Nalpas B, Hispard E, Thepot V, Pot S, Dally S, Berthelot P. A comparative study between carbohydrate-deficient transferrin and gamma-glutamyltransferase for the diagnosis of excessive drinking in a liver unit. *J Hepatol*. 1997 Dec;27(6):1003-8.
42. Ohta S, Wantabee Y, Nakajima T. Consumption of alcohol in the presence of hepatitis C virus is an additive risk for liver damage. *Prev. Med* 1998; 27: 461-469.
43. Oldenburg B, van Berge Henegouwen GP beleid bij verhoogde serumwaarden van aminotransferase zonder symptomen, in het bijzonder bij non-alcoholische steatohepatitis *Ned tijdsch Geneesk* 1999;143:506-509

44. Perkonigg A, Lieb R, Wittchen HU. Substance use, abuse and dependence in Germany. *Eur Add Research* 1998;4:8-17
45. Poikolainen K, Vartiainen E. Determinants of gamma-glutamyltransferase: positive interaction with alcohol and body mass index, negative association with coffee. *Am J Epidemiol.* 1997 Dec 15;146(12):1019-24
46. Pol S, Poynard T, Bedossa P, Naveau S, Aubert A, Chaput JC. Diagnostic value of serum gamma-glutamyl-transferase activity and mean corpuscular volume in alcoholic patients with or without cirrhosis. *Alcohol Clin Exp Res.* 1990 Apr;14(2):250-4
47. Quiist RG, Baker AJ, Dhawan A, Bass NM. Metabolic diseases of the liver in: Grady JG, Lake JR, Howdle PD. *Comprehensive Clinical Hepatology*. Mosby London. 2000.
48. Reichling JJ, Kaplan MM. Clinical use of serum enzymes in liver disease *Digestive diseases and sciences* 1988;33: 1601-1614
49. Rigter H, Crabbe JC (eds). *Alcohol tolerance and dependence*. Elsevier Biomedical Press, Amsterdam 1980
50. Robinson D, Whitehead TP. Effect of body mass and other factors on serum liver enzyme levels in men attending for well population screening *Ann Clin Bioch* 1989;26:393-400
51. Rosman AS, Lieber CS. Diagnostic utility of laboratory tests in alcoholic liver disease *Clin Chem* 1994; 40: 1641-1651
52. Rosenfield AT, Laufer I, Schneider PB. The significance of a palpable liver. A correlation of clinical and radioisotope studies. *Am J Roentgenol Radium Ther Nucl Med.* 1974 Oct;122(2):313-7
53. Ryback RS, Eckardt MJ, Felsher B, Rawlings RR. Biochemical and hematologic correlates of alcoholism and liver disease. *JAMA.* 1982 Nov 12;248(18):2261-5.
54. Rubio M, Caballeria J, Deulofeu L et al. Carbohydrate-deficient transferrin as a marker of alcohol consumption in male patients with liver disease. *Alcohol Clin Exp Res* 1997;21:923-927.
55. San Jose B, van Oers JA, van de Mheen H, Garretsen HF, Mackenbach JP. Drinking patterns and health outcomes: occasional versus regular drinking. *Addiction.* 2000 Jun;95(6):865-72.
56. Salaspuro M. Carbohydrate-deficient transferrin as compared to other markers of alcoholism: a systematic review. *Alcohol* 1999;19:261-271.
57. Seppa K, Sillanaukee P, Koivula T. Abnormalities of hematological parameters in heavy drinkers and alcoholics. *Alcohol Clin Exp Res* 1992;16:117-121.
58. Sharpe PC, McBride R, Archbold GP. Biochemical markers of alcohol abuse. *QJM.* 1996 89:137-44.

59. Sharpe PC Biochemical detection and monitoring of alcohol abuse and abstinence. *Ann Clin Biochem* 2001;38:652-664
60. Sheron N. Alcoholic liver disease in: Grady JG, Lake JR, Howdle PD Comprehensive Clinical Hepatology Mosby London 2000.
61. Sillanaukee P, Seppa K, Lof K, Koivula T. CDT by anion-exchange chromatography followed by RIA as a marker of heavy drinking among men. *Alcohol Clin Exp Res* 1993;17:230-233.
62. Steffensen FH, Sorensen HT, Brock A, Vilstrup H, Lauritzen T. Alcohol consumption and serum liver-derived enzymes in a Danish population aged 30-50 years. *Int J Epidemiol.* 1997; 26:92-99.
63. Van Steenberghe W, Lanckmans S. Liver disturbances in obesity and diabetes mellitus. *Int J Obes Relat Metab Disord.* 1995;19 Suppl 3:S27-36.
64. Teschke R, Neufeind M, Nishimura M, Strohmeyer G. Hepatic gamma-glutamyltransferase activity in alcoholic fatty liver: comparison with other liver enzymes in man and rats. *Gut.* 1983;24(7):625-30.
65. Thulstrup AM, Sorensen HT, Steffensen FH, Vilstrup H, Lauritzen T. Changes in liver-derived enzymes and self-reported alcohol consumption. A 1-year follow-up study in Denmark. *Scand J Gastroenterol.* 1999;34(2):189-93.
66. Tonnesen H, Hejberg L, Frobenius S, Andersen JR Erythrocyte mean cell volume-correlation to drinking pattern in heavy alcoholics. *Acta Med Scand.* 1986;219(5):515-8
67. Wetterling T, Kanitz RD, Rumpf HJ, Hapke U, Fischer D. Comparison of cage and mast with the alcohol markers CDT, gamma-GT, ALAT, ASAT and MCV. *Alcohol Alcohol.* 1998;33(4):424-30.
68. Whitfield JB, Hensley WJ, Bryden D, Gallagher H. Estimation of alcohol intake from laboratory results. *Ann Clin Biochem.* 1978;15(6):304-306.
69. Wickramasinghe SN, Corridan B, Hasan R, Marjot DH. Correlations between acetaldehyde-modified haemoglobin, carbohydrate-deficient transferrin (CDT) and haematological abnormalities in chronic alcoholism. *Alcohol Alcohol.* 1994;29(4):415-23
70. Williams ALB, Hjoofnagle JH. Ratio of serum aspartate to alanine aminotransferase in chronic hepatitis *Gastroenterology* 1989;95:734-739
71. Yano E, Tagawa K, Yamaoka K, Mori M. Test validity of periodic liver function tests in a population of Japanese male bank employees. *J Clin Epidemiol.* 2001;54(9):945-51.
72. Yersin B, Nicolet JF, Dercrey H, Burnier M, van Melle G, Pecoud A. Screening for excessive alcohol drinking. Comparative value of carbohydrate-deficient transferrin, gamma-glutamyltransferase, and mean corpuscular volume. *Arch Intern Med.* 1995;25;155(17):1907-1911.

