

Game Theory 2024

Ulle Endriss

Institute for Logic, Language and Computation

University of Amsterdam

Plan for Today

In this second lecture on *extensive games*, we are going to introduce the notion of *imperfect information*:

- *uncertainty* about the *current state* of the game being played
- *translation* to (and now also from) the *normal form*
- imperfect-information games with *perfect recall*
- subtle differences between *mixed* and *behavioural strategies*
- *Kuhn's Theorem*: condition under which they coincide
- *Computer Poker*: example for an application of these concepts

Much of this (and more) is also covered in Chapter 5 of the *Essentials*.

K. Leyton-Brown and Y. Shoham. *Essentials of Game Theory: A Concise, Multi-disciplinary Introduction*. Morgan & Claypool Publishers, 2008. Chapter 5.

Terminology: Incomplete vs. Imperfect Information

Distinguish imperfect information from incomplete information:

- *Incomplete information*: uncertainty about the rules of the *game*, such as the utilities of other players (\hookrightarrow Bayesian games)
Example: Haggling (you don't know the seller's reservation price)
- *Imperfect information*: uncertainty about current state of *play*, such as the actions taken by others (\hookrightarrow today's games)
Example: Battleship (you don't know opponent's ship positions)



Extensive Games with Imperfect Information

A strategic *imperfect-information game* (in extensive form) is a tuple $\langle N, A, H, Z, \underline{i}, \underline{A}, \sigma, \mathbf{u}, \sim \rangle$, where $\langle N, A, H, Z, \underline{i}, \underline{A}, \sigma, \mathbf{u} \rangle$ is a (finite) extensive-form game (with perfect information), i.e.,

- $N = \{1, \dots, n\}$ is a finite set of *players*;
- A is a (single) set of *actions*;
- H is a set of *choice nodes* (non-leaf nodes of the tree);
- Z is a set of *outcome nodes* (leaf nodes of the tree);
- $\underline{i} : H \rightarrow N$ is the *turn function*, fixing whose turn it is when;
- $\underline{A} : H \rightarrow 2^A$ is the *action function*, fixing the playable actions;
- $\sigma : H \times A \rightarrow H \cup Z$ is the (injective) *successor function*;
- $\mathbf{u} = (u_1, \dots, u_n)$ is a profile of *utility functions* $u_i : Z \rightarrow \mathbb{R}$;

and $\sim = (\sim_1, \dots, \sim_n)$ is a profile of *equivalence relations* \sim_i on H for which $h \sim_i h'$ implies $\underline{i}(h) = \underline{i}(h')$ and $\underline{A}(h) = \underline{A}(h')$ for all $h, h' \in H$.

Modelling Imperfect Information

We use \sim_i to relate states of the game that player i *cannot distinguish*.


Write $H_i := \{h \in H \mid \underline{i}(h) = i\}$ for the set of choice nodes in which it is player i 's turn. We only really need to know \sim_i on H_i (not $H \setminus H_i$).

Thus, for every player $i \in N$, \sim_i is an equivalence relation on H_i such that $h \sim_i h'$ implies $\underline{i}(h) = \underline{i}(h')$ and $\underline{A}(h) = \underline{A}(h')$ for all $h, h' \in H_i$.

Remark: Constraints on \underline{i} and \underline{A} needed to ensure indistinguishability. Otherwise, you might infer extra information from \underline{i} or \underline{A} .

Example

An imperfect-information game where **Player 1** cannot tell apart the two lower choice nodes in which it is her turn:



Remark: In later examples we will omit the subscript in \sim_1 , as it is always clear from context *who* is uncertain.

Equivalence Classes

The indistinguishability relation \sim_i partitions the space H_i . Notation:

- The set of all choice nodes that are indistinguishable from node h as far as player i is concerned (*equivalence class*):

$$[h]_{\sim_i} := \{h' \in H_i \mid h \sim_i h'\}$$

- The set of all such equivalence classes for player i (*quotient set*):

$$H_i / \sim_i := \{[h]_{\sim_i} \mid h \in H_i\}$$

Pure Strategies

A *pure strategy* for player i maps any given *equivalence class* $[h]_{\sim_i}$ to an *action* that is playable in (all of!) the choice nodes in $[h]_{\sim_i}$.

So: a function $\alpha_i : H_i / \sim_i \rightarrow A$ with $\alpha_i([h]_{\sim_i}) \in \underline{A}(h')$ for all $h' \in [h]_{\sim_i}$.

Alternative Definition of Pure Strategies

Conceptually, pure strategies map *equivalence classes* to *actions*.

But mathematically, we could just as well choose to define pure strategies as mapping *choice nodes* to *actions*:

A pure strategy is a function $\alpha_i : H_i \rightarrow A$ with $\alpha_i(h) \in \underline{A}(h)$ for all $h \in H_i$, such that $\alpha_i(h) = \alpha_i(h')$ whenever $h \sim_i h'$.

Thus, we can think of an imperfect-information game as a standard extensive game where certain strategies are not permitted.

Remark: This does *not* mean that imperfect-information games are special cases of extensive games (the opposite is true!).

Translation to Normal Form

We can translate imperfect-information games into normal-form games, just as we did for (perfect-information) extensive games.

Clear once you understand that incomplete-information games are just extensive games with restricted pure strategies (\hookleftarrow previous slide).

Thus: full machinery available (mixed Nash equilibria, ...).


Translation from Normal Form

We had seen that not every normal-form game can be translated into a corresponding (perfect-information) extensive game ...

In contrast, every NF-game can be translated into an II-game.


Use indistinguishability relation to 'hide' sequential nature. Example:

	C	D
C	-10	0
D	-25	-20



Exercise: High-Risk/Low-Risk Gamble

Consider the following imperfect-information game:



This meets our definitions. Still: what's 'wrong' with this game?

Perfect Recall

In the game on the previous slide, in the final round **Player 1** is assumed to forget the action she played in the first round ...

An imperfect-information game has *perfect recall*, if $h \sim_i h_0$ implies $h = h_0$ for the root node h_0 and all players $i \in N$, and if the following hold for all $i \in N$, all choice nodes $h, h' \in H$, and all actions $a, a' \in A$:

- (i) if $\sigma(h, a) \sim_i \sigma(h', a')$, then $h \sim_i h'$
- (ii) if $\sigma(h, a) \sim_i \sigma(h', a')$ and $\underline{i}(h) = i$, then $a = a'$

Thus, in a perfect-recall game no player i can resolve indistinguishability by inspecting the history of (i) nodes visited or (ii) actions she played.

Note: Every *perfect-information* extensive game has *perfect recall*.

Remark: Games *w/o perfect recall* can make sense in certain contexts. Think of having different agents play on your behalf in different rounds and suppose communication between them is limited.

Mixed vs. Behavioural Strategies

Let $H_i/\sim_i = \{[h_i^1]_{\sim_i}, \dots, [h_i^m]_{\sim_i}\}$ be the set of equivalence classes of choice nodes where it is player i 's turn.

Recall: A *pure strategy* for i is some $\alpha_i \in \underline{A}(h_i^1) \times \dots \times \underline{A}(h_i^m)$.

Thus: A *mixed strategy* for i is some $s_i \in \Pi(\underline{A}(h_i^1) \times \dots \times \underline{A}(h_i^m))$.

Clean definition. Nice. But are mixed strategies the right concept?

More natural to assume players mix *locally* in each choice node ...


A *behavioural strategy* for i is some $s_i \in \Pi(\underline{A}(h_i^1)) \times \dots \times \Pi(\underline{A}(h_i^m))$.

Issue: *Can we work with behavioural instead of mixed strategies?*

Definition: Two strategies for player i are called *outcome-equivalent* if, for every partial profile of pure strategies of the other players, the induced probability distributions over outcomes are the same.

Example: Mixed \neq Behavioural Strategy

In this one-player game, Ann is asked to play two actions in sequence and assumed to forget what she did after the first action got played. She wins (utility 1) if she chooses the same action twice.




Suppose we want a non-pure strategy that maximises expected utility:

- **Mixed strategy** $(\frac{1}{2}, 0, 0, \frac{1}{2})$ does the job: $EU = \frac{1}{2} \cdot 1 + \frac{1}{2} \cdot 1 = 1$
- Any **behavioural strategy** $((p, 1-p), (q, 1-q))$ must specify probabilities p to choose L first and q to choose L second:
 $EU = p \cdot q + (1-p) \cdot (1-q) = 1 + 2pq - p - q < 1$ unless $p = q = 0, 1$

Another Example: Mixed \neq Behavioural Strategy

Recall: Just now we saw that there exist mixed strategies that do not admit any outcome-equivalent behavioural strategy.

It gets worse. Here is another one-player game:



So Ann wins if she manages to play L and R in order. But she forgets what (and whether!) she played.

Her pure strategies are L and R (more precisely, $_ : H/\sim \rightarrow \{L, R\}$).

Playing the *behavioural strategy* $(\frac{1}{2}, \frac{1}{2})$, she wins 25% of the time.

Playing whatever *mixed strategy* (picking L or R), she never wins.

Thus: There exist behavioural strategies that do not admit any outcome-equivalent mixed strategy. *End of story?*

Kuhn's Theorem

Good news:

Theorem 1 (Kuhn, 1953) *In a (finite) imperfect-information game with **perfect recall**, for any given **mixed strategy** of a given player, there exists an **outcome-equivalent behavioural strategy** for the same player.*

Proof on next slide.

Remark: The converse holds as well (and sometimes is considered part of Kuhn's Theorem). Proof omitted.

Thus: We can move freely between our two types of randomised strategies. Nice.



Harold W. Kuhn
(1925–2014)

H.W. Kuhn. Extensive Game and the Problem of Information. In: H.W. Kuhn and A.W. Tucker (eds.), *Contributions to the Theory of Games*, 1953.

Proof

Claim: For any *perfect-recall game*, for any given mixed strategy s_i of player i we can find an outcome-equivalent behavioural strategy s_i^* .

Proof: We need to fix $s_i^*(h)(a)$ for any $h \in H_i$ and $a \in \underline{A}(h)$...

Let $p(s_i, h)$ denote the probability of passing through h when player i plays s_i and the others play pure strategies consistent with reaching h .

Let $p(s_i, \sigma(h, a))$ be defined analogously. Fix:

$$s_i^*(h)(a) := \frac{p(s_i, \sigma(h, a))}{p(s_i, h)} \quad \left(\text{and } s_i^*(h)(a) := \frac{1}{|\underline{A}(h)|} \text{ if } p(s_i, h) = 0 \right)$$

Clear: probabilities add up to 1 in each node: $\sum_{a \in \underline{A}(h)} s_i^*(h)(a) = 1 \checkmark$

But to be a well-defined behavioural strategy, s_i^* also must respect \sim_i :

$$h \sim_i h' \quad \Rightarrow \quad s_i^*(h)(a) = s_i^*(h')(a)$$

Due to *perfect recall*, the actions played by i on the path to h are the same as those on the path to h' . Nothing else affects probabilities. \checkmark

Application: Computer Poker

Discussion: *Is Poker about **imperfect** or about **incomplete information**?*

The well-known recent work on building an intelligent agent to play Poker (for two players and a simplified set of rules) models the game as an extensive imperfect-information game and attempts to compute Nash equilibria in behavioural strategies.

The main challenge is in dealing with the sheer size of such games. This is tackled using a mix of game theory, abstraction techniques, combinatorial optimisation, and (in some cases) machine learning.

N. Brown and T. Sandholm. Superhuman AI for Heads-up No-limit Poker: Libratus Beats Top Professionals. *Science* 359:418–424, 2018.

Let's Play: Simplified Poker

Two players can play this variant of Poker using three cards:



Both *ante* 1 dollar and draw a card. Player 1 *bets* 1 extra dollar or *folds*. If she bets, Player 2 *calls* (also bets 1 extra dollar) or *folds*.

If you *fold*, then your opponent gets the pot (thus winning 1 dollar).

If a *bet is called*, then it comes to a *showdown* (winner gets 2 dollars).

Now: *What strategy do you choose for each of the two possible roles?*

Exercise: Analysing Simplified Poker

Think of *Nature* as a third player who moves first and has six actions (KQ, KJ, QJ, QK, JK, JQ). Assume she always uses a mixed strategy that gives each action the same probability of $\frac{1}{6}$.

Task 1: Draw the *game tree* for this game!


Any behavioural strategy of Player 1 can be described by the probabilities to bet upon drawing king (p_K), queen (p_Q), jack (p_J).

Any behavioural strategy of Player 2 can be described by the probabilities to call upon drawing king (q_K), queen (q_Q), jack (q_J).

Task 2: Find all *Nash equilibria*!

- Straightforward to see what p_K , q_K , and q_J should be!
- Now what about p_Q ?
- For the remaining p_J and q_Q some tedious calculations seem unavoidable. But use the fact that this is a zero-sum game.

We start by drawing the game tree:



(missing from picture: leftmost and rightmost **2** also linked via \sim)

Clear: $p_K = 1$, $q_K = 1$, $q_J = 0$ (dominated actions = dotted arrows)

What about p_Q ? Given Q_- , Player 1 gets EU $\frac{1}{2}(1 - 2) = -\frac{1}{2}$ if she bets.

If she folds, she always gets -1 . So she should bet! $\Rightarrow p_Q = 1$

Solving Poker

Once we have eliminated all actions we found to be strictly dominated, we are left with a much simpler game with two actions per player:

	call on Q	fold on Q
bet on J	$+\frac{2}{6}$ $-\frac{2}{6}$	0 0
fold on J	0 0	$+\frac{1}{6}$ $-\frac{1}{6}$

Here the payoffs shown are the expected utilities in the original game in case *Nature* plays using a uniform probability distribution.

Example: $u_1(\text{bet on J, call on Q}) = \frac{1}{6} \cdot (2 + 1 + 1 - 2 - 2 - 2) = -\frac{2}{6}$

The only NE for the above game is $(\frac{1}{3}, \frac{1}{3})$. Thus: $p_J = \frac{1}{3}$ and $q_Q = \frac{1}{3}$

Summary

This concludes our review of extensive games in general and of imperfect-information games in particular:

- model: basic *extensive games* + *indistinguishability* relation
- same *expressive power* as normal form: translation possible
- *behavioural strategies* more natural than usual mixed strategies
- *Kuhn's Theorem*: for imperfect-information games of perfect recall, we can rewrite any mixed strategy as a behavioural strategy

What next? How do you *design* a game when you hope for a certain outcome but expect players to be strategic (\leftrightarrow *mechanism design*)?